

Exhibit CC. Breux Bridge I-10 Site Phase I Environmental Site Assessment



Phase I Environmental Site Assessment

**Breaux Bridge I-10 Site
St. Martin Parish, Louisiana**

**Breaux Bridge I-10 Site
Phase I Environmental Site
Assessment**

Prepared for
One Acadiana

September 2022

Prepared by

Chenier Environmental Consulting, LLC

September 9, 2022

Emile Lege
Coordinator, Business Development
One Acadiana
804 E. St. Mary Blvd.
Lafayette, LA 70503

Subject: Phase I Environmental Site Assessment
Breux Bridge I-10 Site
296 Degeyter Road
Breux Bridge, Louisiana 70517
Chenier Project No. 22-202


Dear Mr. Lege:

Chenier Environmental Consulting, LLC (Chenier) is pleased to provide this *Phase I Environmental Site Assessment* (Phase I ESA) report of the abovementioned address (the “subject property”). This assessment was performed in conformance with the scope and limitations as detailed in the ASTM Practice E1527-13 and E1527-21 Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process and Client Agreement.

This assessment included a site reconnaissance as well as research and interviews with representatives of the public, property ownership, site manager, and regulatory agencies. An assessment was made, conclusions stated, and recommendations outlined. Chenier found no recognized environmental conditions associated with the subject property and recommends no further investigation.

We appreciate your trust in Chenier and the opportunity to provide environmental services to you. If you have any questions concerning this report, or if we can assist you in any other matter, please contact me at (225) 235-9557.

Sincerely,



Aaron S. Bass, PhD
Project Manager

EXECUTIVE SUMMARY

Chenier Environmental Consulting, LLC (Chenier) has performed a Phase I Environmental Site Assessment (ESA) in accordance with the scope of work and limitations of ASTM Standard Practice E1527-13 and E1527-21, the Environmental Protection Agency Standards and Practices for All Appropriate Inquiries (AAI) (40 CFR Part 312) and set forth by One Acadiana for the property located at Degeyter Road in Breaux Bridge, St. Martin Parish, Louisiana (the “subject property”).

Property Description

The subject property is located on the south side of Interstate 10 and the west side of LA 328 at the west end of Degeyter Road within a mixed commercial/agricultural area of St. Martin Parish. Please refer to the table below for further description of the subject property:

<i>Subject Property Data</i>	
Address(es):	296 Degeyter Road, Breaux Bridge, Louisiana
Property Use:	Agricultural/Vacant
Land Acreage (Ac):	21.71 Ac (Tract 1), 20.05 (Tract 2)
Number of Buildings:	None
Number of Floors:	Not applicable
Gross Building Area (SF):	Not applicable
Net Rentable Area (SF):	Not applicable
Date of Construction:	Not applicable
Assessor’s Parcel Number (APN):	06802B3555 (Tract 1); 0680004066 (Tract 2)
Type of Construction:	Not applicable
Current Tenants:	Not applicable
Site Assessment Performed By:	Aaron S. Bass of Chenier
Site Assessment Conducted On:	August 1, 2022
Regulatory Radius Report Date:	May 23, 2022
Lien Search Date:	Not applicable
Report Date:	August 31, 2022
FOIAs Date:	August 2022

The subject property is currently vacant land and agricultural land/pasture. There are no buildings on the property.

According to available historical sources, the subject property was agricultural/pasture land from prior to the 1940s into the 1980s; developed with Pioneer RV Park in the early 1980s to 2017; and vacant grassland and pasture from 2017 until present.

Tenants on the subject property include Pioneer Acadian Village, Inc. – Pioneer RV Park and Campground (early 1980s-2017).

The adjoining properties are tabulated below:

<i>Adjoining Properties</i>	
North:	Interstate 10 then agricultural land
Northeast:	Interstate 10 off ramp
East:	Pasture then Degeyter Road beyond which is LA 328 (Rees Street)
Southeast:	Pasture
South:	Pasture, forested land and Bayou Teche
Southwest:	Bayou Teche then scattered residences and grassland
West:	Bayou Teche then scattered residences
Northwest:	Interstate 10 then forested and agricultural land

According to the USGS Topographic Map, the physical setting features of the subject property identify the terrain as sloping to the west with the depth to groundwater in the vicinity of the subject property inferred to be approximately 1.5 to 3.5 feet below ground surface during the winter and spring feet below ground surface (bgs) and groundwater flow inferred to be toward the west.

Findings and Opinions

Recognized Environmental Condition

A *recognized environmental condition (REC)* refers to the presence of hazardous substances or petroleum products in, on, or at the subject property due to a release to the environment; the likely presence of hazardous substances or petroleum products in, on, or at the subject property due to a release or likely release to the environment; or the presence of hazardous substances or petroleum products in, on, or at the subject property under conditions that pose a material threat of a future release to the environment. The following was identified during the course of this assessment:

- Chenier did not identify any RECs during the course of this assessment.

Controlled Recognized Environmental Condition

A *controlled recognized environmental condition (CREC)* refers to a REC affecting the subject property that has been addressed to the satisfaction of the applicable regulatory authority or authorities with hazardous substances or petroleum products allowed to remain in place subject to implementation of required controls (for example, activity and use limitations or other property use limitations). The following was identified during the course of this assessment:

- Chenier did not identify any CRECs during the course of this assessment.

Historical Recognized Environmental Condition

A *historical recognized environmental condition (HREC)* refers to a previous release of hazardous substances or petroleum products affecting the subject property that has been addressed to the satisfaction of the applicable regulatory authority or authorities and meeting unrestricted use criteria established by the applicable regulatory authority or authorities without subjecting the subject property to any controls (for example, activity and use limitations or other property use limitations). The following was identified during the course of this assessment:

- Chenier did not identify any HRECs during the course of this assessment.

Business Environmental Risk

A *Business Environmental Risks (BER)* is a risk which can have a material environmental or environmentally driven impact on the business associated with the current or planned use of commercial real estate, not necessarily related to those environmental issues required to be investigated in this practice. The following was identified during the course of this assessment:

- Chenier did not identify any BERs during the course of this assessment.

Significant Data Gaps

No significant data gaps affecting the ability of the Environmental Professional to identify a REC were encountered during this assessment.

Conclusions and Recommendations

Chenier has performed a Phase I Environmental Site Assessment in conformance with the scope and limitations of ASTM Practice E1527-13 and E1527-21 of 41.76 acres located at 296 Degeyter Road in Breaux Bridge, St. Martin Parish, Louisiana (the “subject property”). Any exceptions to, or deletions from, this practice are described in Section 1.5 of this report.

This assessment has revealed no evidence of RECs, CRECs, HRECs, or BERs in connection with the subject property. Based on the conclusions of this assessment, Chenier recommends no further investigation of the subject property at this time.

TABLE OF CONTENTS

1.0	INTRODUCTION.....	1
1.1	Purpose.....	1
1.2	Scope of Work.....	1
1.3	Limitations.....	2
1.4	User Reliance.....	3
1.5	Limiting Conditions.....	3
2.0	SITE DESCRIPTION	5
2.1	Site Location and Legal Description.....	5
2.2	Current Property Use.....	5
2.3	Current Use of Adjoining Properties	5
2.4	Physical Setting Sources.....	6
2.4.1	Topography	6
2.4.2	Hydrology.....	6
2.4.3	Geology/Soils	6
2.4.4	Flood Zone Information	7
3.0	HISTORICAL INFORMATION	8
3.1	Aerial Photograph Review	8
3.2	Fire Insurance Maps	10
3.3	City Directories	10
3.4	Historical Topographic Maps	11
4.0	REGULATORY RECORDS REVIEW	14
4.1	Regulatory Agencies	14
4.1.1	State Department.....	14
4.1.2	Fire Department	14
4.1.3	Oil & Gas Exploration	15
4.1.4	Assessor’s Office	15
4.1.5	U.S. Department of Transportation, Pipeline and Hazardous Materials Safety Administration	15
4.2	Mapped Database Records Search	16
4.2.1	Regulatory Database Summary	16
4.2.2	Subject Property Listings	17
4.2.3	Adjoining Property Listings	17
4.2.4	Surrounding Area Listings of Concern to Subject Property	18
4.2.5	Unplottable Listings	18
5.0	USER PROVIDED INFORMATION AND INTERVIEWS	19
5.1	Interviews	19
5.1.1	Interview with Owner	19

5.1.2	Interview with Report User	20
5.1.3	Interview with Key Site Manager	20
5.1.4	Interviews with Past Owners, Operators, and Occupants.....	20
5.2	User Provided Information.....	20
5.2.1	Title Records, Environmental Liens, and AULs	20
5.2.2	Specialized Knowledge	20
5.2.3	Actual Knowledge of the User.....	20
5.2.4	Valuation Reduction for Environmental Issues.....	20
5.2.5	Commonly Known or Reasonably Ascertainable Information.....	21
5.2.6	Previous Reports and Other Provided Documentation	21
6.0	SITE RECONNAISSANCE	22
6.1	General Site Characteristics.....	22
6.2	Potential Environmental Hazards	23
6.3	Non-Scope ASTM Considerations.....	24
6.3.1	Asbestos-Containing Materials (ACMs).....	24
6.3.2	Lead-Based Paint (LBP).....	24
6.3.3	Radon	24
6.3.4	Lead in Drinking Water.....	24
6.3.5	Mold	24
6.3.6	Wetlands	25
6.4	Adjoining Property Reconnaissance	25
7.0	VAPOR ENCROACHMENT CONDITIONS.....	26
8.0	FINDINGS AND CONCLUSIONS	27
9.0	SIGNATURES OF ENVIRONMENTAL PROFESSIONALS.....	29
10.0	REFERENCES	30

Figures

- Figure 1** Site Location Map
- Figure 2** Site Plan
- Figure 3** Topographic Map

Appendices

- Appendix A** Site Photographs
- Appendix B** Historical/Regulatory Documentation
- Appendix C** Regulatory Database Report
- Appendix D** Qualifications

1.0 INTRODUCTION

Chenier Environmental Consulting, LLC (Chenier) has performed a Phase I Environmental Site Assessment (ESA) in conformance with the scope and limitations of ASTM Standard Practice E1527-13 and E1527-21 and the Environmental Protection Agency Standards and Practices for All Appropriate Inquiries (AAI) (40 CFR Part 312) for the property located at 296 Degeyer Road in Breaux Bridge, St. Martin Parish, Louisiana (the “subject property”). Any exceptions to, or deletions from, this scope of work are described in the report.

1.1 Purpose

The purpose of this ESA is to identify existing or potential Recognized Environmental Conditions (as defined by ASTM Standard E1527-13 and E1527-21) affecting the subject property that: 1) constitute or result in a material violation or a potential material violation of any applicable environmental law; 2) impose any material constraints on the operation of the subject property or require a material change in the use thereof; 3) require clean-up, remedial action or other response with respect to Hazardous Substances or Petroleum Products on or affecting the subject property under any applicable environmental law; 4) may affect the value of the subject property; and 5) may require specific actions to be performed with regard to such conditions and circumstances. The information contained in the ESA Report will be used by Client to: 1) evaluate its legal and financial liabilities for transactions related to foreclosure, purchase, sale, loan origination, loan workout or seller financing; 2) evaluate the subject property’s overall development potential, the associated market value and the impact of applicable laws that restrict financial and other types of assistance for the future development of the subject property; and/or 3) determine whether specific actions are required to be performed prior to the foreclosure, purchase, sale, loan origination, loan workout or seller financing of the subject property.

This ESA was performed to permit the *User* to satisfy one of the requirements to qualify for the innocent landowner, contiguous property owner, or bona fide prospective purchaser limitations on scope of Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) (42 U.S.C. §9601) liability (hereinafter, the “*landowner liability protections*,” or “*LLPs*”). ASTM Standard E1527-13 constitutes “*all appropriate inquiry* into the previous ownership and uses of the *property* consistent with good commercial or customary practice” as defined at 42 U.S.C. §9601(35)(B).

1.2 Scope of Work

The scope of work for this ESA is in accordance with and to the extent necessary to achieve the goal of the requirements set forth in the ASTM Standard E1527-13 and E1527-21. This assessment included: 1) a property and adjoining site reconnaissance; 2) interviews with key personnel; 3) a review of historical sources; 4) a review of regulatory agency records; and 5) a review of a regulatory database report provided by a third-party vendor. Chenier contacted local agencies, such as environmental health departments, fire departments and building departments to obtain readily ascertainable information to determine any current and/or former hazardous

substances usage, storage and/or releases of hazardous substances on the subject property. Additionally, Chenier researched readily available information on the presence of activity and use limitations (AULs) at these agencies. As defined by ASTM E1527-21, AULs include both legal (that is, institutional) and physical (that is, engineering) controls that may include legal or physical restrictions or limitations on the use of, or access to, a site or facility: 1) to reduce or eliminate potential exposure to hazardous substances or petroleum products in the soil, soil vapor, groundwater, or surface water on the subject property; or 2) to prevent activities that could interfere with the effectiveness of a response action, in order to ensure maintenance of a condition of no significant risk to public health or the environment. These legal or physical restrictions, which may include institutional and/or engineering controls (IC/ECs), are intended to prevent adverse impacts to individuals or populations that may be exposed to hazardous substances and petroleum products in the soil, soil vapor, groundwater, and/or surface water on a property.

If requested by Client, this report may also include the identification, discussion of, and/or limited sampling of asbestos-containing materials (ACMs), lead-based paint (LBP), mold, and/or radon.

1.3 Limitations

Chenier warrants that the findings and conclusions contained herein were accomplished in accordance with the methodologies set forth in the Scope of Work. These methodologies are described as representing good commercial and customary practice for conducting an ESA of a property for the purpose of identifying recognized environmental conditions. There is a possibility that even with the proper application of these methodologies there may exist on the subject property conditions that could not be identified within the scope of the assessment or which were not reasonably identifiable from the available information. Chenier believes that the information obtained from the record review and the interviews concerning the subject property is reliable. However, Chenier cannot and does not warrant or guarantee that the information provided by these other sources is accurate or complete. The conclusions and findings set forth in this report are strictly limited in time and scope to the date of the evaluations. The conclusions presented in the report are based solely on the services described therein, and not on scientific tasks or procedures beyond the scope of agreed-upon services or the time and budgeting restraints imposed by the Client. No other warranties are implied or expressed.

Some of the information provided in this report is based upon personal interviews, and research of available documents, records, and maps held by the appropriate government and private agencies. This report is subject to the limitations of historical documentation, availability, and accuracy of pertinent records, and the personal recollections of those persons contacted.

This practice does not address requirements of any state or local laws or of any federal laws other than the all appropriate inquiry provisions of the LLPs. Further, this report does not intend to address all of the compliance and safety concerns, if any, associated with the subject property.

Environmental concerns, which are beyond the scope of a Phase I ESA as defined by ASTM include the following: ACMs, LBP, radon, and lead in drinking water. These issues may affect environmental risk at the subject property and may warrant discussion and/or assessment; however, are considered non-scope issues. If specifically requested by the Client, these non-scope issues are discussed in Section 6.3.

1.4 User Reliance

One Acadiana engaged Chenier to perform this assessment in accordance with an agreement governing the nature, scope and purpose of the work as well as other matters critical to the engagement. All reports, both verbal and written, are for the sole use and benefit of One Acadiana. Either verbally or in writing, third parties may come into possession of this report or all or part of the information generated as a result of this work. In the absence of a written agreement with Chenier granting such rights, no third parties shall have rights of recourse or recovery whatsoever under any course of action against Chenier, its officers, employees, vendors, successors or assigns. Any such unauthorized user shall be responsible to protect, indemnify and hold Chenier, Client and their respective officers, employees, vendors, successors and assigns harmless from any and all claims, damages, losses, liabilities, expenses (including reasonable attorneys' fees) and costs attributable to such Use. Unauthorized use of this report shall constitute acceptance of and commitment to these responsibilities, which shall be irrevocable and shall apply regardless of the cause of action or legal theory pled or asserted. Additional legal penalties may apply.

1.5 Limiting Conditions

The findings and conclusions contain all of the limitations inherent in these methodologies that are referred to in ASTM E1527-13 and E1527-21.

Specific limitations and exceptions to this ESA are more specifically set forth below:

- Interviews with past or current owners, operators and occupants were not reasonably ascertainable and thus constitute a data gap. Based on information obtained from other historical sources (as discussed in Section 3.0), this data gap is not expected to alter the findings of this assessment.
- Chenier requested information relative to deed restrictions and environmental liens, a title search, and completion of the AAI User Questionnaire from the Report User. This information was not provided at the time of the assessment.
- Chenier was not able to document the historical use of the subject property prior to 1940 at which time the subject property appeared to be agricultural/pasture land. The following sources were reviewed during the course of this assessment and found to be limited: aerial photographs were not available prior to 1952; topographic maps prior to 1940 were not reasonably ascertainable from local agencies; and other historical sources such as fire insurance maps did not provide coverage of the subject property. This data failure is not

considered critical and does not change the conclusions of this report, as the 1952 aerial photograph revealed the subject property to be farmland. In addition, the adjoining and surrounding areas are also shown mostly as farmland.

Due to time constraints associated with this report, the Client has requested the report despite the above-listed limitations.

2.0 SITE DESCRIPTION

2.1 Site Location and Legal Description

The subject property in Breaux Bridge, Louisiana is located on the south side of Interstate 10 and the west side of LA 328 at the west end of Degeyter Road. According to the St. Martin Parish Assessor, the subject property includes two adjoining tracts. The northernmost tract (Parcel # 06802B3555/Tract 1) is legally described as *LOT: I-10, BADON ET AL, DEGUEYTERRE, BAYOU TECHE (SHOWN AS "21.707 ACRES" PER PLAT OF SURVEY #169298)COB: 712-700-169298 712-703-169299 739-089-175582 1780-421-516757*. According to the St. Martin Parish Assessor, ownership is currently vested in Vermilion Acquisitions, LLC.

The southern tract (Parcel # 0680004066/Tract 2) is legally described as *20.05 AC: PIONEER CAMPGROUND, I-10, BAYOU TECHE, BAYOU TECHE (BEING TRACT 1 PLAT OF SURVEY #213908)COB: 1042-814-240938 1038-102-240013 1845-613- 545243*. According to the St. Martin Parish Assessor, ownership is currently vested in John W. Degeyter and Rocky Kyle Richard.

Please refer to Figure 1: Site Location Map, Figure 2: Site Plan, Figure 3: Topographic Map, and Appendix A: Site Photographs for the location and site characteristics of the subject property.

2.2 Current Property Use

The subject property is currently primarily pasture and vacant land. There are no current occupants. The subject property consists of two parcels. The first is a 21.71-acre tract (Tract 1) that is just south of I-10 and was previously occupied by the Pioneer Acadian Village RV Park. The second parcel (Tract 2) is a 20.05-acre tract of agricultural and forested land to the south. There are no structures on either of the parcels. A concrete slab and an old driveway exists on the east side of Tract 1. A barbed-wire fence borders the north side of Tract 1. There are no cemeteries on the subject property.

The subject property was identified as a NPDES site in the regulatory database report, as further discussed in Section 4.2.

2.3 Current Use of Adjoining Properties

The subject property is located within a mixed agricultural/retail area of St. Martin Parish. During the vicinity reconnaissance, Chenier observed the land uses on adjoining properties as defined in ASTM E1527-13 and E1527-21 as any real property or properties the border of which is contiguous or partially contiguous with that of the property, or that would be contiguous or partially contiguous with that of the property but for a street, road, or other public thoroughfare separating them. The adjoining properties are tabulated below:

<i>Adjoining Properties</i>	
North:	Interstate 10 then agricultural land
Northeast:	Interstate 10 off ramp
East:	Pasture then Degeyter Road beyond which is LA 328 (Rees Street) and a Waffle

Adjoining Properties

	House Restaurant
Southeast:	Pasture
South:	Pasture, forested land and Bayou Teche
Southwest:	Bayou Teche then scattered residences and grassland
West:	Bayou Teche then scattered residences
Northwest:	Interstate 10 then forested and agricultural land

No adjoining properties were identified in the regulatory database report of Section 4.2.

2.4 Physical Setting Sources

2.4.1 Topography

The 2020 United States Geological Survey (USGS) *Breaux Bridge, Louisiana* Quadrangle 7.5-minute series topographic map was reviewed for this ESA. According to the contour lines on the topographic map, the subject property is located at approximately 14-25 feet above mean sea level (MSL). The contour lines in the area of the subject property indicate the area is sloping gently toward the southwest

A copy of the most recent topographic map is included as Figure 3 of this report.

2.4.2 Hydrology

While under natural and undisturbed conditions shallow groundwater flow most frequently follows the topography of the land surface, natural or man-made features can affect flow direction, and the presumed flow may not match the actual flow directions at the subject property and vicinity. Topographic map interpretation suggests the direction of groundwater flow in the vicinity of the subject property is inferred to be toward the west towards Bayou Teche.

According to the U.S. Department of Agriculture Soil Description for the Dundee Soil Series, the depth of groundwater in the vicinity of the subject property is inferred to be approximately 1.5 to 3.5 feet below ground surface (bgs) during the winter and spring.

The nearest surface water to the subject property is Bayou Teche which adjoins the property to the west. No settling ponds, lagoons, surface impoundments, wetlands or natural catch basins were observed at the subject property during this assessment.

According to available information, a public water system operated by the City of Breaux Bridge Water Systems serves the subject property vicinity. The sources of public water for Breaux Bridge are groundwater from the Atchafalaya Aquifer.

2.4.3 Geology/Soils

Based on information obtained from the United States Department of Agriculture (USDA) Natural Resources Conservation Service Web Soil Survey online database, the subject property is mapped as Dundee silt loam, Gallion-Perry complex, and Tensas silty clay loam.

The Dundee series consists of very deep, somewhat poorly drained soils that formed in loamy alluvium. These soils are level to gently sloping soils on natural levees and low terraces along former channels of the Mississippi River and its tributaries in the Southern Mississippi Valley Alluvium Major Land Resource Area; MLRA 131. Slopes range from 0 to 8 percent.

The Gallion series consists of very deep, well drained soils. These nearly level to gently sloping soils are on natural levees on alluvial plains, and formed in silty Holocene age alluvium of the Arkansas and Red Rivers. Slope ranges from 0 to 3 percent.

The Perry series consists of very deep, poorly drained, very slowly permeable soils that formed in clayey alluvium. These soils are on level to gently undulating alluvial plains of the Arkansas and Red Rivers and their distributaries. Slopes range from 0 to 3 percent.

The Tensas series consists of very deep, somewhat poorly drained, very slowly permeable soils that formed in clayey over loamy alluvium. They are on level to sloping positions on natural levees along the Mississippi River and associated streams. Slopes range from 0 to 8 percent.

The subject property is situated on the natural levee of Bayou Teche within the Gulf Coast Physiographic Province of the State of Louisiana. The shallow subsurface beneath the subject property consists of gray and brown silt, silty clay with some very fine sand.

2.4.4 Flood Zone Information

Chenier performed a review of the Flood Insurance Rate Map, published by the Federal Emergency Management Agency. According to Community Panel Number 22099C0120H, dated 11/4/2010, the subject property appears to be located in Zone B, X (shaded), an area with flood risk due to levee.

Zone B, X (shaded); defined as moderate risk areas within the 0.2-percent-annual-chance floodplain, areas of 1-percent-annual-chance flooding where average depths are less than 1 foot, areas of 1-percent-annual-chance flooding where the contributing drainage area is less than 1 square mile, and areas protected from the 1-percent-annual-chance flood by a levee.

A copy of the reviewed flood map is included in Appendix B of this report.

3.0 HISTORICAL INFORMATION

Chenier obtained historical use information about the subject property from a variety of sources. A chronological listing of the historical data found is summarized in the table below:

Historical Use Information

Years	Resource	Description/Use
1940-1980s	Topographic Maps, Aerial Photographs	Agricultural/Pasture Land
Early 1980s-2017	Topographic Maps, Aerial Photographs, Regulatory Files	Agricultural/RV Campground
2017-present	Topographic Maps, Aerial Photographs, Onsite Observations	Agricultural/Vacant Land

Tenants on the subject property include Pioneer Acadian Village, Inc. – Pioneer RV Park and Campground (early 1980s-2017).

No potential environmental concerns were identified in association with the current or former use of the subject property.

3.1 Aerial Photograph Review

Chenier obtained available aerial photographs of the subject property and surrounding area from Environmental Data Resources (EDR) on May 23, 2022. The inferred uses of the subject property and adjoining properties as interpreted from the aerial photographs in Appendix B are tabulated below:

<i>Date: 1952</i>		<i>Scale: 1"=500'</i>
Subject Property:	Agricultural land	
North:	Agricultural land	
Northeast:	Agricultural land	
East:	Agricultural land	
Southeast:	Agricultural land	
South:	Forested land and Bayou Teche	
Southwest:	Bayou Teche	
West:	Bayou Teche	
Northwest:	Bayou Teche and agricultural land	

<i>Date: 1969</i>		<i>Scale: 1"=500'</i>
Subject Property:	Agricultural land with three buildings on the east side. A drainage ditch cuts across the northwest part of the property and drains into Bayou Teche. The Site is roughly divided in half by a tree line.	
North:	Interstate 10 is under construction beyond which is agricultural land	
Northeast:	Interstate 10 interchange under construction	
East:	Pasture beyond which is LA 328	
Southeast:	Pasture	
South:	Pasture, forested land and Bayou Teche	

<i>Date: 1969</i>		<i>Scale: 1"=500'</i>
Southwest:	Bayou Teche then scattered residences and grassland	
West:	Bayou Teche then scattered residences	
Northwest:	Interstate 10 bridge over Bayou Teche the residences	

<i>Date: 1974</i>		<i>Scale: 1"=500'</i>
Subject	No significant changes visible	
Property:		
North:	Interstate 10 then agricultural land	
Northeast	Interstate 10 interchange	
East:	No significant changes visible	
Southeast	No significant changes visible	
South:	No significant changes visible	
Southwest:	No significant changes visible	
West:	No significant changes visible	
Northwest:	No significant changes visible	

<i>Date: 1983</i>		<i>Scale: 1"=500'</i>
Subject	The property is developed with three buildings (present in 1969) in the pasture on the east side. Degeyter Road is visible on the north side of a tree line extending the length of the property. A service road south of Interstate 10 along the north boundary is visible. Numerous buildings and driveways are visible along Degeyter Road, and two rectangular ponds are present in the northwest corner.	
Property:		
North:	No significant changes visible	
Northeast:	No significant changes visible	
East:	No significant changes visible	
Southeast:	No significant changes visible	
South:	No significant changes visible	
Southwest:	No significant changes visible	
West:	No significant changes visible	
Northwest:	No significant changes visible	

<i>Date: 1998</i>		<i>Scale: 1"=500'</i>
Subject	No significant changes except rectangular structures in the northern half of the site that appear to be mobile homes or recreational vehicles based on the historical use of the property	
Property:		
North:	No significant changes visible	
Northeast:	No significant changes visible	
East:	No significant changes visible	
Southeast:	No significant changes visible	
South:	No significant changes visible	
Southwest:	No significant changes visible	
West:	No significant changes visible	
Northwest:	No significant changes visible	

<i>Date:</i> 2004, 2005, 2007		<i>Scale:</i> 1"=500'
Subject	No significant changes except that the northwest corner of the property has	
Property:	reverted to forest	
North:	No significant changes visible	
Northeast:	No significant changes visible	
East:	No significant changes visible	
Southeast:	No significant changes visible	
South:	No significant changes visible	
Southwest:	No significant changes visible	
West:	No significant changes visible	
Northwest:	No significant changes visible	

<i>Date:</i> 2010, 2013, 2017		<i>Scale:</i> 1"=500'
Subject	No significant changes except fewer structures are visible	
Property:		
North:	No significant changes visible	
Northeast:	No significant changes visible	
East:	No significant changes visible	
Southeast:	No significant changes visible	
South:	No significant changes visible	
Southwest:	No significant changes visible	
West:	No significant changes visible	
Northwest:	No significant changes visible	

<i>Date:</i> 2019		<i>Scale:</i> 1"=500'
Subject	One building is visible on the east side of the property off Degeyter Road.	
Property:	All other structures and driveways have been removed. The ponds are visible in the northwest part of the property.	
North:	No significant changes visible	
Northeast:	No significant changes visible	
East:	No significant changes visible	
Southeast:	No significant changes visible	
South:	No significant changes visible	
Southwest:	No significant changes visible	
West:	No significant changes visible	
Northwest:	No significant changes visible	

Copies of select aerial photographs are included in Appendix B of this report.

3.2 Fire Insurance Maps

Chenier reviewed the collection of Fire insurance maps (FIMs) from EDR. FIM coverage was not available for the subject property.

3.3 City Directories

City directories were not reviewed for the subject property and vicinity.

3.4 Historical Topographic Maps

Chenier reviewed historical topographic maps obtained from the US Geological Survey. The following inferred uses of the subject property and adjoining properties interpreted from topographic maps in Appendix B and are tabulated below:

<i>Date: 1940</i>	
Subject	No structures depicted. Appears to be agricultural land.
Property:	
North:	Appears to be agricultural land then a pipeline
Northeast:	Appears to be agricultural land then a pipeline
East:	Appears to be agricultural land then four buildings
Southeast:	Appears to be agricultural land
South:	Appears to be agricultural land
Southwest:	Appears to be agricultural land then Bayou Teche
West:	Bayou Teche then agricultural land
Northwest:	Bayou Teche then agricultural land

<i>Date: 1954</i>	
Subject	No significant changes depicted
Property:	
North:	Interstate 10 beyond which is agricultural land
Northeast:	Interstate 10 beyond which is agricultural land
East:	Agricultural land then LA 347
Southeast:	Agricultural land
South:	Bayou Teche and agricultural land
Southwest:	Bayou Teche
West:	Bayou Teche
Northwest:	Bayou Teche and Interstate 10

<i>Date: 1961</i>	
Subject	No significant changes depicted
Property:	
North:	Agricultural land. Interstate 10 is not depicted.
Northeast:	Agricultural land. Interstate 10 is not depicted.
East:	No significant changes depicted
Southeast:	No significant changes depicted
South:	No significant changes depicted
Southwest:	No significant changes depicted
West:	No significant changes depicted
Northwest:	No significant changes depicted

Date: 1970, 1984

Subject Unimproved roads along the north edge of the property and in the northeast corner of the property. No structures depicted.
Property:
North: Interstate 10 then agricultural land
Northeast: Interstate 10 interchange
East: Degeyter Road then LA 328
Southeast: No significant changes depicted
South: No significant changes depicted
Southwest: No significant changes depicted
West: No significant changes depicted
Northwest: No significant changes depicted

Date: 1998

Subject An unimproved road (Degeyter Road) is depicted running down the middle of the property and an unimproved road with a cul de sac is depicted in the northeast part of the property. Three buildings are depicted around the cul de sac, two buildings are depicted on the southwest end of Degeyter Road, and one building is depicted in the agricultural land in the northeast part of the property. Two rectangular ponds are depicted in the northwest property which is adjacent to a drainage ditch.
Property:
North: Interstate 10 then agricultural land
Northeast: Interstate 10 interchange
East: Degeyter Road then LA 328
Southeast: No significant changes depicted
South: No significant changes depicted
Southwest: No significant changes depicted
West: No significant changes depicted
Northwest: No significant changes depicted

Date: 2012

Subject An unimproved road is depicted in the northeast part of the property.
Property: Individual buildings are not depicted on this series of USGS topographic maps. The rectangular pond is depicted in the northwest part of the property. No other significant changes are noted.
North: No significant changes depicted
Northeast: No significant changes depicted
East: No significant changes depicted
Southeast: No significant changes depicted
South: No significant changes depicted
Southwest: No significant changes depicted
West: No significant changes depicted
Northwest: No significant changes depicted

Date: 2018, 2020

Subject Degeyter Road is depicted running through the middle of the property.
Property: Individual buildings are not depicted on this series of USGS topographic maps. The rectangular pond is depicted in the northwest part of the property. No other significant changes are noted.
North: No significant changes depicted
Northeast: No significant changes depicted
East: No significant changes depicted
Southeast: No significant changes depicted
South: No significant changes depicted
Southwest: No significant changes depicted
West: No significant changes depicted
Northwest: No significant changes depicted

Copies of reviewed topographic maps are included in Appendix B of this report.

4.0 REGULATORY RECORDS REVIEW

4.1 Regulatory Agencies

4.1.1 State Department

Regulatory Agency Data

Name of Agency: Louisiana Department of Environmental Quality (LDEQ)
Point of Contact: Electronic Document Management System (EDMS)
Agency Address: 602 North 5th Street, Baton Rouge, Louisiana
Agency Phone Number: (225) 219-5337
Date of Contact: August 2, 2022
Method of Communication: Online

Communication:

Summary of Communication:

No records regarding hazardous substance use, storage or releases, or the presence of USTs and AULs on the subject property were on file with the LDEQ. A Louisiana Pollution Discharge Elimination System (LPDES) Notice of Intent to Discharge Sanitary Wastewater was submitted by Pioneer Acadian Village, Inc. for the Pioneer RV Park and Campground to LDEQ on December 5, 2012. The NOI stated that the oxidation ponds used for wastewater treatment have been in operation since 1978. Per the Pioneer Acadian Village, Inc. request on December 18, 2017, LDEQ cancelled the LPDES General Permit Authorization that was issued on September 30, 2013 because discharge had been terminated.

Copies of pertinent documents are included in Appendix B of this report.

4.1.2 Fire Department

Regulatory Agency Data

Name of Agency: St. Martin Parish Fire District
Point of Contact: Vicky Hebert, Fire District Technician
Agency Address: 1035-A Ruth Bridge Highway, Breaux Bridge, Louisiana 70517
Agency Phone Number: (337) 332-1314
Date of Contact: September 7, 2022
Method of Communication: Telephone

Communication:

Summary of Communication:

The St. Martin Fire District has had no callouts to the subject property address.

Copies of pertinent documents are included in Appendix B of this report.

4.1.3 Oil & Gas Exploration

Regulatory Agency Data

Name of Agency: Louisiana Department of Natural Resources (LDNR)
Point of Contact: Strategic Online Natural Resources Information System (SONRIS)
Agency Address: 617 North 3rd Street, Baton Rouge, Louisiana
Agency Phone Number: (225) 342-8955
Date of Contact: August 30, 2022
Method of Communication: Online
Summary of Communication: No oil and gas wells are located on the property.

Copies of pertinent documents are included in Appendix B of this report.

4.1.4 Assessor's Office

Regulatory Agency Data

Name of Agency: St. Martin Parish Assessor (SMPA)
Point of Contact: Lori Breaux
Agency Address: 415 St. Martin Street, St. Martinville, LA 70582
Agency Phone Number: (337) 394-2208
Date of Contact: August 30, 2022
Method of Communication: Online
Summary of Communication:

According to records reviewed, the subject property consists of two parcels. The northernmost parcel (06802B3555) is owned by Vermilion Acquisitions, LLC and APN and is 21.71 acres. The legal description is: "LOT: I-10, BADON ET AL, DEGUEYTERRE, BAYOU TECHE (SHOWN AS "21.707 ACRES"PER PLAT OF SURVEY #169298)COB: 712-700-169298 712-703-169299 739-089-1755821780-421-516757".

The southernmost parcel (0680004066) is owned by John W. Degeyter and Rocky Kyle Richard and is 20.05 acres. The legal description is: "20.05 AC: PIONEER CAMPGROUND, I-10, BAYOU TECHE, BAYOU TECHE(BEINGTRACT 1 PLAT OF SURVEY #213908)COB: 1042-814-240938 1038-102-240013 1845-613-545243"

Copies of pertinent documents are included in Appendix B of this report.

4.1.5 U.S. Department of Transportation, Pipeline and Hazardous Materials Safety Administration

Regulatory Agency Data

Name of Agency: Pipeline and Hazardous Materials Safety Administration (PHMS)
Point of Contact: Katie Field

Regulatory Agency Data

Agency Address:	3601 Eisenhower Avenue, Suite 600, Alexandria, Virginia 22304
Agency Phone Number:	(703) 317-6294
Date of Contact:	August 30, 2022
Method of Communication:	Online
Summary of Communication:	No hazardous liquid or gas transmission pipelines or records regarding accidents or incidents exist on the subject property.

4.2 Mapped Database Records Search

The regulatory database report provided by Environmental Risk Information Services (ERIS) documents the listing of sites identified on federal, state, Parish, city, and tribal (when applicable) standard source environmental databases within the approximate minimum search distance (AMSD) specified by ASTM E1527-13 and E1527-21. The data from these sources are updated as these data are released and integrated into one database. The information contained in this report was compiled from publicly available sources.

The environmental database information is used to identify environmental concerns in connection with the subject property. The listings also serve to identify the known indications of the storage, use, generation, disposal, or release of hazardous substance at the subject property and the potential for contaminants to migrate onto the subject property from off-site sources in groundwater or soil in the form of liquids or vapor.

Using the ASTM definition of migration, Chenier considers the migration of hazardous substances or petroleum products in any form onto the subject property during the evaluation of each site listed on the radius report, which includes solid, liquid, and vapor.

4.2.1 Regulatory Database Summary

The following table lists the number of sites as categorized by the regulatory database within the prescribed AMSD. The locations of the sites are plotted utilizing a geographic information system, which geocodes the site addresses. The accuracy of the geocoded locations is approximately +/-300 feet.

Radius Report Data

Database	AMSD Radius (mile)	Listings Identified		Surrounding Area Sites of Concern
		Subject Property	Adjoining Properties	
Federal NPL	1.00	N	N	N
Delisted NPL Site	0.50			
Federal SEMS Site	0.50	N	N	N
Federal SEMS-ARCHIVE	0.50	N	N	N
Federal RCRA CORRACTS Facility	1.00	N	N	N

Radius Report Data

Database	AMSD Radius (mile)	Listings Identified		Surrounding Area Sites of Concern
		Subject Property	Adjoining Properties	
Federal RCRA TSD Facility	0.50	N	N	N
Federal RCRA Generators Site (LQG, SQG, VSQG, CESQG)	Subject and Adjoining	N	N	N/A
Federal IC/EC Registries	Subject Property	N	N/A	N/A
Federal ERNS Site	Subject Property	N	N/A	N/A
State/Tribal Equivalent NPL	1.00	N	N	N
State/Tribal Equivalent CERCLIS	1.00	N	N	N
State/Tribal Landfill/Solid Waste Disposal Site	0.50	N	N	N
State/Tribal Leaking Storage Tank Site (LUST/LPST)	0.50	N	N	N
State/Tribal Registered Storage Tank Sites (UST/AST)	Subject and Adjoining	N	N	N/A
State/Tribal IC/EC Registries	Subject and Adjoining	N	N	N/A
State/Tribal Voluntary Cleanup Sites (VCP)	0.50	N	N	N
State/Tribal Spills	0.125	N	N	N
Federal Brownfield Sites	0.50	N	N	N
State Brownfield Sites	0.50	N	N	N
NPDES	0.001	Y	N	N
FINDS	0.0001	Y	N	N

4.2.2 Subject Property Listings

The subject property is identified as a NPDES site in the regulatory database report, as discussed below:

- The subject property, identified as Pioneer Acadian Village, Inc. – Pioneer RV Park and Campground at 296 Degeyer Road, Breaux Bridge, LA, was issued a general permit for sanitary waste discharge on 12/21/2012. The permit was reissued on 9/30, 2013. No releases of hazardous materials or petroleum products were noted.

Chenier reviewed the LDEQ files for this facility (See 4.1.1). Pioneer Acadian Village, Inc. requested cancellation of the wastewater discharge permit on December 18, 2017 because the permitted discharge had been terminated.

4.2.3 Adjoining Property Listings

The adjoining properties are not identified in the regulatory database report.

4.2.4 Surrounding Area Listings of Concern to Subject Property

No sites of concern are identified in the regulatory database report.

4.2.5 Unplottable Listings

No unplottable listings are identified.

A copy of the regulatory database report is included in Appendix C of this report.

5.0 USER PROVIDED INFORMATION AND INTERVIEWS

In order to qualify for one of the *Landowner Liability Protections (LLPs)* offered by the Small Business Liability Relief and Brownfields Revitalization Act of 2001 (the *Brownfields Amendments*), the *User* must conduct the following inquiries required by 40 CFR 312.25, 312.28, 312.29, 312.30, and 312.31. The *User* should provide the following information to the *environmental professional*. Failure to provide this information could result in a determination that *all appropriate inquiries* is not complete. The *User* is asked to provide information or knowledge of the following:

- Review Title and Judicial Records for Environmental Liens and AULs
- Specialized Knowledge or Experience of the User
- Actual Knowledge of the User
- Reason for Significantly Lower Purchase Price
- Commonly Known or *Reasonably Ascertainable* information
- Degree of Obviousness
- Reason for Preparation of this Phase I ESA

Fulfillment of these user responsibilities is key to qualification for the identified defenses to CERCLA liability. Chenier requested our Client to provide information to satisfy User Responsibilities as identified in Section 6 of the ASTM guidance.

Pursuant to ASTM E1527-13 and E1527-21, Chenier requested the following site information from One Acadiana (User of this report).

User Responsibilities

Item	Provided By User	Not Provided By User
AAI User Questionnaire	X	
Title Records, Environmental Liens, and AULs		X
Specialized Knowledge		X
Actual Knowledge		X
Valuation Reduction for Environmental Issues		X
Identification of Key Site Manager	X	
Reason for Performing Phase I ESA	X	
Prior Environmental Reports	X	
Other	X	

5.1 Interviews

5.1.1 Interview with Owner

Mr. Dwayne Hargroder (Vermilion Acquisitions, LLC), subject property owner (Tract 1), was not aware of any stored chemicals, USTs, ASTs, or spill/releases on the subject property. He was

aware of a mechanical sewer treatment plant and a closed oxidation pond that were on the property as well as electrical transformers on power poles. Furthermore, he was not aware of environmental issues with the surrounding properties.

The owner of the subject property (Tract 2), identified as John Degeyter, was not available to be interviewed at the time of the assessment.

5.1.2 Interview with Report User

Mr. Emile Lege, report user representative (One Acadiana), was not aware of any pending, threatened, or past litigation relevant to hazardous substances or petroleum products in, on, or from the subject property; any pending, threatened, or past administrative proceedings relevant to hazardous substances or petroleum products in, on, or from the subject property; or any notices from a governmental entity regarding any possible violation of environmental laws or possible liability relating to hazardous substances or petroleum products.

Mr. Lege did not know the past uses of the property and had no knowledge of chemical storage, use, or releases on the property. Furthermore, he had no knowledge of hazardous materials use or storage on the property and was not aware of any environmental cleanups.

5.1.3 Interview with Key Site Manager

Mr. Dwayne Hargroder, subject property owner, is also the key site manager. See 5.1.1.

5.1.4 Interviews with Past Owners, Operators, and Occupants

Interviews with past owners, operators and occupants were not conducted since information regarding the potential for contamination at the subject property was obtained from other sources.

5.2 User Provided Information

5.2.1 Title Records, Environmental Liens, and AULs

Chenier was not provided with title records or environmental lien and AUL information for review as part of this assessment.

5.2.2 Specialized Knowledge

The User did not have specialized knowledge of environmental conditions associated with the subject property at the time of the assessment.

5.2.3 Actual Knowledge of the User

The User was not aware of environmental liens and/or AULs encumbering the subject property or in connection with the subject property at the time of the assessment.

5.2.4 Valuation Reduction for Environmental Issues

The User was not aware of any reductions in property value due to environmental issues.

5.2.5 Commonly Known or Reasonably Ascertainable Information

The User did not provide information that is commonly known or *reasonably ascertainable* within the local community about the subject property at the time of the assessment.

5.2.6 Previous Reports and Other Provided Documentation

The following information was provided to Chenier for review during the course of this assessment:

Analytical Results – Breaux Bridge Oxidation Ponds, ATC Group Services, LLC (February 28, 2018)

ATC Group Services, LLC (ATC) prepared this report on behalf of Dwayne Hargroder/Vermilion Acquisitions, LLC. The report summarized the laboratory results for sludge and water samples collected on February 28, 2018, from the oxidation ponds located on the subject property. This report, along with the laboratory results, appear to have been submitted to LDEQ as part of the LPDES Request for Termination for the LPDES wastewater general permit held by Pioneer Acadian Village, LLC.

The analytical results for the sludge and water samples were:

- VOC, SVOC, TPH, and Metal concentrations were all less than current LDEQ screening standards (sludge)
- TCLP, pH, Flashpoint, and Reactivity values indicate that sampled media is non-hazardous waste (sludge)
- Oil and grease concentration met criteria for discharge established by the State of Louisiana for dewatering of oxidation ponds under Louisiana General Permit LAG420000

Copies of pertinent pages reviewed are included in Appendix B of this report.

6.0 SITE RECONNAISSANCE

The weather at the time of the site visit was overcast. Refer to Section 1.5 for limitations encountered during the field reconnaissance and Sections 2.1 and 2.2 for subject property operations. The table below provides the site assessment details:

Site Assessment Data

Site Assessment Performed By: Aaron S. Bass
Site Assessment Conducted On: August 1, 2022

The table below provides the subject property personnel interviewed during the field reconnaissance:

Site Visit Personnel for Degeyer Road (Subject Property)

Name	Title/Role	Contact Number	Site Walk* Yes/No
Dwayne Hargroder	Key Site Manager	(337) 945-4888	No

* Accompanied Chenier during the field reconnaissance activities and provided information pertaining to the current operations and maintenance of the subject property

No environmental concerns were identified during the onsite reconnaissance.

6.1 General Site Characteristics

6.1.1 Solid Waste Disposal

Solid waste is not currently generated on the subject property. No evidence of illegal dumping of solid waste was observed during the Chenier site reconnaissance.

6.1.2 Sewage Discharge and Disposal

No septic systems were observed on the subject property during the Chenier site reconnaissance.

6.1.3 Stormwater and Surface Water Drainage

Stormwater is removed from the subject property primarily by percolation into ground. A drainage ditch is also located along the northwest edge of the subject property that drains into Bayou Teche.

6.1.4 Source of Heating and Cooling

Not applicable. No buildings present.

6.1.5 Wells and Cisterns

No aboveground evidence of wells or cisterns was observed during the site reconnaissance.

6.1.6 Wastewater

Domestic wastewater is not currently generated at the subject property.

6.1.7 *Septic Systems*

No septic systems were observed or reported on the subject property.

6.1.8 *Additional Site Observations*

No additional general site characteristics were observed during the site reconnaissance.

6.2 *Potential Environmental Hazards*

6.2.1 *Hazardous Substances and Petroleum Products Used or Stored at the Subject Property*

No hazardous substances or petroleum products were observed on the subject property during the site reconnaissance.

6.2.2 *Aboveground & Underground Hazardous Substance or Petroleum Product Storage Tanks (ASTs/USTs)*

No evidence of current or former ASTs or USTs was observed during the site reconnaissance.

6.2.3 *Evidence of Releases*

No spills, stains or other indications that a surficial release has occurred at the subject property were observed.

6.2.4 *Polychlorinated Biphenyls (PCBs)-Containing Items*

No potential PCB-containing equipment (transformers, oil-filled switches, hoists, lifts, dock levelers, hydraulic elevators, etc.) was observed on the subject property during Chenier's reconnaissance.

6.2.5 *Strong, Pungent, or Noxious Odors*

No strong, pungent or noxious odors were evident during the site reconnaissance.

6.2.6 *Pools of Liquid*

No pools of liquid were observed on the subject property during the site reconnaissance.

6.2.7 *Drains, Sumps, and Clarifiers*

No drains, sumps, or clarifiers, other than those associated with stormwater removal, were observed on the subject property during the site reconnaissance.

6.2.8 *Pits, Ponds, and Lagoons*

No pits, ponds or lagoons were observed on the subject property.

6.2.9 *Stressed Vegetation*

No stressed vegetation was observed on the subject property.

6.2.10 Additional Potential Environmental Hazards

No additional environmental hazards, including landfill activities or radiological hazards, were observed.

6.3 Non-Scope ASTM Considerations

6.3.1 Asbestos-Containing Materials (ACMs)

Asbestos is the name given to a number of naturally occurring, fibrous silicate minerals mined for their useful properties such as thermal insulation, chemical and thermal stability, and high tensile strength. The Occupational Safety and Health Administration (OSHA) regulation 29 CFR 1926.1101 requires certain construction materials to be presumed to contain asbestos, for purposes of this regulation. All thermal system insulation (TSI), surfacing material, and asphalt/vinyl flooring that are present in a building that have not been appropriately tested are “presumed asbestos-containing material” (PACM).

Not applicable. There are no buildings on the subject property.

6.3.2 Lead-Based Paint (LBP)

Lead is a highly toxic metal that affects virtually every system of the body. LBP is defined as any paint, varnish, stain, or other applied coating that has 1 mg/cm² (or 5,000 ug/g or 0.5% by weight) or more of lead. Congress passed the Residential Lead-Based Paint Hazard Reduction Act of 1992, also known as “Title X”, to protect families from exposure to lead from paint, dust, and soil. Under Section 1017 of Title X, intact LBP on most walls and ceilings is not considered a “hazard,” although the condition of the paint should be monitored and maintained to ensure that it does not become deteriorated. Further, Section 1018 of this law directed the Housing and Urban Development (HUD) and the US EPA to require the disclosure of known information on LBP and LBP hazards before the sale or lease of most housing built before 1978.

Not applicable. There are no buildings on the subject property.

6.3.3 Radon

Not applicable. There are no buildings on the subject property.

6.3.4 Lead in Drinking Water

A public water system operated by the City of Breaux Bridge Water System serves the subject property vicinity. According to the 2020 Annual Water Quality Report, water supplied to the subject property is in compliance with all State and Federal regulations pertaining to drinking water standards, including lead and copper.

6.3.5 Mold

Not applicable. There are no buildings on the subject property.

6.3.6 Wetlands

The USFWS National Wetland Inventory does not show wetlands on the property. However, potential wetlands were observed in the forested area along the west bank of Bayou Teche. A drainage ditch was also observed along the tree line on the western side of the property. A comprehensive wetlands survey would be required in order to formally determine actual wetlands on the subject property. No surface impoundments, natural catch basins, settling ponds, or lagoons are located on the subject property.

6.4 Adjoining Property Reconnaissance

The adjoining property reconnaissance consisted of observing the adjoining properties from the subject property premises. No items of environmental concern were identified on the adjoining properties during the site assessment, including hazardous substances, petroleum products, ASTs, USTs, evidence of releases, PCBs, strong or noxious odors, pools of liquids, sumps or clarifiers, pits or lagoons, stressed vegetation, or any other potential environmental hazards.

7.0 VAPOR ENCROACHMENT CONDITIONS

Chenier conducted a limited non-intrusive vapor screening on the subject property to identify, to the extent feasible, the potential for vapor encroachment conditions (VECs) in connection with the subject property. This included consideration of chemicals of concern (COC) that may migrate as vapors into the subsurface of the subject property as a result of contaminated soil and groundwater on or near the property.

This screening utilized readily available data sources previously discussed in this Phase I ESA that includes:

- the physical setting of the subject property (Section 2.4),
- standard historical sources for the subject property, adjoining, and surrounding area (Section 3.0),
- known or potentially contaminated sites as identified from information from regulatory agencies and sites on Federal, State, tribal and local databases (Section 4.0), and
- information from the site reconnaissance (Section 6.0) of the subject property and observations of the surrounding properties.

The results of our data collection, reconnaissance, and analysis are tabulated below:

<i>Potential for Vapor Encroachment to Impact the Subject Property</i>	
Area of Concern	Likely or Known VEC to Subject Property
Subject Property Existing Operations or Conditions	None identified that impact the subject property
Historical Uses of the Subject Property	None identified that impact the subject property
Adjoining Property Operations or Existing Conditions	None identified that impact the subject property
Historical Uses of Adjoining Properties or Nearby Properties	None identified that impact the subject property
Regulatory Review of sites identified on Federal, State, tribal and Local Environmental Databases which were located in the AMSD	None identified that impact the subject property

Based on the findings of the limited non-intrusive vapor screening, vapor intrusion is unlikely to be an issue of concern in connection with the existing structures on the subject property. As such, no further assessment is recommended.

8.0 FINDINGS AND CONCLUSIONS

Findings and Opinions

Recognized Environmental Condition

A *recognized environmental condition (REC)* refers to the presence of hazardous substances or petroleum products in, on, or at the subject property due to a release to the environment; the likely presence of hazardous substances or petroleum products in, on, or at the subject property due to a release or likely release to the environment; or the presence of hazardous substances or petroleum products in, on, or at the subject property under conditions that pose a material threat of a future release to the environment. The following was identified during the course of this assessment:

- Chenier did not identify any RECs during the course of this assessment.

Controlled Recognized Environmental Condition

A *controlled recognized environmental condition (CREC)* refers to a REC affecting the subject property that has been addressed to the satisfaction of the applicable regulatory authority or authorities with hazardous substances or petroleum products allowed to remain in place subject to implementation of required controls (for example, activity and use limitations or other property use limitations). The following was identified during the course of this assessment:

- Chenier did not identify any CRECs during the course of this assessment.

Historical Recognized Environmental Condition

A *historical recognized environmental condition (HREC)* refers to a previous release of hazardous substances or petroleum products affecting the that has been addressed to the satisfaction of the applicable regulatory authority or authorities and meeting unrestricted use criteria established by the applicable regulatory authority or authorities without subjecting the subject property to any controls (for example, activity and use limitations or other property use limitations). The following was identified during the course of this assessment:

- Chenier did not identify any HRECs during the course of this assessment.

Business Environmental Risk

A *Business Environmental Risks (BER)* is a risk which can have a material environmental or environmentally driven impact on the business associated with the current or planned use of commercial real estate, not necessarily related to those environmental issues required to be investigated in this practice. The following was identified during the course of this assessment:

- Chenier did not identify any BER during the course of this assessment.

Significant Data Gaps

No significant data gaps affecting the ability of the Environmental Professional to identify a REC were encountered during this assessment.

Conclusions and Recommendations

Chenier has performed a Phase I Environmental Site Assessment in conformance with the scope and limitations of ASTM Practice E1527-13 and E1527-21 of a 41.76-acre site at 296 Degeyer Road in Breaux Bridge, St. Martin Parish, Louisiana (the “subject property”). Any exceptions to, or deletions from, this practice are described in Section 1.5 of this report.

This assessment has revealed no evidence of RECs, CRECs, HRECs, or BERs in connection with the subject property. Based on the conclusions of this assessment, Chenier recommends no further investigation of the subject property at this time.

9.0 SIGNATURES OF ENVIRONMENTAL PROFESSIONALS

Chenier has performed a Phase I Environmental Site Assessment of the property located at Degeyter Road in Breaux Bridge, St. Martin Parish, Louisiana in conformance with the scope and limitations of the protocol and the limitations stated earlier in this report. Exceptions to or deletions from this protocol are discussed earlier in this report.

By signing below, Chenier declares that, to the best of our professional knowledge and belief, we meet the definition of *Environmental Professional* as defined in §312.10 of 40 CFR §312. Chenier has the specific qualifications based on education, training, and experience to assess a *property* of the nature, history, and setting of the subject *property*. Chenier has developed and performed the all appropriate inquiries in conformance with the standards and practices set forth in 40 CFR Part 312.

Prepared By:

A handwritten signature in blue ink that reads "Aaron Bass".

Aaron S. Bass, PhD
Project Manager

10.0 REFERENCES

Reference Documents

American Society for Testing and Materials, Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process, ASTM Designation: E1527-13 and E1527-21.

Environmental Risk Information Services (ERIS), Radius Report, August 2022

Federal Emergency Management Agency, Federal Insurance Administration, National Flood Insurance Program, Flood Insurance Map, accessed via internet, August 2022


United States Department of Agriculture, Natural Resources Conservation Service, accessed via internet, August 2022

United States Department of Agriculture, Natural Resources Conservation Service, Web Soil Survey, accessed via the internet, August 2022

United States Geological Survey, Historical Topographic Maps accessed via the Internet, <https://ngmdb.usgs.gov/topoview/viewer/#4/39.98/-100.06> August 2022

FIGURES

- 1 SITE LOCATION MAP**
- 2 SITE PLAN**
- 3 TOPOGRAPHIC MAP**




Drawing Not To Scale

KEY:
 Subject Property 


FIGURE 1: SITE LOCATION MAP
 Project No. 22-202

Chenier Environmental Consulting,
 LLC



KEY:
Subject Property 

FIGURE 2: SITE PLAN
Project No. 22-202



USGS Breux Bridge, Louisiana, 7.5-minute; 1:24000
Created: 2020

KEY:
Subject Property 

FIGURE 3: 2020 TOPOGRAPHIC MAP
Project No. 22-202

Chenier Environmental Consulting,
LLC

APPENDIX A: SITE PHOTOGRAPHS



1. Westerly view of the property along Degeyter Road.



2. Westerly view of the property



3. Typical view facing west



4. Easterly view along Degeyter Road



5. Typical view of the pastureland on the property



6. Typical view of the pastureland on the property



7. Mound of soil



8. Typical view of the pastureland on the western end of the property



9. Easterly view of the northern part of the property




10. Western side of property



11. Drainage ditch along tree line on west side of property



12. Drainage ditch in forested area adjacent to Bayou Teche



13. Concrete drain pipes on west side of property



14. Forest on west side of property



15. Westerly view towards Bayou Teche



16. Easterly view along the north boundary



17. Concrete slab and driveway on east side of property



18. Concrete driveway



19. Equipment from previous occupant



20. Adjacent property to the north



21. Adjacent property to the south



22. Adjacent property to the east



23. Adjacent property to the west

APPENDIX B: HISTORICAL/REGULATORY DOCUMENTATION



Hargroder Site

Degeyter Road

Breaux Bridge, LA 70517

Inquiry Number: 6991547.5

May 25, 2022

The EDR Aerial Photo Decade Package



6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

EDR Aerial Photo Decade Package

05/25/22

Site Name:

Hargroder Site
Degeyter Road
Breaux Bridge, LA 70517
EDR Inquiry # 6991547.5

Client Name:

Chenier Environmental Consulting
PO Box 82466
Baton Rouge, LA 70884
Contact: Aaron Bass



Environmental Data Resources, Inc. (EDR) Aerial Photo Decade Package is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's professional researchers provide digitally reproduced historical aerial photographs, and when available, provide one photo per decade.

Search Results:

<u>Year</u>	<u>Scale</u>	<u>Details</u>	<u>Source</u>
2017	1"=500'	Flight Year: 2017	USDA/NAIP
2013	1"=500'	Flight Year: 2013	USDA/NAIP
2010	1"=500'	Flight Year: 2010	USDA/NAIP
2007	1"=500'	Flight Year: 2007	USDA/NAIP
2005	1"=500'	Flight Year: 2005	USDA/NAIP
2004	1"=500'	Acquisition Date: January 01, 2004	USGS/DOQQ
1998	1"=500'	Acquisition Date: January 01, 1998	USGS/DOQQ
1983	1"=500'	Flight Date: November 16, 1983	USDA
1974	1"=500'	Flight Date: November 15, 1974	USGS
1969	1"=500'	Flight Date: February 18, 1969	USGS
1952	1"=500'	Flight Date: January 29, 1952	USGS


When delivered electronically by EDR, the aerial photo images included with this report are for ONE TIME USE ONLY. Further reproduction of these aerial photo images is prohibited without permission from EDR. For more information contact your EDR Account Executive.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2022 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.



INQUIRY #: 6991547.5

YEAR: 2017

— = 500'





INQUIRY #: 6991547.5

YEAR: 2013

— = 500'





INQUIRY #: 6991547.5

YEAR: 2010

— = 500'





INQUIRY #: 6991547.5

YEAR: 2007

— = 500'





INQUIRY #: 6991547.5

YEAR: 2005

— = 500'





INQUIRY #: 6991547.5

YEAR: 2004

— = 500'





INQUIRY #: 6991547.5

YEAR: 1998

— = 500'





INQUIRY #: 6991547.5

YEAR: 1983

— = 500'





INQUIRY #: 6991547.5

YEAR: 1974

 = 500'



Subject boundary not shown because it exceeds image extent or image is not georeferenced.



INQUIRY #: 6991547.5

YEAR: 1969

— = 500'





INQUIRY #: 6991547.5

YEAR: 1952

 = 500'



Subject boundary not shown because it exceeds image extent or image is not georeferenced.



Hargroder Site

Degeyter Road

Breaux Bridge, LA 70517

Inquiry Number: 6991547.3

May 23, 2022

Certified Sanborn® Map Report



6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

Certified Sanborn® Map Report

05/23/22

Site Name:

Hargroder Site
Degeyter Road
Breaux Bridge, LA 70517
EDR Inquiry # 6991547.3

Client Name:

Chenier Environmental Consulting
PO Box 82466
Baton Rouge, LA 70884
Contact: Aaron Bass



The Sanborn Library has been searched by EDR and maps covering the target property location as provided by Chenier Environmental Consulting were identified for the years listed below. The Sanborn Library is the largest, most complete collection of fire insurance maps. The collection includes maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow, and others. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by the Sanborn Library LLC, the copyright holder for the collection. Results can be authenticated by visiting www.edrnet.com/sanborn.

The Sanborn Library is continually enhanced with newly identified map archives. This report accesses all maps in the collection as of the day this report was generated.

Certified Sanborn Results:

Certification # 8673-45D4-A10F
PO # 22-202
Project LED Hargroder Site

UNMAPPED PROPERTY

This report certifies that the complete holdings of the Sanborn Library, LLC collection have been searched based on client supplied target property information, and fire insurance maps covering the target property were not found.



Sanborn® Library search results

Certification #: 8673-45D4-A10F

The Sanborn Library includes more than 1.2 million fire insurance maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow and others which track historical property usage in approximately 12,000 American cities and towns. Collections searched:

- Library of Congress
- University Publications of America
- EDR Private Collection

The Sanborn Library LLC Since 1866™


Limited Permission To Make Copies

Chenier Environmental Consulting (the client) is permitted to make up to FIVE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice. Copyright 2022 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.




USGS 1:62,500 Arnaudville, Louisiana Quadrangle
 Created: 1940

KEY:
 Subject Property 




USGS 1:250,000 *Baton Rouge, Louisiana* Quadrangle
 Created: 1954

KEY:
 Subject Property 



USGS 1:250,000 *Baton Rouge, Louisiana* Quadrangle
 Created: 1961


KEY:
 Subject Property 



USGS 7.5 Minute *Breaux Bridge, Louisiana* Quadrangle
 Created: 1970

KEY:
 Subject Property 






Lat: 30° 17' 18" N Long: 91° 55' 7" W


USGS 1:100,000 Minute *Baton Rouge, Louisiana* Quadrangle
Created: 1984

KEY:
Subject Property 



USGS 7.5 Minute *Breaux Bridge, Louisiana* Quadrangle
Created: 1998

KEY:
Subject Property 



USGS 7.5 Minute *Breaux Bridge, Louisiana* Quadrangle
Created: 2012

KEY:
Subject Property 



USGS 7.5 Minute *Breaux Bridge, Louisiana* Quadrangle
Created: 2018

KEY:
Subject Property 





USGS 7.5 Minute *Breaux Bridge, Louisiana* Quadrangle
Created: 2020

KEY:
Subject Property 





BOBBY JINDAL
GOVERNOR

PEGGY M. HATCH
SECRETARY

State of Louisiana
DEPARTMENT OF ENVIRONMENTAL QUALITY
ENVIRONMENTAL SERVICES

September 30, 2013

CERTIFIED MAIL 7012 3460 0001 0423 8098
RETURN RECEIPT REQUESTED

AI No: 185323
Activity No: GEN20130001

Ms. Jennifer Goudeau
Pioneer Acadian Village, Inc
296 Degeyter Road
Breux Bridge, LA 70517

RE: Louisiana Pollutant Discharge Elimination System (LPDES) General Sanitary Class I Permit LAG534522

Dear Ms. Goudeau:

The Office of Environmental Services (Office) has received and reviewed your application for a water discharge permit for your RV park located at 296 Degeyter Road in Breux Bridge, St. Martin Parish. This facility has been determined eligible for coverage under our general permitting system. Therefore, pursuant to the Louisiana Environmental Quality Act (LA R.S. 30:2001, et seq.), Louisiana Pollutant Discharge Elimination System general permit number LAG534522 has been issued and is effective on the date of this letter authorizing

Pioneer Acadian Village, Inc
Pioneer RV Park & Campground
296 Degeyter Road
Breux Bridge, LA 70517

Telephone Number: (337) 257-7539

to discharge treated sanitary wastewater from your facility into an unnamed coulee, thence into Bayou Teche in subsegment 060301 of the Vermilion - Teche Basin. If at anytime changes occur at this facility resulting in an increased discharge volume, you are required to notify the Department immediately.

To ensure that all correspondence regarding this facility is properly filed into the Department's Electronic Document Management System, you must reference your Agency Interest number AI 185323 and LPDES general permit authorization number LAG534522 on all future correspondence to this Department.

By the authority of edict LA R.S. 30:2001, et seq., and the Environmental Regulatory Code, Part IX, Water Quality Regulations, this Office hereby cancels LAG541941 issued on December 21, 2012.

Your facility will be assessed an Annual Maintenance and Surveillance Fee to be invoiced separately by the agency. Annual fee amounts are subject to adjustment at a later date by promulgation of changes in the Louisiana Administrative Code. Pursuant to LAC 33:IX.1309.I, LAC 33:IX.6509.A.1 and LAC 33:I.1701, you must pay any outstanding fees to the Department. Therefore, please verify your facility's fee status by contacting LDEQ's Office of Management and Finance, Financial Services Division at (225) 219-3863 or on the LDEQ website at www.deq.louisiana.gov/fiscalreports. Any outstanding fees must be remitted via a check to the Louisiana Department of Environmental Quality within thirty (30) days after the effective date of your permit. Failure to pay the full amount due in the manner and time prescribed could result in applicable enforcement actions as prescribed in the Environmental Quality Act, including, but not limited to revocation or suspension of the applicable permit, and/or a civil penalty against you.

Pioneer Acadian Village, Inc
Pioneer RV Park & Campground
LAG534522; AI 185323
Page 2

LDEQ reserves the right to impose more stringent discharge limitations and/or additional restrictions in the future. Additional limitations and/or restrictions are based upon water quality studies and can indicate the need for advanced wastewater treatment. Water quality studies of similar dischargers and receiving water bodies have resulted in monthly average effluent limitations of 5mg/L CBOD₅ and 2 mg/L NH₃-N. Prior to upgrading or expanding this facility, the permittee should contact LDEQ to determine the status of the work being done to establish future effluent limitations and additional permit conditions.

A copy of the permit can be accessed and printed from LDEQ's Internet website at <http://www.deq.louisiana.gov/portal/> using the following path: DIVISIONS – Water Permits – LPDES Permits – LPDES General Permits – LAG530000 or by entering the Document ID 8563254 in LDEQ's Electronic Document Management System (EDMS) search window found at <http://edms.deq.louisiana.gov/app/doc/querydef.aspx>. In the event you are unable to access and/or print a copy of this permit for your records from one of the above listed sources, please contact the Water Permits Division at (225) 219-9371 to request a hard copy be sent by mail. In compliance with LAC 33:IX.2701.H, the permittee may be required to provide their own copy of the permit. Please read the entire permit very carefully to ensure that you thoroughly understand the conditions of the permit.

The permittee shall follow the effluent limitations and monitoring requirements established in Appendix A, which is attached to this cover letter. Appendix A is facility specific and details which effluent limitations of the permit will apply to the facility.

Monitoring results shall be reported to the Enforcement Division on a Discharge Monitoring Report (DMR) form per the schedule specified. A copy of the form is attached for your use. Pursuant to Part II, Section N of the general permit, one set of original DMRs and one set of copies are to be sent to the Enforcement Division, Office of Environmental Compliance, Louisiana Department of Environmental Quality, P.O. Box 4312, Baton Rouge, Louisiana 70821-4312.

For all sanitary treatment plants, the plans and specifications must be approved by the Department of Health and Hospitals, Office of Public Health, P.O. Box 4489, Baton Rouge, Louisiana 70821-4489, (225) 342-7395.

Please be advised that according to LA R.S. 48:385, any direct discharge to a state highway ditch, cross ditch, or right-of-way shall require approval from the Louisiana Department of Transportation and Development, P.O. Box 94245, Baton Rouge, Louisiana 70804, (225) 379-1927, and from the Department of Health and Hospitals, Office of Public Health, P.O. Box 4489, Baton Rouge, Louisiana 70821-4489, (225) 342-7395.

If you have any questions about the issuance of a general permit for this facility, please contact Ms. Rachel Davis at the address on the first page of this letter or telephone (225) 219-3515.

Sincerely,



Stephanie Braden, Environmental Scientist Manager
Water Permits Division

rod

Attachments (Appendix A, DMR, General Information Sheet, and Statement of Basis)

c: IO-W

ec: Permit Compliance Unit
Acadiana Regional Office
Office of Environmental Compliance

Rachel Davis
Todd Franklin
Water Permits Division

Public Health Chief Engineer
Department of Health and Hospitals
Office of Public Health

Ms. Ashley Broom
Office of Management and Finance

**Louisiana Department of Environmental Quality
Office of Environmental Services**

APPENDIX A

**Louisiana Pollutant Discharge Elimination System (LPDES)
General Permit LAG534522**

Pioneer Acadian Village, Inc
Pioneer RV Park & Campground
296 Degeyter Road
Breaux Bridge, LA

Telephone Number: (337) 257-7539

In accordance with Part II, Section N, monitoring results shall be reported on a Discharge Monitoring Report (DMR) per the schedule specified. A DMR form must be completed for each wastewater discharge point (outfall) listed below. Instructions are provided on the back of the DMR form.

When completing a DMR form, the permittee shall place the discharge number of the corresponding wastewater discharge point in the "Discharge Number" box. The following is a list of the wastewater discharge point(s) from your facility with the assigned discharge number, discharge location, and the final effluent limitations and monitoring requirements:

Discharge Number	Discharge Location	Discharge Description	Final Effluent Limitations and Monitoring Requirements
001	At the point of discharge from the sewage treatment plant, prior to mixing with other waters	Treated Sanitary Wastewater	Part I, Section B, Schedule B, Page 4 of 16*

*Since this facility has a laundromat, oil and grease limitations will be required.

General Information Sheet

AI ID: 185323 - Pioneer Acadian Village Inc - Pioneer RV Park & Campground

Alternate Identifiers	Name	User Group	Dates
LAG541941	LPDES Permit #	LPDES Permit #	12-21-2012
LAG534522	LPDES Permit #	LPDES Permit #	07-01-2013

Physical Location: 296 Degeyter Rd
Breaux Bridge, LA 70517
Main Phone: 3372577539

Mailing Address: 296 Degeyter Rd
Breaux Bridge, LA 70517

Location of Front Gate: -91.925 longitude, 30.291944 latitude

Related People:	Mailing Address	Work Phone	Email	Relationship
Jennifer Buquet	296 Degeyter Rd Breaux Bridge, LA 70517	3372577539	pioneeracadianvillage@gmail.co	Responsible Official for
Jennifer Buquet	296 Degeyter Rd Breaux Bridge, LA 70517	3372577539	pioneeracadianvillage@gmail.co	Water Permit Contact For

Related Organizations	Mailing Address	Work Phone	Relationship
Pioneer Acadian Village Inc	296 Degeyter Rd Breaux Bridge, LA 70517		Operates
Pioneer Acadian Village Inc	296 Degeyter Rd Breaux Bridge, LA 70517		Water Billing Party for

SIC Codes: 7033, RV parks and campsites

Note: This report entitled "General Information" contains a summary of facility-level information contained in LDEQ's TEMPO database for this facility and is not considered a part of the permit. Please review the information contained in this document for accuracy and completeness. If any changes are required, or if you have questions regarding this document, please email the Permit Support Services Division at facupdate@la.gov.

Paperwork Reduction Act Notice

Public Reporting Burden for this collection information is estimated to vary from a range of 10 hours as an average per response for some minor facilities, to 110 hours as an average per response for some major facilities, with a weighted average for major and minor facilities of 18 hours per response, including time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding the burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to ICR Coordinator, Office of Wastewater Management (MC4201M), US Environmental Protection Agency, 1200 Pennsylvania Avenue, NW, Washington, DC 20460; and to the Office of Information and Regulatory Affairs, Office of Management and Budget, Washington, DC 20503.

General Instructions

1. If form has been partially completed by preprinting, disregard instructions directed at entry of that information already preprinted.
2. Enter "*Permittee Name/Mailing Address* (and facility name/location, if different)," "*Permit Number*," and "*Discharge Number*" where indicated. (A separate form is required for each discharge.)
3. Enter dates beginning and ending "*Monitoring Period*" covered by form where indicated.
4. Enter each "*Parameter*" as specified in monitoring requirements of permit.
5. Enter "*Sample Measurement*" data for each parameter under "*Quantity*" and "*Quality*" in units specified in permit.
6. Enter "*Permit Requirement*" for each parameter under "*Quantity*" and "*Quality*" as specified in permit.
7. Under "*No Ex*" enter number of sample measurements during monitoring period that exceed maximum (and/or minimum or 7-day average as appropriate) permit requirement for each parameter. If none, enter "0".
8. Enter "*Frequency of Analysis*" both as "*Sample Measurement*" (actual sample type used during monitoring period) and as "*Permit Requirement*," specified in permit. (e.g., Enter "*Cont*," for continuous monitoring, "*1/7*" for one day per week, "*1/30*" for one day per month, "*1/90*" for one day per quarter, etc.)
9. Enter "*Sample Type*" both as "*Sample Measurement*" (actual sample type used during monitoring period) and as "*Permit Requirement*," (e.g., Enter "*Grab*" for individual sample, "*24HC*" for 24-hour composite, "*N/A*" for continuous monitoring, etc.)
10. Where violations of permit requirements are reported, attach a brief explanation to describe cause and corrective actions taken, and reference each violation by date.
11. If "no discharge" occurs during monitoring period, enter "*No Discharge*" across form in place of data entry.
12. Enter "*Name/Title of Principal Executive Officer*" with "*Signature of Principal Executive Officer of Authorized Agent*," "*Telephone Number*," and "*Date*" at bottom of form.
13. Mail signed Report to Office(s) by date(s) specified in permit. Retain copy for your records.
14. More detailed Instructions for use of this *Discharge Monitoring Report (DMR)* form may be obtained from Office(s) specified in permit.

Legal Notice

This report is required by law (33 U.S.C. 1318; 40 C.F.R. 125.27). Failure to report or failure to report truthfully can result in civil penalties not to exceed \$ 10,000 per day of violation; or in criminal penalties not to exceed \$25,000 per day of violation, or by imprisonment for not more than one year, or by both.

Louisiana Department of Environmental Quality (LDEQ)
Office of Environmental Services

STATEMENT OF BASIS

Louisiana Pollutant Discharge Elimination System (LPDES)
General Permit LAG534522

AI Number 185323
Activity Number GEN20130001

By: Rachel Davis
August 20, 2013

I APPLICANT:

Company:
Pioneer Acadian Village, Inc
296 Degeyter Road
Breux Bridge, LA 70517

Facility:
Pioneer RV Park & Campground
296 Degeyter Road
Breux Bridge, LA 70517

Cognizant Official Telephone Number: (337) 257-7539

II PERMIT STATUS:

The Office of Environmental Services (Office) has received an application on May 20, 2013 for issuance of an LPDES permit. The facility was previously issued a Class II Sanitary Discharge General Permit based on the calculated flow from the facility at the time. Based on this application, the actual flow from the facility averages 450 GPD and no more than 4,750 GPD. The facility has requested that the Class II permit be terminated and a Class I Sanitary Discharge General Permit be issued based on the average flow. Based on the information submitted, the Class II Sanitary Discharge General Permit will be terminated and a Class I Sanitary Discharge General Permit will be issued.

Issuing LPDES General Permit:

Sanitary Class I, treated sanitary wastewater totaling less than 5,000 gallons per day (GPD) maximum quantity

Final Effluent Limitations and Monitoring Requirements:

Part I, Section B, Schedule B, Page 4 of 16 (including oil and grease limitations)

By the authority of edict LA R.S. 30:2001, *et seq.*, and the Environmental Regulatory Code, Part IX, Water Quality Regulations, this Office hereby cancels LAG541941 issued on December 21, 2012.

III FACILITY INFORMATION

Facility Location: Pioneer Acadian Village, Inc
Pioneer RV Park & Campground

Pioneer Acadian Village, Inc
 Pioneer RV Park & Campground
 RE: LAG534522; AI 185323
 Page 2

	296 Degeyter Road
	Breaux Bridge, LA 70517
Facility Type:	RV park
Average Expected Flow:	4,750 GPD
Number of Outfalls:	1
Latitude:	+ 30° 17' 25" North
Longitude:	- 91° 55' 34" West

IV OUTFALL INFORMATION

Outfall 001:

Discharge Description:	treated sanitary wastewater totaling less than 5,000 gallons per day (GPD) maximum quantity
Parish:	St. Martin Parish
Outfall Flow:	4,750 GPD
Outfall Location:	at the point of discharge from the oxidation pond, prior to mixing with other waters
Discharge Route:	an unnamed coulee, thence into Bayou Teche
LDEQ Subsegment Number:	060301
Effluent Limits Basis:	Water Quality Regulations, LAC 33:IX.2515, 2701, and 5905 and the Statewide Sanitary Effluent Limitations Policy (SSELP)
Wastewater Treatment:	two celled oxidation pond

V RECEIVING WATERS

Basin: Vermilion – Teche River Basin
 Subsegment number: 060301

The Designated Uses of this subsegment are as follows:

- Primary Contact Recreation
- Secondary Contact Recreation
- Propagation of Fish and Wildlife

303(d) Status:

Section 303(d) of the Clean Water Act, as amended by the Water Quality Act of 1987 and EPA's regulations at 40 CFR 130, require that each state identify those waters within its boundaries for which controls are not stringent enough to meet applicable water quality standards. Section 305(b) of the Clean Water Act requires states to prepare and submit a biennial report, describing the status of the water quality and support of the designated uses. The documents that address these two requirements are referred to as the "Integrated Report." The water body-pollutant combinations for which a Total Maximum Daily Load (TMDL) or other control strategy has not been developed constitutes LDEQ's 303(d) List. The Clean Water Act further requires states to implement plans to address listings. TMDLs or other appropriate management strategy(ies) will be developed and/or revised to address waterbodies not supporting standards.

Pioneer Acadian Village, Inc
Pioneer RV Park & Campground
RE: LAG534522; AI 185323
Page 3

Subsegment 060301, Bayou Teche from headwaters at Bayou Courtableau to Keystone Locks and Dam, is listed in LDEQ's Final 2012 Integrated Report as not meeting all of its designated uses; suspected causes are nitrate/ nitrite, dissolved oxygen, fecal coliform, carbofuran, and phosphorus criteria, for which the below TMDLs have been developed. In addition, subsegment 060301 was previously listed for total suspended solids, turbidity, and siltation, for which the below TMDLs have been developed. The Department of Environmental Quality reserves the right to impose more stringent discharge limitations and/or additional restrictions in the future to maintain the water quality integrity and the designated uses of the receiving water bodies based upon additional TMDLs and/or water quality studies. The DEQ also reserves the right to modify or revoke and reissue this permit based upon any changes to established TMDLs for this discharge, or to accommodate for pollutant trading provisions in approved TMDL or management strategy watersheds as necessary to achieve compliance with water quality standards.

Total Maximum Daily Load (TMDL) for TSS, Turbidity, and Siltation for the Bayou Teche Watershed

As per the TMDL "Point source loads do not represent a significant source of TSS as defined in this TMDL. Point sources discharge primarily organic TSS, which does not contribute to habitat impairment resulting from sedimentation. Because the point sources are minor contributors, and dischargers of organic suspended solids from point sources are already addressed by LDEQ through their permitting of point sources to maintain water quality standards for DO, the wasteload allocation for point source contributions were set to zero. This TMDL only addresses the landform contribution of TSS/sediment and does not address the insignificant point source contributions." Therefore, TSS effluent limitations will be permitted according to the current regulation (LAC:33.IX.5905.B) and the SSEL.

Bayou Teche Watershed TMDL for Dissolved Oxygen

The discharger inventory for Bayou Teche and its tributaries was reviewed. A search on the LDEQ Permit Tracking System yielded 110 facilities discharging to Bayou Teche and its tributaries. Of these 110, twenty-two were included in the model projections. The remaining facilities were not included in the model and were eliminated based on the following:

- they were no longer discharging to the watershed
- they did not discharge oxygen demanding pollutants
- the volume of their discharge was insignificant
- their location was not in the Vermilion-Teche basin
- best professional judgement

Facilities of similar size and wastewater type to this discharge were eliminated from specific modeling in this TMDL due to insignificant discharge volume. Therefore, effluent limitations and requirements in this permit will be based on Louisiana's approved WQMP - Statewide Sanitary Effluent Limitations Policy for discharges of this treatment type and size, and consistent with secondary treatment standards established in LAC:33.IX.5905.

Bayou Teche TMDL for Fecal Coliform

For fecal coliform bacteria, LDEQ sets wastewater permit limits no higher than water quality criteria (i.e., criteria are met at end-of-pipe). As long as point source discharges of treated wastewater contain parameter levels at or below these permit limits, they should not be a cause of exceedances of the fecal coliform bacteria water quality criteria. The standard fecal coliform limit included in the permit will address the potential for further impairment of this waterbody.

Pioneer Acadian Village, Inc
Pioneer RV Park & Campground
RE: LAG534522; AI 185323
Page 4

TMDL for the Pesticide Carbofuran in the Mermentau and Vermilion Teche River Basins

There are no known point source discharges of Carbofuran in the Mermentau Basin, and therefore no allocation was given to point sources. There is one point source in the Vermilion-Teche (FMC Corp. LA0064360) but they do not discharge Carbofuran. Likewise no allocation was given to point source discharges in the Vermilion-Teche River Basin

VI ADDITIONAL INFORMATION

- A. Compliance History: There are no enforcement actions administered against this facility as of June 24, 2013.
- B. DMR Review: There are no DMR's on file as of June 24, 2013.
- C. Inspections: There are no inspections on file as of June 24, 2013.
- D. Fees: \$99.00



STATE OF LOUISIANA
DEPARTMENT OF ENVIRONMENTAL QUALITY
Office of Environmental Services • Water Permits Division
Post Office Box 4313 • Baton Rouge, LA 70821-4313
PHONE#: (225) 219-3181 • FAX# (225) 219-3305

Gen 20170001

sent to IOW
Gen Rebut
AAK

LPDES REQUEST FOR TERMINATION

Of Non-Stormwater General Permit Coverage and Individual LPDES Permits

This form is to be submitted when a discharge permit is no longer required or necessary. Submission of this form shall in no way relieve the permittee of current permit requirements. The Office will notify the permittee in writing of the date of termination of coverage. This form may not be used for termination of general permit stormwater coverage. ALL INFORMATION MUST BE PROVIDED.

SECTION I - FACILITY INFORMATION

LPDES Permit Number for the facility LAG 534522
Agency Interest (AI) Number for the facility 185323
Owner/Operator Name Jennifer Buquet
Facility Name Pioneer Acadian Village, Inc
Phone (337) 332-4678 Fax (337) 332-0485 e-mail pioneeracadianvillage@gmail.com
Mailing Address 315 timberwood cr. Lafayette, LA
Zip Code: 70508

Check appropriate box regarding termination of the above listed non-stormwater LPDES permit.

- Discharge permanently terminated by elimination of flow.
Date discharge terminated or will be terminated: _____
- Discharge permanently terminated by connection to a POTW.
Date discharge connected or will connect to POTW: _____
- Provide name and LPDES permit number of POTW: _____
- Other reason(s): (ex., coverage under alternate permit; provide date of coverage): _____

SECTION II - CERTIFICATION

Check appropriate box regarding pending enforcement actions and lawsuits.

- I certify that I am not subject to any pending state or federal enforcement actions, including citizen suits brought under state or federal law. (Permit will be terminated by expedited permit termination procedures as defined at LAC 33:IX.2907.B)
- I am currently subject to pending state or federal enforcement actions, including citizen suits brought under state or federal law (Permit will be terminated following procedures at LAC 33:IX.3105)

I certify under penalty of law that all discharges from the identified facility have been or will be terminated through elimination, connection to a POTW or coverage under another LPDES permit. I understand that all conditions of the permit shall remain in effect until notified by the Department. I also understand that the submittal of this Notice of Termination does not release me from liability for any violations of this permit or the Environmental Quality Act. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. I am aware that an LPDES permit must be obtained prior to recommencement of discharges from this facility.

Signature Jennifer Buquet Title President
Printed Name Jennifer Buquet Date 12-22-2017

JOHN BEL EDWARDS
GOVERNOR



CHUCK CARR BROWN, PH.D.
SECRETARY

State of Louisiana
DEPARTMENT OF ENVIRONMENTAL QUALITY
ENVIRONMENTAL SERVICES

FEB 12 2018

File No.: LAG534522
AI No.: 185323
Activity No.: GEN20130001

Jennifer Buquet
Pioneer Acadian Village, Inc.
315 Timberwood Court
Lafayette, Louisiana 70508

Re: Cancellation of coverage under LPDES General Permit: Authorization LAG534522 reissued September 30, 2013, to Pioneer Acadian Village, Inc.-Pioneer RV Park & Campground located at 296 Degeyter Road in Breaux Bridge, St. Martin Parish


Dear Ms. Buquet:

In accordance with your written request received December 18, 2017 (copy attached), this Office has canceled coverage under the above-referenced water discharge permit issued to your facility. Your request states that the discharge has been permanently terminated by elimination of flow. Any future correspondence on this permit should reference the above listed AI number, as well as your permit number.

Please be advised that should operations that result in a discharge to waters of the State resume at this site, an LPDES permit must be obtained prior to discharging in accordance with LAC 33:IX.2311.A.1.

Should you have any questions concerning this cancellation please feel free to contact Gary Goay at (225) 219-0817 or gary.goay@la.gov

Sincerely,


Kimberly Corts, Manager
General and Municipal Permits

Attachment: permittee request

cc: IO-W

ec: Ashley Broom
Office of Management & Finance

Permit Compliance Unit
Office of Environmental Compliance

Melanie Connor
Gary Goay
Water Permit Division



March 15, 2018

Mr. Dwayne Hargroder
Vermilion Acquisitions, LLC
3861 Ambassador Caffery
Lafayette, Louisiana 70508

**Re: Analytical Results
Breux Bridge Oxidation Ponds**

Dear Mr. Hargroder:

ATC Group Services LLC has reviewed the analytical results for sludge and water samples collected on February 28, 2018 from the oxidation ponds located on the subject property in Breux Bridge, LA. A copy of the laboratory report is attached.

The sludge samples were analyzed for the following:

- > Volatile Organic Compounds (VOC) by Method 8260
- > Semi-Volatile Organic Compounds (SVOC) by Method 8270
- > Total Petroleum Hydrocarbons Gasoline, Diesel, and Oil Range Organics (TPH-G,D,ORO) by Method 8015
- > Metals by Method 6010
- > Toxicity Characteristic Leachate Procedure (TCLP) for the above referenced compounds by Method 1311
- > Corrosivity (pH) by Method SW846 Chapter 7
- > Ignitability (Flashpoint) by Method SW846 Chapter 7
- > Reactivity by Method SW846 Chapter 7

VOC, SVOC, TPH, and Metal concentrations were all less than current LDEQ screening standards and would not require additional investigation directives by the LDEQ. TCLP, pH, Flashpoint, and Reactivity values indicate the sampled media is non-hazardous waste.

The water sample was analyzed for the following:

Oil and Grease (O&G) by Method 1664

O&G concentration meets criteria for discharge established by the State Louisiana for dewatering of oxidation ponds under Louisiana General Permit LAG420000.

If you should have any questions or require additional information, please contact me at (225) 869-3255.

Sincerely,

ATC Group Services LLC

Ray J. Robert, Jr.
Ray J. Robert, Jr., P.G.
Senior Geologist

Attachment

Patrick M. Howard
Patrick M. Howard
Branch Manager

221 Rue de Jean, 3rd Floor
Lafayette, Louisiana 70508
Telephone 337-234-8777
Fax 337-235-6777

The results set forth herein are provided by SGS North America Inc.

e-Hardcopy 2.0
Automated Report



Technical Report for

ATC Group Services LLC.

Breaux Bridge Property-Breaux Bridge, LA

SGS Job Number: LA41719

Sampling Date: 02/28/18

Report to:

ATC Group Services LLC.
221 Rue De Jean Suite 200
Lafayette, LA 70508
april.dykes@atcassociates.com; pat.howard@atcgs.com

ATTN: April Dykes

Total number of pages in report: 95



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable.

Ron Benjamin
Ron Benjamin
Lab Director

Client Service contact: Christina Larriviere 337-237-4775

Certifications: LDEQ(2048), LDHH(LA150012), AR(14-045-04), AZ(AZ0805), FL(E87657), IL(200082), KY(#31), NC(487), SC(73004001), NJ(LA007), TX(T104704186-15-7), WV(257)

This report shall not be reproduced, except in its entirety, without the written approval of SGS.
Test results relate only to samples analyzed.

APPENDIX C: REGULATORY DATABASE REPORT

Hargroder Site

Degeyter Road

Breaux Bridge, LA 70517

Inquiry Number: 6991547.2s

May 23, 2022

The EDR Radius Map™ Report with GeoCheck®



6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
Executive Summary	ES1
Overview Map	2
Detail Map	3
Map Findings Summary	4
Map Findings	8
Orphan Summary	67
Government Records Searched/Data Currency Tracking	GR-1
 <u>GEOCHECK ADDENDUM</u>	
Physical Setting Source Addendum	A-1
Physical Setting Source Summary	A-2
Physical Setting SSURGO Soil Map	A-5
Physical Setting Source Map	A-11
Physical Setting Source Map Findings	A-13
Physical Setting Source Records Searched	PSGR-1

Thank you for your business.
 Please contact EDR at 1-800-352-0050
 with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2020 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission. EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E1527-21), the ASTM Standard Practice for Environmental Site Assessments for Forestland or Rural Property (E 2247-16), the ASTM Standard Practice for Limited Environmental Due Diligence: Transaction Screen Process (E 1528-14) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

TARGET PROPERTY INFORMATION

ADDRESS

DEGEYTER ROAD
BREAUX BRIDGE, LA 70517

COORDINATES

Latitude (North): 30.2920750 - 30° 17' 31.47"
Longitude (West): 91.9241820 - 91° 55' 27.05"
Universal Transverse Mercator: Zone 15
UTM X (Meters): 603460.1
UTM Y (Meters): 3351459.2
Elevation: 25 ft. above sea level

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property Map: 16395669 BREAUX BRIDGE, LA
Version Date: 2020

AERIAL PHOTOGRAPHY IN THIS REPORT

Portions of Photo from: 20150810
Source: USDA

MAPPED SITES SUMMARY

Target Property Address:
 DEGEYTER ROAD
 BREAUX BRIDGE, LA 70517

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
A1	PIONEER ACADIAN VILL	296 DEGEYTER RD	NPDES	Higher	1 ft.
A2	PIONEER ACADIAN VILL	296 DEGEYTER RD	FINDS, ECHO	Higher	1 ft.
B3	GIELEN PROPERTIES	2099 REES ST	UST	Higher	714, 0.135, East
B4	WILLIAMS TRAVEL CENT	2099 REES ST	HIST LUST	Higher	714, 0.135, East
B5	GIELEN PROPERTIES	2099 REES ST	LUST, AUL, SPILLS, REM	Higher	714, 0.135, East
C6	PICARD'S AUTO, TRUCK	3652 MAIN HWY	RCRA-VSQG, ECHO	Lower	754, 0.143, SSW
C7	PICARD'S AUTO TRUCK	3652 MAIN HWY	UST	Lower	754, 0.143, SSW
D8	PENNYWISE #4	2086 REES ST	LUST, SPILLS, REM	Higher	1009, 0.191, East
D9	PENNYWISE #4	2086 REES ST	UST	Higher	1009, 0.191, East
D10	BREAUX BRIDGE PIT ST	2021 REES ST	LUST, REM	Lower	1123, 0.213, East
D11	BREAUX BRIDGE PIT ST	2021 REES ST	UST	Lower	1123, 0.213, East
12	PILOT TRAVEL CENTERS	2112 REES ST	UST	Higher	1149, 0.218, ENE
13	SILVERS TRAVEL CENTE	2247 REES ST EXT	LUST, REM	Higher	1695, 0.321, NE
E14	MASK DEVELOPERS LLC	1813 REES ST	LUST, HIST LUST, UST, SPILLS, REM	Higher	2569, 0.487, ESE
E15	BROUSSARD PROPERTY	1811 REES ST	LUST, SPILLS, REM	Higher	2581, 0.489, ESE

EXECUTIVE SUMMARY

TARGET PROPERTY SEARCH RESULTS

The target property was not listed in any of the databases searched by EDR.

DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

STANDARD ENVIRONMENTAL RECORDS

Lists of Federal NPL (Superfund) sites

NPL..... National Priority List
Proposed NPL..... Proposed National Priority List Sites
NPL LIENS..... Federal Superfund Liens

Lists of Federal Delisted NPL sites

Delisted NPL..... National Priority List Deletions

Lists of Federal sites subject to CERCLA removals and CERCLA orders

FEDERAL FACILITY..... Federal Facility Site Information listing
SEMS..... Superfund Enterprise Management System

Lists of Federal CERCLA sites with NFRAP

SEMS-ARCHIVE..... Superfund Enterprise Management System Archive

Lists of Federal RCRA facilities undergoing Corrective Action

CORRACTS..... Corrective Action Report

Lists of Federal RCRA TSD facilities

RCRA-TSDF..... RCRA - Treatment, Storage and Disposal

Lists of Federal RCRA generators

RCRA-LQG..... RCRA - Large Quantity Generators
RCRA-SQG..... RCRA - Small Quantity Generators

Federal institutional controls / engineering controls registries

LUCIS..... Land Use Control Information System
US ENG CONTROLS..... Engineering Controls Sites List
US INST CONTROLS..... Institutional Controls Sites List

EXECUTIVE SUMMARY

Federal ERNS list

ERNS..... Emergency Response Notification System

Lists of state- and tribal hazardous waste facilities

SHWS..... Potential and Confirmed Sites List

Lists of state and tribal landfills and solid waste disposal facilities

SWF/LF..... Landfill List

DEBRIS..... LDEQ Approved Debris Sites

HIST DEBRIS..... LDEQ Approved Debris Sites

Lists of state and tribal leaking storage tanks

INDIAN LUST..... Leaking Underground Storage Tanks on Indian Land

Lists of state and tribal registered storage tanks

FEMA UST..... Underground Storage Tank Listing

INDIAN UST..... Underground Storage Tanks on Indian Land

Lists of state and tribal voluntary cleanup sites

VCP..... Voluntary Remediation Program Sites

INDIAN VCP..... Voluntary Cleanup Priority Listing

Lists of state and tribal brownfield sites

BROWNFIELDS..... Brownfields Inventory

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS..... A Listing of Brownfields Sites

Local Lists of Landfill / Solid Waste Disposal Sites

SWRCY..... Recycling Directory

INDIAN ODI..... Report on the Status of Open Dumps on Indian Lands

ODI..... Open Dump Inventory

DEBRIS REGION 9..... Torres Martinez Reservation Illegal Dump Site Locations

IHS OPEN DUMPS..... Open Dumps on Indian Land

Local Lists of Hazardous waste / Contaminated Sites

US HIST CDL..... Delisted National Clandestine Laboratory Register

CDL..... Clandestine Drug Lab

DEL SHWS..... Deleted Potential & Confirmed Sites

US CDL..... National Clandestine Laboratory Register

AQUEOUS FOAM..... A listing of reported incidents involving firefighting foam.

EXECUTIVE SUMMARY

Local Land Records

LIENS..... Environmental Liens
LIENS 2..... CERCLA Lien Information

Records of Emergency Release Reports

HMIRS..... Hazardous Materials Information Reporting System
SPILLS..... Emergency Response Section Incidents
SPILLS 90..... SPILLS 90 data from FirstSearch

Other Ascertainable Records

RCRA NonGen / NLR..... RCRA - Non Generators / No Longer Regulated
FUDS..... Formerly Used Defense Sites
DOD..... Department of Defense Sites
SCRD DRYCLEANERS..... State Coalition for Remediation of Drycleaners Listing
US FIN ASSUR..... Financial Assurance Information
EPA WATCH LIST..... EPA WATCH LIST
2020 COR ACTION..... 2020 Corrective Action Program List
TSCA..... Toxic Substances Control Act
TRIS..... Toxic Chemical Release Inventory System
SSTS..... Section 7 Tracking Systems
ROD..... Records Of Decision
RMP..... Risk Management Plans
RAATS..... RCRA Administrative Action Tracking System
PRP..... Potentially Responsible Parties
PADS..... PCB Activity Database System
ICIS..... Integrated Compliance Information System
FTTS..... FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
MLTS..... Material Licensing Tracking System
COAL ASH DOE..... Steam-Electric Plant Operation Data
COAL ASH EPA..... Coal Combustion Residues Surface Impoundments List
PCB TRANSFORMER..... PCB Transformer Registration Database
RADINFO..... Radiation Information Database
HIST FTTS..... FIFRA/TSCA Tracking System Administrative Case Listing
DOT OPS..... Incident and Accident Data
CONSENT..... Superfund (CERCLA) Consent Decrees
INDIAN RESERV..... Indian Reservations
FUSRAP..... Formerly Utilized Sites Remedial Action Program
UMTRA..... Uranium Mill Tailings Sites
LEAD SMELTERS..... Lead Smelter Sites
US AIRS..... Aerometric Information Retrieval System Facility Subsystem
US MINES..... Mines Master Index File
ABANDONED MINES..... Abandoned Mines
DOCKET HWC..... Hazardous Waste Compliance Docket Listing
UXO..... Unexploded Ordnance Sites
FUELS PROGRAM..... EPA Fuels Program Registered Listing
AIRS..... Air Permit List
ASBESTOS..... Asbestos Projects List
COAL ASH..... Coal Ash Disposal Sites
DRYCLEANERS..... Drycleaner Facility Listing
Financial Assurance..... Financial Assurance Information

EXECUTIVE SUMMARY

UIC..... Underground Injection Wells Listing
MINES MRDS..... Mineral Resources Data System

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP..... EDR Proprietary Manufactured Gas Plants
EDR Hist Auto..... EDR Exclusive Historical Auto Stations
EDR Hist Cleaner..... EDR Exclusive Historical Cleaners

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

RGA HWS..... Recovered Government Archive State Hazardous Waste Facilities List
RGA LF..... Recovered Government Archive Solid Waste Facilities List
RGA LUST..... Recovered Government Archive Leaking Underground Storage Tank

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property.

Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

STANDARD ENVIRONMENTAL RECORDS

Lists of Federal RCRA generators

RCRA-VSQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Very small quantity generators (VSQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

A review of the RCRA-VSQG list, as provided by EDR, and dated 02/28/2022 has revealed that there is 1 RCRA-VSQG site within approximately 0.25 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<i>PICARD'S AUTO, TRUCK</i> EPA ID:: LAR000085506	<i>3652 MAIN HWY</i>	<i>SSW 1/8 - 1/4 (0.143 mi.)</i>	<i>C6</i>	<i>23</i>

EXECUTIVE SUMMARY

Lists of state and tribal leaking storage tanks

LUST: The Leaking Underground Storage Tank Incident Reports contain an inventory of reported leaking underground storage tank incidents. The data come from the Department of Environmental Quality's list: LDEQ's Leaking UST Database.

A review of the LUST list, as provided by EDR, and dated 01/10/2022 has revealed that there are 6 LUST sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
GIELEN PROPERTIES Facility Id: 42378	2099 REES ST	E 1/8 - 1/4 (0.135 mi.)	B5	21
PENNYWISE #4 Facility Id: 78906	2086 REES ST	E 1/8 - 1/4 (0.191 mi.)	D8	32
SILVERS TRAVEL CENTE Facility Id: 86397	2247 REES ST EXT	NE 1/4 - 1/2 (0.321 mi.)	13	50
MASK DEVELOPERS LLC Facility Id: 72011	1813 REES ST	ESE 1/4 - 1/2 (0.487 mi.)	E14	51
BROUSSARD PROPERTY Facility Id: 150988	1811 REES ST	ESE 1/4 - 1/2 (0.489 mi.)	E15	66
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
BREAUX BRIDGE PIT ST Facility Id: 79526	2021 REES ST	E 1/8 - 1/4 (0.213 mi.)	D10	38

HIST LUST: Department of Environmental Quality's Underground Storage Tank Case History Incidents database.

A review of the HIST LUST list, as provided by EDR, and dated 11/01/1999 has revealed that there are 2 HIST LUST sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
WILLIAMS TRAVEL CENT Facility Id: 50-011616	2099 REES ST	E 1/8 - 1/4 (0.135 mi.)	B4	19
MASK DEVELOPERS LLC Facility Id: 50-002595	1813 REES ST	ESE 1/4 - 1/2 (0.487 mi.)	E14	51

Lists of state and tribal registered storage tanks

UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Department of Environmental Quality's Louisiana Underground Storage Tank Database.

A review of the UST list, as provided by EDR, and dated 01/10/2022 has revealed that there are 5 UST sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
GIELEN PROPERTIES	2099 REES ST	E 1/8 - 1/4 (0.135 mi.)	B3	9

EXECUTIVE SUMMARY

Tank Status: Removed
Master Agency Id: 42378

PENNYWISE #4 Tank Status: Active Master Agency Id: 78906	2086 REES ST	E 1/8 - 1/4 (0.191 mi.)	D9	34
--	--------------	-------------------------	----	----

PILOT TRAVEL CENTERS Tank Status: Active Master Agency Id: 88504	2112 REES ST	ENE 1/8 - 1/4 (0.218 mi.)	12	43
--	--------------	---------------------------	----	----

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
PICARD'S AUTO TRUCK Tank Status: Closed Master Agency Id: 26687	3652 MAIN HWY	SSW 1/8 - 1/4 (0.143 mi.)	C7	26
BREAUX BRIDGE PIT ST Tank Status: Active Master Agency Id: 79526	2021 REES ST	E 1/8 - 1/4 (0.213 mi.)	D11	39

State and tribal institutional control / engineering control registries

AUL: A notice of contamination (nature and levels of contaminants) and restriction of property to non-residential use are placed in the conveyance records for the property.

A review of the AUL list, as provided by EDR, and dated 03/29/2022 has revealed that there is 1 AUL site within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<i>GIELEN PROPERTIES</i>	<i>2099 REES ST</i>	<i>E 1/8 - 1/4 (0.135 mi.)</i>	<i>B5</i>	<i>21</i>

ADDITIONAL ENVIRONMENTAL RECORDS

Other Ascertainable Records

FINDS: The Facility Index System contains both facility information and "pointers" to other sources of information that contain more detail. These include: RCRIS; Permit Compliance System (PCS); Aerometric Information Retrieval System (AIRS); FATES (FIFRA [Federal Insecticide Fungicide Rodenticide Act] and TSCA Enforcement System, FTTS [FIFRA/TSCA Tracking System]; CERCLIS; DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes); Federal Underground Injection Control (FURS); Federal Reporting Data System (FRDS); Surface Impoundments (SIA); TSCA Chemicals in Commerce Information System (CICS); PADS; RCRA-J (medical waste transporters/disposers); TRIS; and TSCA. The source of this database is the U.S. EPA/NTIS.

A review of the FINDS list, as provided by EDR, and dated 11/04/2021 has revealed that there is 1 FINDS site within approximately 0.001 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<i>PIONEER ACADIAN VILL</i>	<i>296 DEGEYTER RD</i>	<i>0 - 1/8 (0.000 mi.)</i>	<i>A2</i>	<i>8</i>

EXECUTIVE SUMMARY

Registry ID:: 110056159516

ECHO: ECHO provides integrated compliance and enforcement information for about 800,000 regulated facilities nationwide.

A review of the ECHO list, as provided by EDR, and dated 01/01/2022 has revealed that there is 1 ECHO site within approximately 0.001 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
PIONEER ACADIAN VILL Registry ID: 110056159516	296 DEGEYTER RD	0 - 1/8 (0.000 mi.)	A2	8

NPDES: A listing of sites with a Louisiana Pollutant Discharge Elimination System (LPDES) program issued permit.

A review of the NPDES list, as provided by EDR, and dated 04/25/2022 has revealed that there is 1 NPDES site within approximately 0.001 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
PIONEER ACADIAN VILL Facility Id: 185323	296 DEGEYTER RD	0 - 1/8 (0.000 mi.)	A1	8

REM: Facilities or sites come to the Underground Storage Tank and Remediation Division either through self notification or referral. These sites are designated for remediation via the following regulatory paths: Solid Waste (SW), Hazardous Waste (Haz Waste), Groundwater (Grwater), Inactive & Abandoned Sites (Confirmed or Potential), or Underground Storage Tanks (UST).


A review of the REM list, as provided by EDR, and dated 01/10/2022 has revealed that there are 6 REM sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
GIELEN PROPERTIES AI Num: 42378	2099 REES ST	E 1/8 - 1/4 (0.135 mi.)	B5	21
PENNYWISE #4 AI Num: 78906	2086 REES ST	E 1/8 - 1/4 (0.191 mi.)	D8	32
SILVERS TRAVEL CENTE AI Num: 86397	2247 REES ST EXT	NE 1/4 - 1/2 (0.321 mi.)	13	50
MASK DEVELOPERS LLC AI Num: 72011	1813 REES ST	ESE 1/4 - 1/2 (0.487 mi.)	E14	51
BROUSSARD PROPERTY AI Num: 150988	1811 REES ST	ESE 1/4 - 1/2 (0.489 mi.)	E15	66
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
BREAUX BRIDGE PIT ST AI Num: 79526	2021 REES ST	E 1/8 - 1/4 (0.213 mi.)	D10	38

EXECUTIVE SUMMARY

There were no unmapped sites in this report.

OVERVIEW MAP - 6991547.2S



Target Property

Sites at elevations higher than or equal to the target property

Sites at elevations lower than the target property

Manufactured Gas Plants

National Priority List Sites

Dept. Defense Sites

Indian Reservations BIA

Power transmission lines

Pipelines

Special Flood Hazard Area (1%)

0.2% Annual Chance Flood Hazard

National Wetland Inventory




This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: Hargroder Site
 ADDRESS: Degeyer Road
 Breaux Bridge LA 70517
 LAT/LONG: 30.292075 / 91.924182

CLIENT: Chenier Environmental Consulting
 CONTACT: Aaron Bass
 INQUIRY #: 6991547.2s
 DATE: May 23, 2022 4:08 pm

DETAIL MAP - 6991547.2S



Target Property

Sites at elevations higher than or equal to the target property

Sites at elevations lower than the target property

Manufactured Gas Plants

Sensitive Receptors

National Priority List Sites

Dept. Defense Sites

Indian Reservations BIA

Power transmission lines

Pipelines

Special Flood Hazard Area (1%)

0.2% Annual Chance Flood Hazard

National Wetland Inventory

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: Hargroder Site
 ADDRESS: Degeyter Road
 Breaux Bridge LA 70517
 LAT/LONG: 30.292075 / 91.924182

CLIENT: Chenier Environmental Consulting
 CONTACT: Aaron Bass
 INQUIRY #: 6991547.2s
 DATE: May 23, 2022 4:09 pm

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
STANDARD ENVIRONMENTAL RECORDS								
<i>Lists of Federal NPL (Superfund) sites</i>								
NPL	1.000		0	0	0	0	NR	0
Proposed NPL	1.000		0	0	0	0	NR	0
NPL LIENS	1.000		0	0	0	0	NR	0
<i>Lists of Federal Delisted NPL sites</i>								
Delisted NPL	1.000		0	0	0	0	NR	0
<i>Lists of Federal sites subject to CERCLA removals and CERCLA orders</i>								
FEDERAL FACILITY	0.500		0	0	0	NR	NR	0
SEMS	0.500		0	0	0	NR	NR	0
<i>Lists of Federal CERCLA sites with NFRAP</i>								
SEMS-ARCHIVE	0.500		0	0	0	NR	NR	0
<i>Lists of Federal RCRA facilities undergoing Corrective Action</i>								
CORRACTS	1.000		0	0	0	0	NR	0
<i>Lists of Federal RCRA TSD facilities</i>								
RCRA-TSDF	0.500		0	0	0	NR	NR	0
<i>Lists of Federal RCRA generators</i>								
RCRA-LQG	0.250		0	0	NR	NR	NR	0
RCRA-SQG	0.250		0	0	NR	NR	NR	0
RCRA-VSQG	0.250		0	1	NR	NR	NR	1
<i>Federal institutional controls / engineering controls registries</i>								
LUCIS	0.500		0	0	0	NR	NR	0
US ENG CONTROLS	0.500		0	0	0	NR	NR	0
US INST CONTROLS	0.500		0	0	0	NR	NR	0
<i>Federal ERNS list</i>								
ERNS	0.001		0	NR	NR	NR	NR	0
<i>Lists of state- and tribal hazardous waste facilities</i>								
SHWS	1.000		0	0	0	0	NR	0
<i>Lists of state and tribal landfills and solid waste disposal facilities</i>								
SWF/LF	0.500		0	0	0	NR	NR	0
DEBRIS	0.500		0	0	0	NR	NR	0
HIST DEBRIS	0.500		0	0	0	NR	NR	0
<i>Lists of state and tribal leaking storage tanks</i>								
LUST	0.500		0	3	3	NR	NR	6

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
INDIAN LUST	0.500		0	0	0	NR	NR	0
HIST LUST	0.500		0	1	1	NR	NR	2
<i>Lists of state and tribal registered storage tanks</i>								
FEMA UST	0.250		0	0	NR	NR	NR	0
UST	0.250		0	5	NR	NR	NR	5
INDIAN UST	0.250		0	0	NR	NR	NR	0
<i>State and tribal institutional control / engineering control registries</i>								
AUL	0.500		0	1	0	NR	NR	1
<i>Lists of state and tribal voluntary cleanup sites</i>								
VCP	0.500		0	0	0	NR	NR	0
INDIAN VCP	0.500		0	0	0	NR	NR	0
<i>Lists of state and tribal brownfield sites</i>								
BROWNFIELDS	0.500		0	0	0	NR	NR	0
<u>ADDITIONAL ENVIRONMENTAL RECORDS</u>								
<i>Local Brownfield lists</i>								
US BROWNFIELDS	0.500		0	0	0	NR	NR	0
<i>Local Lists of Landfill / Solid Waste Disposal Sites</i>								
SWRCY	0.500		0	0	0	NR	NR	0
INDIAN ODI	0.500		0	0	0	NR	NR	0
ODI	0.500		0	0	0	NR	NR	0
DEBRIS REGION 9	0.500		0	0	0	NR	NR	0
IHS OPEN DUMPS	0.500		0	0	0	NR	NR	0
<i>Local Lists of Hazardous waste / Contaminated Sites</i>								
US HIST CDL	0.001		0	NR	NR	NR	NR	0
CDL	0.001		0	NR	NR	NR	NR	0
DEL SHWS	1.000		0	0	0	0	NR	0
US CDL	0.001		0	NR	NR	NR	NR	0
AQUEOUS FOAM	0.500		0	0	0	NR	NR	0
<i>Local Land Records</i>								
LIENS	0.001		0	NR	NR	NR	NR	0
LIENS 2	0.001		0	NR	NR	NR	NR	0
<i>Records of Emergency Release Reports</i>								
HMIRS	0.001		0	NR	NR	NR	NR	0
SPILLS	0.001		0	NR	NR	NR	NR	0
SPILLS 90	0.001		0	NR	NR	NR	NR	0
<i>Other Ascertainable Records</i>								
RCRA NonGen / NLR	0.250		0	0	NR	NR	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
FUDS	1.000		0	0	0	0	NR	0
DOD	1.000		0	0	0	0	NR	0
SCRD DRYCLEANERS	0.500		0	0	0	NR	NR	0
US FIN ASSUR	0.001		0	NR	NR	NR	NR	0
EPA WATCH LIST	0.001		0	NR	NR	NR	NR	0
2020 COR ACTION	0.250		0	0	NR	NR	NR	0
TSCA	0.001		0	NR	NR	NR	NR	0
TRIS	0.001		0	NR	NR	NR	NR	0
SSTS	0.001		0	NR	NR	NR	NR	0
ROD	1.000		0	0	0	0	NR	0
RMP	0.001		0	NR	NR	NR	NR	0
RAATS	0.001		0	NR	NR	NR	NR	0
PRP	0.001		0	NR	NR	NR	NR	0
PADS	0.001		0	NR	NR	NR	NR	0
ICIS	0.001		0	NR	NR	NR	NR	0
FTTS	0.001		0	NR	NR	NR	NR	0
MLTS	0.001		0	NR	NR	NR	NR	0
COAL ASH DOE	0.001		0	NR	NR	NR	NR	0
COAL ASH EPA	0.500		0	0	0	NR	NR	0
PCB TRANSFORMER	0.001		0	NR	NR	NR	NR	0
RADINFO	0.001		0	NR	NR	NR	NR	0
HIST FTTS	0.001		0	NR	NR	NR	NR	0
DOT OPS	0.001		0	NR	NR	NR	NR	0
CONSENT	1.000		0	0	0	0	NR	0
INDIAN RESERV	1.000		0	0	0	0	NR	0
FUSRAP	1.000		0	0	0	0	NR	0
UMTRA	0.500		0	0	0	NR	NR	0
LEAD SMELTERS	0.001		0	NR	NR	NR	NR	0
US AIRS	0.001		0	NR	NR	NR	NR	0
US MINES	0.250		0	0	NR	NR	NR	0
ABANDONED MINES	0.250		0	0	NR	NR	NR	0
FINDS	0.001		1	NR	NR	NR	NR	1
ECHO	0.001		1	NR	NR	NR	NR	1
DOCKET HWC	0.001		0	NR	NR	NR	NR	0
UXO	1.000		0	0	0	0	NR	0
FUELS PROGRAM	0.250		0	0	NR	NR	NR	0
AIRS	0.001		0	NR	NR	NR	NR	0
ASBESTOS	0.001		0	NR	NR	NR	NR	0
COAL ASH	0.500		0	0	0	NR	NR	0
DRYCLEANERS	0.250		0	0	NR	NR	NR	0
Financial Assurance	0.001		0	NR	NR	NR	NR	0
NPDES	0.001		1	NR	NR	NR	NR	1
REM	0.500		0	3	3	NR	NR	6
UIC	0.001		0	NR	NR	NR	NR	0
MINES MRDS	0.001		0	NR	NR	NR	NR	0

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP	1.000		0	0	0	0	NR	0
---------	-------	--	---	---	---	---	----	---

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
EDR Hist Auto	0.125		0	NR	NR	NR	NR	0
EDR Hist Cleaner	0.125		0	NR	NR	NR	NR	0
<u>EDR RECOVERED GOVERNMENT ARCHIVES</u>								
<i>Exclusive Recovered Govt. Archives</i>								
RGA HWS	0.001		0	NR	NR	NR	NR	0
RGA LF	0.001		0	NR	NR	NR	NR	0
RGA LUST	0.001		0	NR	NR	NR	NR	0
- Totals --		0	3	14	7	0	0	24

NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

A1 **PIONEER ACADIAN VILLAGE INC - PIONEER RV PARK & CA** **NPDES** **S112658306**
296 DEGEYTER RD **N/A**
< 1/8 **BREAUX BRIDGE, LA 70517**
1 ft.

Site 1 of 2 in cluster A

Relative:
Higher
Actual:
25 ft.

NPDES:
Name: PIONEER ACADIAN VILLAGE INC - PIONEER RV PARK & CAMPGROUND
Address: 296 DEGEYTER RD
City,State,Zip: BREAUX BRIDGE, LA 70517
Facility Id: 185323
Facility Phone: (337) 257-7539
Issued Date: 12/21/2012
Title Description: Permit
Permit Type Description: Gen-LAG54-Sanitary Class II
Program: Water
Activity Number: GEN20120001
Effective Date: 12/21/2012
Expiration Date: 06/30/2013
Permit Number: LAG541941
Mailing Address: 315 Timberwood Cir Lafayette, LA 70508
Effective Flag: N

Name: PIONEER ACADIAN VILLAGE INC - PIONEER RV PARK & CAMPGROUND
Address: 296 DEGEYTER RD
City,State,Zip: BREAUX BRIDGE, LA 70517
Facility Id: 185323
Facility Phone: (337) 257-7539
Issued Date: 09/30/2013
Title Description: Permit
Permit Type Description: Gen-LAG53-Sanitary Class I
Program: Water
Activity Number: GEN20130001
Effective Date: 09/30/2013
Expiration Date: 11/30/2017
Permit Number: LAG534522
Mailing Address: 315 Timberwood Cir Lafayette, LA 70508
Effective Flag: N

A2 **PIONEER ACADIAN VILLAGE INC.** **FINDS** **1016446919**
296 DEGEYTER RD **ECHO** **N/A**
< 1/8 **BREAUX BRIDGE, LA 70517**
1 ft.

Site 2 of 2 in cluster A

Relative:
Higher
Actual:
25 ft.

FINDS:
Registry ID: 110056159516

Click Here:

Environmental Interest/Information System:

US National Pollutant Discharge Elimination System (NPDES) module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

PIONEER ACADIAN VILLAGE INC. (Continued)

1016446919

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
 Envid: 1016446919
 Registry ID: 110056159516
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110056159516>
 Name: PIONEER ACADIAN VILLAGE INC.
 Address: 296 DEGEYTER RD
 City,State,Zip: BREAUX BRIDGE, LA 70517

B3
East
1/8-1/4
0.135 mi.
714 ft.

GIELEN PROPERTIES
2099 REES ST
BREAUX BRIDGE, LA 70517
Site 1 of 3 in cluster B

UST U003986973
N/A

Relative:
Higher
Actual:
25 ft.

UST:
 Name: GIELEN PROPERTIES
 Address: 2099 REES ST
 Address 2: Not reported
 City: BREAUX BRIDGE
 Master Agency Id: 42378
 Subject Item ID: 1

UST Tank Num: 30963
Tank Status: Removed
 Install Date: 10/24/1986
 Total Capacity: 10000
 Number Of Compartments: 1
 Gasoline: Yes
 Diesel: Not reported
 Gasohol: Not reported
 Kerosene: Not reported
 Heating Oil: Not reported
 New Used Oil: Not reported
 MS Aviation Fuel: Not reported
 MS Additive: Not reported
 MS Antifreeze: Not reported
 MS Naptha: Not reported
 MS Varsol: Not reported
 Unknown: Not reported
 Other Sub: Not reported
 Steel Tank Covered With Asphalt: Not reported
 Cathodically Protected: Yes
 Epoxy Coated Tank: Not reported
 A Composite Of Different Materials: Not reported
 Fiberglass Or Plastic: Y
 Interior Line With Some Material: Not reported
 Double Wall As Opposed To Single Wall: Not reported
 Outside Lined w/ Polyethylen Jacket: Not reported
 Made Of Concrete: Not reported
 Liner Covering Excavation Hole: Not reported
 Other Material: Not reported
 Pipe Method Description: Pressure
 Subject item desc: 30963-gasoline, removed
 Service change date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GIELEN PROPERTIES (Continued)

U003986973

Last service date:	Not reported
Current status start date:	10/12/2016
Current status end date:	Not reported
Emer gen fuel only flag:	N
Tank inert material desc:	Not reported
Mct fibrgls plastic:	Not reported
Mcp bare steel:	Not reported
Mcp galvanized steel:	Not reported
Mcp part stl fbrgls lines:	Not reported
Mcp copper:	Not reported
Mcp double walled:	Not reported
Mcp secondary contain:	Not reported
Mcp unknown:	Not reported
Mcp other:	Not reported
Rdt manual gauging:	Not reported
Rdt tank tightness:	Not reported
Rdt invent control:	Not reported
Rdt auto guage:	Y
Rdt grndwtr monitor:	Not reported
Rdt intr mon dwall:	Not reported
Rdt intr mon secd:	Not reported
Rdt vapor monitor:	Not reported
Rdt other:	Not reported
Rdp line tightness:	Not reported
Rdp grndwtr monitor:	Not reported
Rdp intr mon dwall:	Not reported
Rdp intr mon secd:	Not reported
Rdp vapor monitor:	Not reported
Rdp other:	Not reported
Overfill prevent install date:	12/09/1998
Alt spill overfill equip flag:	Not reported
Alt spill overfill equip desc:	Not reported
Tank ext corr protect date:	10/24/1986
Cpt fibrgls plstc:	Not reported
Cpt stl fbr plastic:	Not reported
Cpt expert no leak:	Not reported
Cpt dielectric coat:	Not reported
Cpt impressed curr:	Y
Cpt cathodic protect:	Not reported
Cpt interior lining:	Not reported
Cpt lined cathod prot:	Not reported
Cpt other:	Not reported
Pipe ext corr protect date:	Not reported
Cpp fibrgls plastic:	Y
Cpp part stl fbrgls:	Not reported
Cpp expert no leak:	Not reported
Cpp dielectric coat:	Not reported
Cpp impressed curr:	Not reported
Cpp cathodic protect:	Not reported
Cpp other:	Not reported
Install certification date:	02/01/1999
Install alt certificate num:	IRC-0208
Install cert worker name:	Not reported
Install cert worker emp name:	Not reported
Install cert by mfr flag:	N
Install insp by reg eng flag:	Y
Install insp by dept flag:	N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GIELEN PROPERTIES (Continued)

U003986973

Install mfr chkst comp flag: N
Install cert alt method flag: N
Install cert alt method desc: Not reported
Closure certification date: 03/07/2018
Closure alt cert num: IRC-0177
Closure cert worker name: Don Shipley
Closure cert worker emp name: Construction Technologies, LLC
Active: 10/27/1986
Bankrupt: Not reported
Closed: Not reported
Deferred: Not reported
Filled: Not reported
Hold: Not reported
Inactive: Not reported
Removed: 10/12/2016
Sold: Not reported
Temp out of service: 11/08/2010

UST Tank Num: 30964
Tank Status: Removed
Install Date: 10/24/1986
Total Capacity: 10000
Number Of Compartments: 1
Gasoline: Yes
Diesel: Not reported
Gasohol: Not reported
Kerosene: Not reported
Heating Oil: Not reported
New Used Oil: Not reported
MS Aviation Fuel: Not reported
MS Additive: Not reported
MS Antifreeze: Not reported
MS Naptha: Not reported
MS Varsol: Not reported
Unknown: Not reported
Other Sub: Not reported
Steel Tank Covered With Asphalt: Not reported
Cathodically Protected: Yes
Epoxy Coated Tank: Not reported
A Composite Of Different Materials: Not reported
Fiberglass Or Plastic: Y
Interior Line With Some Material: Not reported
Double Wall As Opposed To Single Wall: Not reported
Outside Lined w/ Polyethylen Jacket: Not reported
Made Of Concrete: Not reported
Liner Covering Excavation Hole: Not reported
Other Material: Not reported
Pipe Method Description: Pressure
Subject item desc: 30964-gasoline, removed
Service change date: Not reported
Last service date: Not reported
Current status start date: 10/12/2016
Current status end date: Not reported
Emer gen fuel only flag: N
Tank inert material desc: Not reported
Mct fibrgls plastic: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GIELEN PROPERTIES (Continued)

U003986973

Mcp bare steel:	Not reported
Mcp galvanized steel:	Not reported
Mcp part stl fbrgls lines:	Not reported
Mcp copper:	Not reported
Mcp double walled:	Not reported
Mcp secondary contain:	Not reported
Mcp unknown:	Not reported
Mcp other:	Not reported
Rdt manual gauging:	Not reported
Rdt tank tightness:	Not reported
Rdt invent control:	Not reported
Rdt auto guage:	Y
Rdt grndwtr monitor:	Not reported
Rdt intr mon dwall:	Not reported
Rdt intr mon secd:	Not reported
Rdt vapor monitor:	Not reported
Rdt other:	Not reported
Rdp line tightness:	Not reported
Rdp grndwtr monitor:	Not reported
Rdp intr mon dwall:	Not reported
Rdp intr mon secd:	Not reported
Rdp vapor monitor:	Not reported
Rdp other:	Not reported
Overfill prevent install date:	12/09/1998
Alt spill overfill equip flag:	Not reported
Alt spill overfill equip desc:	Not reported
Tank ext corr protect date:	10/24/1986
Cpt fbrgls plstc:	Not reported
Cpt stl fbr plastic:	Not reported
Cpt expert no leak:	Not reported
Cpt dielectric coat:	Not reported
Cpt impressed curr:	Y
Cpt cathodic protect:	Not reported
Cpt interior lining:	Not reported
Cpt lined cathod prot:	Not reported
Cpt other:	Not reported
Pipe ext corr protect date:	Not reported
Cpp fbrgls plastic:	Y
Cpp part stl fbrgls:	Not reported
Cpp expert no leak:	Not reported
Cpp dielectric coat:	Not reported
Cpp impressed curr:	Not reported
Cpp cathodic protect:	Not reported
Cpp other:	Not reported
Install certification date:	02/01/1999
Install alt certificate num:	IRC-0208
Install cert worker name:	Not reported
Install cert worker emp name:	Not reported
Install cert by mfr flag:	N
Install insp by reg eng flag:	Y
Install insp by dept flag:	N
Install mfr chklst comp flag:	N
Install cert alt method flag:	N
Install cert alt method desc:	Not reported
Closure certification date:	03/07/2018
Closure alt cert num:	IRC-0177
Closure cert worker name:	Don Shipley

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GIELEN PROPERTIES (Continued)

U003986973

Closure cert worker emp name: Construction Technologies, LLC
Active: 10/27/1986
Bankrupt: Not reported
Closed: Not reported
Deferred: Not reported
Filled: Not reported
Hold: Not reported
Inactive: Not reported
Removed: 10/12/2016
Sold: Not reported
Temp out of service: 11/08/2010

UST Tank Num: 30965
Tank Status: Removed
Install Date: 10/24/1986
Total Capacity: 10000
Number Of Compartments: 1
Gasoline: Yes
Diesel: Not reported
Gasohol: Not reported
Kerosene: Not reported
Heating Oil: Not reported
New Used Oil: Not reported
MS Aviation Fuel: Not reported
MS Additive: Not reported
MS Antifreeze: Not reported
MS Naptha: Not reported
MS Varsol: Not reported
Unknown: Not reported
Other Sub: Not reported
Steel Tank Covered With Asphalt: Not reported
Cathodically Protected: Yes
Epoxy Coated Tank: Not reported
A Composite Of Different Materials: Not reported
Fiberglass Or Plastic: Y
Interior Line With Some Material: Not reported
Double Wall As Opposed To Single Wall: Not reported
Outside Lined w/ Polyethylen Jacket: Not reported
Made Of Concrete: Not reported
Liner Covering Excavation Hole: Not reported
Other Material: Not reported
Pipe Method Description: Pressure
Subject item desc: 30965-gasoline, removed
Service change date: Not reported
Last service date: Not reported
Current status start date: 10/12/2016
Current status end date: Not reported
Emer gen fuel only flag: N
Tank inert material desc: Not reported
Mct fibrgls plastic: Not reported
Mcp bare steel: Not reported
Mcp galvanized steel: Not reported
Mcp part stl fbrgls lines: Not reported
Mcp copper: Not reported
Mcp double walled: Not reported
Mcp secondary contain: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GIELEN PROPERTIES (Continued)

U003986973

Mcp unknown:	Not reported
Mcp other:	Not reported
Rdt manual gauging:	Not reported
Rdt tank tightness:	Not reported
Rdt invent control:	Not reported
Rdt auto guage:	Y
Rdt grndwtr monitor:	Not reported
Rdt intr mon dwall:	Not reported
Rdt intr mon secd:	Not reported
Rdt vapor monitor:	Not reported
Rdt other:	Not reported
Rdp line tightness:	Not reported
Rdp grndwtr monitor:	Not reported
Rdp intr mon dwall:	Not reported
Rdp intr mon secd:	Not reported
Rdp vapor monitor:	Not reported
Rdp other:	Not reported
Overfill prevent install date:	12/09/1998
Alt spill overfill equip flag:	Not reported
Alt spill overfill equip desc:	Not reported
Tank ext corr protect date:	10/24/1986
Cpt fibrgls plstc:	Not reported
Cpt stl fbr plastic:	Not reported
Cpt expert no leak:	Not reported
Cpt dielectric coat:	Not reported
Cpt impressed curr:	Y
Cpt cathodic protect:	Not reported
Cpt interior lining:	Not reported
Cpt lined cathod prot:	Not reported
Cpt other:	Not reported
Pipe ext corr protect date:	Not reported
Cpp fibrgls plastic:	Y
Cpp part stl fbrgls:	Not reported
Cpp expert no leak:	Not reported
Cpp dielectric coat:	Not reported
Cpp impressed curr:	Not reported
Cpp cathodic protect:	Not reported
Cpp other:	Not reported
Install certification date:	02/01/1999
Install alt certificate num:	IRC-0208
Install cert worker name:	Not reported
Install cert worker emp name:	Not reported
Install cert by mfr flag:	N
Install insp by reg eng flag:	Y
Install insp by dept flag:	N
Install mfr chklst comp flag:	N
Install cert alt method flag:	N
Install cert alt method desc:	Not reported
Closure certification date:	03/07/2018
Closure alt cert num:	IRC-0177
Closure cert worker name:	Don Shipley
Closure cert worker emp name:	Construction Technologies, LLC
Active:	10/27/1986
Bankrupt:	Not reported
Closed:	Not reported
Deferred:	Not reported
Filled:	Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

GIELEN PROPERTIES (Continued)

U003986973

Hold:	Not reported
Inactive:	Not reported
Removed:	10/12/2016
Sold:	Not reported
Temp out of service:	11/08/2010
UST Tank Num:	30966
Tank Status:	Removed
Install Date:	10/24/1985
Total Capacity:	20000
Number Of Compartments:	1
Gasoline:	Not reported
Diesel:	Yes
Gasohol:	Not reported
Kerosene:	Not reported
Heating Oil:	Not reported
New Used Oil:	Not reported
MS Aviation Fuel:	Not reported
MS Additive:	Not reported
MS Antifreeze:	Not reported
MS Naptha:	Not reported
MS Varsol:	Not reported
Unknown:	Not reported
Other Sub:	Not reported
Steel Tank Covered With Asphalt:	Yes
Cathodically Protected:	Not reported
Epoxy Coated Tank:	Not reported
A Composite Of Different Materials:	Not reported
Fiberglass Or Plastic:	Y
Interior Line With Some Material:	Not reported
Double Wall As Opposed To Single Wall:	Not reported
Outside Lined w/ Polyethylen Jacket:	Not reported
Made Of Concrete:	Not reported
Liner Covering Excavation Hole:	Not reported
Other Material:	Not reported
Pipe Method Description:	Not reported
Subject item desc:	30966-diesel, removed
Service change date:	Not reported
Last service date:	Not reported
Current status start date:	03/01/1993
Current status end date:	Not reported
Emer gen fuel only flag:	Not reported
Tank inert material desc:	Not reported
Mct fibrgls plastic:	Not reported
Mcp bare steel:	Not reported
Mcp galvanized steel:	Not reported
Mcp part stl fbrgls lines:	Not reported
Mcp copper:	Not reported
Mcp double walled:	Not reported
Mcp secondary contain:	Not reported
Mcp unknown:	Not reported
Mcp other:	Not reported
Rdt manual gauging:	Not reported
Rdt tank tightness:	Not reported
Rdt invent control:	Not reported
Rdt auto guage:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GIELEN PROPERTIES (Continued)

U003986973

Rdt grndwtr monitor:	Not reported
Rdt intr mon dwall:	Not reported
Rdt intr mon secd:	Not reported
Rdt vapor monitor:	Not reported
Rdt other:	Not reported
Rdp line tightness:	Not reported
Rdp grndwtr monitor:	Not reported
Rdp intr mon dwall:	Not reported
Rdp intr mon secd:	Not reported
Rdp vapor monitor:	Not reported
Rdp other:	Not reported
Overfill prevent install date:	Not reported
Alt spill overfill equip flag:	Not reported
Alt spill overfill equip desc:	Not reported
Tank ext corr protect date:	Not reported
Cpt fibrgls plstc:	Not reported
Cpt stl fbr plastic:	Not reported
Cpt expert no leak:	Not reported
Cpt dielectric coat:	Not reported
Cpt impressed curr:	Not reported
Cpt cathodic protect:	Not reported
Cpt interior lining:	Not reported
Cpt lined cathod prot:	Not reported
Cpt other:	Not reported
Pipe ext corr protect date:	Not reported
Cpp fibrgls plastic:	Not reported
Cpp part stl fibrgls:	Not reported
Cpp expert no leak:	Not reported
Cpp dielectric coat:	Not reported
Cpp impressed curr:	Not reported
Cpp cathodic protect:	Not reported
Cpp other:	Not reported
Install certification date:	07/19/1990
Install alt certificate num:	Not reported
Install cert worker name:	Not reported
Install cert worker emp name:	Not reported
Install cert by mfr flag:	Not reported
Install insp by reg eng flag:	Not reported
Install insp by dept flag:	Not reported
Install mfr chklst comp flag:	Not reported
Install cert alt method flag:	Not reported
Install cert alt method desc:	Not reported
Closure certification date:	Not reported
Closure alt cert num:	Not reported
Closure cert worker name:	Not reported
Closure cert worker emp name:	Not reported
Active:	Not reported
Bankrupt:	Not reported
Closed:	Not reported
Deferred:	Not reported
Filled:	Not reported
Hold:	Not reported
Inactive:	Not reported
Removed:	03/01/1993
Sold:	Not reported
Temp out of service:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GIELEN PROPERTIES (Continued)

U003986973

UST Tank Num:	30967
Tank Status:	Removed
Install Date:	10/24/1986
Total Capacity:	20000
Number Of Compartments:	1
Gasoline:	Not reported
Diesel:	Yes
Gasohol:	Not reported
Kerosene:	Not reported
Heating Oil:	Not reported
New Used Oil:	Not reported
MS Aviation Fuel:	Not reported
MS Additive:	Not reported
MS Antifreeze:	Not reported
MS Naptha:	Not reported
MS Varsol:	Not reported
Unknown:	Not reported
Other Sub:	Not reported
Steel Tank Covered With Asphalt:	Yes
Cathodically Protected:	Not reported
Epoxy Coated Tank:	Not reported
A Composite Of Different Materials:	Not reported
Fiberglass Or Plastic:	Y
Interior Line With Some Material:	Not reported
Double Wall As Opposed To Single Wall:	Not reported
Outside Lined w/ Polyethylen Jacket:	Not reported
Made Of Concrete:	Not reported
Liner Covering Excavation Hole:	Not reported
Other Material:	Not reported
Pipe Method Description:	Not reported
Subject item desc:	30967-diesel, removed
Service change date:	Not reported
Last service date:	Not reported
Current status start date:	03/01/1991
Current status end date:	Not reported
Emer gen fuel only flag:	Not reported
Tank inert material desc:	Not reported
Mct fibrgls plastic:	Not reported
Mcp bare steel:	Not reported
Mcp galvanized steel:	Not reported
Mcp part stl fbrgls lines:	Not reported
Mcp copper:	Not reported
Mcp double walled:	Not reported
Mcp secondary contain:	Not reported
Mcp unknown:	Not reported
Mcp other:	Not reported
Rdt manual gauging:	Not reported
Rdt tank tightness:	Not reported
Rdt invent control:	Not reported
Rdt auto gauge:	Not reported
Rdt grndwtr monitor:	Not reported
Rdt intr mon dwall:	Not reported
Rdt intr mon secd:	Not reported
Rdt vapor monitor:	Not reported
Rdt other:	Not reported
Rdp line tightness:	Not reported
Rdp grndwtr monitor:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GIELEN PROPERTIES (Continued)

U003986973

Rdp intr mon dwall:	Not reported
Rdp intr mon secd:	Not reported
Rdp vapor monitor:	Not reported
Rdp other:	Not reported
Overfill prevent install date:	Not reported
Alt spill overfill equip flag:	Not reported
Alt spill overfill equip desc:	Not reported
Tank ext corr protect date:	Not reported
Cpt fibrgls plstc:	Not reported
Cpt stl fbr plastic:	Not reported
Cpt expert no leak:	Not reported
Cpt dielectric coat:	Not reported
Cpt impressed curr:	Not reported
Cpt cathodic protect:	Not reported
Cpt interior lining:	Not reported
Cpt lined cathod prot:	Not reported
Cpt other:	Not reported
Pipe ext corr protect date:	Not reported
Cpp fibrgls plastic:	Not reported
Cpp part stl fbrgls:	Not reported
Cpp expert no leak:	Not reported
Cpp dielectric coat:	Not reported
Cpp impressed curr:	Not reported
Cpp cathodic protect:	Not reported
Cpp other:	Not reported
Install certification date:	07/19/1990
Install alt certificate num:	Not reported
Install cert worker name:	Not reported
Install cert worker emp name:	Not reported
Install cert by mfr flag:	Not reported
Install insp by reg eng flag:	Not reported
Install insp by dept flag:	Not reported
Install mfr chklst comp flag:	Not reported
Install cert alt method flag:	Not reported
Install cert alt method desc:	Not reported
Closure certification date:	Not reported
Closure alt cert num:	Not reported
Closure cert worker name:	Not reported
Closure cert worker emp name:	Not reported
Active:	Not reported
Bankrupt:	Not reported
Closed:	Not reported
Deferred:	Not reported
Filled:	Not reported
Hold:	Not reported
Inactive:	Not reported
Removed:	03/01/1991
Sold:	Not reported
Temp out of service:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

B4
East
1/8-1/4
0.135 mi.
714 ft.

WILLIAMS TRAVEL CENTERS 3137
2099 REES ST
BREAUX BRIDGE, LA 70517

HIST LUST **S106034393**
N/A

Site 2 of 3 in cluster B

Relative:
Higher
Actual:
25 ft.

HIST LUST:

Facility ID: 50-011616
Facility Parish: ST. MARTIN
Substance Name: GASOLINE
Substance Name 2: Not reported
Quantity: UNKNOWN
Quantity 2: Not reported
Date Confirmed: 07/17/1992
Date Confirmed 2: Not reported
Incident Number: 92-4-0280
Incident Date: 07/17/1992
Type of Incident: UNKNOWN
Type of Incident No2: Not reported
Reported By: IT CORPORATION
Reported By 2: Not reported
Owner ID: 00184600
Owner Name: MAPCO PETROLEUM
Owner Address: 1101 KERMIT DR, SUITE 800
Owner City,St,Zip: NASHVILLE, TN 37217
Assessment Pending Info: No
Assessment Request Date: 04/19/1993
Assessment Plan Due Date: 07/09/1993
Assessment Plan Received Date: 12/20/1993
Assessment Approved Date: 05/27/1994
Assessment Contractor: IT INTERNATIONAL TECHNOLOGY CORPORATION
Assess Date Add Info Due: Not reported
Assess Date Add Info Recd: Not reported
Assess Date Add Info Due2: Not reported
Assess Date Add Info Recd: Not reported
Assess Date Add Info Due3: Not reported
Corrective Plan Due Date: 07/12/1994
Corrective Plan Received Date: 06/30/1994
Corrective Plan Approved Date: 09/01/1994
Corr Act Date Add Info Due: Not reported
Corr Act Date Add Info Recd: Not reported
Corr Act Date Add Info Due2: Not reported
Corr Act Date Add Info Recd2: Not reported
Corr Act Date Add Info Due3: Not reported
Remediation Method: Not reported
Remediation Date: Not reported
Remediation Terminated Date: Not reported

LA HIST LUST INCIDENT:

Comments: Not reported

LA HIST LUST ASSESSMENT:

Comments: HIGH LEVELS OF CONTAMINATION FOUND DURING PHASE I AT THIS FACILITY. DEQ APPROVED VACUUM ENHANCED PUMPING ON 9/1/94 EST. COST: \$188,215. REC'D LETTER FROM IT CORP. 11/4/94 WAITING ON DEQ WATER DIVISION PERMIT.

LA HIST LUST CORRECTIVE ACTION:

Comments: CONSULTANT LETTER 1-17-95 REMEDIATION SYSTEM OPERATING SINCE 1-3-95. REC'D QTLY REPORTS ON 4-17 & 10-10-96. DEQ APPROVED CAP ADDENDUM ON 11/7/97.

Facility ID: 50-011616

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WILLIAMS TRAVEL CENTERS 3137 (Continued)

S106034393

Facility Parish: ST. MARTIN
Substance Name: Not reported
Substance Name 2: Not reported
Quantity: Not reported
Quantity 2: Not reported
Date Confirmed: Not reported
Date Confirmed 2: Not reported
Incident Number: 92-4-0280
Incident Date: 07/17/1992
Type of Incident: Not reported
Type of Incident No2: Not reported
Reported By: Not reported
Reported By 2: Not reported
Owner ID: 00184600
Owner Name: MAPCO PETROLEUM
Owner Address: 1101 KERMIT DR, SUITE 800
Owner City,St,Zip: NASHVILLE, TN 37217
Assessment Pending Info: No
Assessment Request Date: 04/19/1993
Assessment Plan Due Date: 07/09/1993
Assessment Plan Received Date: 12/20/1993
Assessment Approved Date: 05/27/1994
Assessment Contractor: IT INTERNATIONAL TECHNOLOGY CORPORATION
Assess Date Add Info Due: Not reported
Assess Date Add Info Recd: Not reported
Assess Date Add Info Due2: Not reported
Assess Date Add Info Recd: Not reported
Assess Date Add Info Due3: Not reported
Corrective Plan Due Date: 07/12/1994
Corrective Plan Received Date: 06/30/1994
Corrective Plan Approved Date: 09/01/1994
Corr Act Date Add Info Due: Not reported
Corr Act Date Add Info Recd: Not reported
Corr Act Date Add Info Due2: Not reported
Corr Act Date Add Info Recd2: Not reported
Corr Act Date Add Info Due3: Not reported
Remediation Method: Not reported
Remediation Date: Not reported
Remediation Terminated Date: Not reported

LA HIST LUST INCIDENT:

Comments: Not reported

LA HIST LUST ASSESSMENT:

Comments: HIGH LEVELS OF CONTAMINATION FOUND DURING PHASE I AT THIS FACILITY.DEQ APPROVED VACUUM ENHANCED PUMPING ON 9/1/94 EST. COST: \$188,215.REC'D LETTER FROM IT CORP. 11/4/94 WAITING ON DEQ WATER DIVISIONPERMIT.

LA HIST LUST CORRECTIVE ACTION:

Comments: CONSULTANT LETTER 1-17-95 REMEDIATION SYSTEM OPERATING SINCE 1-3-95.REC'D QTLY REPORTSS ON 4-17 & 10-10-96. DEQ APPROVED CAP ADDENDUM ON11/7/97.

MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

B5
East
1/8-1/4
0.135 mi.
714 ft.

GIELEN PROPERTIES
2099 REES ST
BREAUX BRIDGE, LA 70517

Site 3 of 3 in cluster B

LUST
AUL
SPILLS
REM

S110991002
N/A

Relative:
Higher

Actual:
25 ft.

LUST:

Name: GIELEN PROPERTIES
 Address: 2099 REES ST
 City,State,Zip: BREAUX BRIDGE, LA 70517
 Facility ID: 42378
 Comments: UST

Name: GIELEN PROPERTIES
 Address: 2099 REES ST
 City,State,Zip: BREAUX BRIDGE, LA 70517
 Facility ID: 42378
 Comments: UST

AUL:

Name: GIELEN PROPERTIES
 Address: 2099 REES ST
 City,State,Zip: BREAUX BRIDGE, LA 70517
 Facility ID: Not reported
 Type: Underground Storage Tanks
 Incident Number: Not reported
 Agency Interest Id: Not reported
 PPM Project Number: Not reported
 Parish: St. Martin
 Comments: Underground Storage Tanks
 Custom Tank Desc: Not reported
 Document ID: Not reported
 Document Type: Not reported
 Document Sub Type: Not reported
 Date: Not reported
 Description: Not reported
 PGS: Not reported
 Document Link: Not reported

Name: GIELEN PROPERTIES
 Address: 2099 REES ST
 City,State,Zip: BREAUX BRIDGE, LA 70517
 Facility ID: Not reported
 Type: Underground Storage Tanks
 Incident Number: Not reported
 Agency Interest Id: Not reported
 PPM Project Number: Not reported
 Parish: St. Martin
 Comments: Underground Storage Tanks
 Custom Tank Desc: Not reported
 Document ID: Not reported
 Document Type: Not reported
 Document Sub Type: Not reported
 Date: Not reported
 Description: Not reported
 PGS: Not reported
 Document Link: Not reported

Name: GIELEN PROPERTIES

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GIELEN PROPERTIES (Continued)

S110991002

Address: 2099 REES ST
City,State,Zip: BREAUX BRIDGE, LA 70517
Facility ID: Not reported
Type: Underground Storage Tanks
Incident Number: Not reported
Agency Interest Id: Not reported
PPM Project Number: Not reported
Parish: St. Martin
Comments: Underground Storage Tanks
Custom Tank Desc: Not reported
Document ID: Not reported
Document Type: Not reported
Document Sub Type: Not reported
Date: Not reported
Description: Not reported
PGS: Not reported
Document Link: Not reported

Name: GIELEN PROPERTIES
Address: 2099 REES ST
City,State,Zip: BREAUX BRIDGE, LA 70517
Facility ID: Not reported
Type: Underground Storage Tanks
Incident Number: Not reported
Agency Interest Id: Not reported
PPM Project Number: Not reported
Parish: St. Martin
Comments: Underground Storage Tanks
Custom Tank Desc: Not reported
Document ID: Not reported
Document Type: Not reported
Document Sub Type: Not reported
Date: Not reported
Description: Not reported
PGS: Not reported
Document Link: Not reported

SPILLS:

Name: WILLIAMS COMPANIES
Address: 2099 REES ST
City,State,Zip: BREAUX BRIDGE, LA
Receive Date: 02/09/2011
Incident Date: 02/09/2011
Quantity: 0
Units: 0
Parameter: 0
Incident ID: 129112
Other Description: Gasoline
AI ID: 42378
Incident Status: Referred to USTD for TL Assignment
Media Desc: Water/Soil
Location Description: Williams Companies 2099 Rees St Breaux Bridge
Start Date: 02/15/2011
Region: AR
Reporter Name: Not reported
Mailing Address: Not reported
Mailing City: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

GIELEN PROPERTIES (Continued)

S110991002

Mailing State: Not reported
 Mailing Zip: Not reported
 Organization Name: MAPCO Express # 3137
 Incident Desc: Confirmed Release date = 2/17/11
 Incident Type Desc: UST Rem, Unknown
 Comments: Confirmed Release Date = 2/17/11. Site investigation results indicated gasoline COCs exceeding RECAP SS in soil and groundwater.

REM:

Name: GIELEN PROPERTIES
 Address: 2099 REES ST
 Address 2: Not reported
 City,State,Zip: BREAUX BRIDGE, LA 70517
 AI Num: 42378
 Evaluated And Closed: 04/04/2006
 Program: UST
 Activity Description: Not reported
 Title Description: Remediation oversight
 EAC Type: Approve Completion NFA w/ BOD
 Comments: EDMS ID 5454064

Name: GIELEN PROPERTIES
 Address: 2099 REES ST
 Address 2: Not reported
 City,State,Zip: BREAUX BRIDGE, LA 70517
 AI Num: 42378
 Evaluated And Closed: 12/06/2012
 Program: UST
 Activity Description: Not reported
 Title Description: Remediation oversight
 EAC Type: Approve Completion NFA w/ BOD
 Comments: EDMS ID 8635178.

C6
SSW
1/8-1/4
0.143 mi.
754 ft.

PICARD'S AUTO, TRUCK & INDUSTRIAL INC
3652 MAIN HWY
BREAUX BRIDGE, LA 70517

RCRA-VSQG 1017786680
ECHO LAR000085506

Site 1 of 2 in cluster C

Relative:
Lower
Actual:
24 ft.

RCRA-VSQG:
 Date Form Received by Agency: 20150311
 Handler Name: PICARD'S AUTO, TRUCK & INDUSTRIAL INC
 Handler Address: 3652 MAIN HWY
 Handler City,State,Zip: BREAUX BRIDGE, LA 70517
 EPA ID: LAR000085506
 Contact Name: LARRY PICARD
 Contact Address: MAIN HWY
 Contact City,State,Zip: BREAUX BRIDGE, LA 70517
 Contact Telephone: 337-332-2205
 Contact Fax: Not reported
 Contact Email: Not reported
 Contact Title: OWNER
 EPA Region: 06
 Land Type: Private
 Federal Waste Generator Description: Conditionally Exempt Small Quantity Generator
 Non-Notifier: Not reported
 Biennial Report Cycle: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

PICARD'S AUTO, TRUCK & INDUSTRIAL INC (Continued)

1017786680

Accessibility:	Not reported
Active Site Indicator:	Handler Activities
State District Owner:	LA
State District:	AC
Mailing Address:	MAIN HWY
Mailing City, State, Zip:	BREAUX BRIDGE, LA 70517
Owner Name:	LARRY PICARD
Owner Type:	Private
Operator Name:	LARRY PICARD
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDs Where RCRA CA has Been Imposed Universe:	No
TSDs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PICARD'S AUTO, TRUCK & INDUSTRIAL INC (Continued)

1017786680

Handler Date of Last Change:	20150414
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code:	D001
Waste Description:	IGNITABLE WASTE

Waste Code:	D035
Waste Description:	METHYL ETHYL KETONE

Waste Code:	F003
Waste Description:	THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Waste Code:	F005
Waste Description:	THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	LARRY PICARD
Legal Status:	Private
Date Became Current:	19921031
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	LARRY PICARD
Legal Status:	Private
Date Became Current:	19921031
Date Ended Current:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PICARD'S AUTO, TRUCK & INDUSTRIAL INC (Continued)

1017786680

Owner/Operator Address: Not reported
Owner/Operator City,State,Zip: Not reported
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 20150311
Handler Name: PICARD'S AUTO, TRUCK & INDUSTRIAL INC
Federal Waste Generator Description: Conditionally Exempt Small Quantity Generator
State District Owner: LA
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:

NAICS Code: 81121
NAICS Description: ELECTRONIC AND PRECISION EQUIPMENT REPAIR AND MAINTENANCE

Facility Has Received Notices of Violations:

Violations: No Violations Found

Evaluation Action Summary:

Evaluations: No Evaluations Found

ECHO:

Envid: 1017786680
Registry ID: 110064016130
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110064016130>
Name: PICARD'S AUTO, TRUCK & INDUSTRIAL INC
Address: 3652 MAIN HWY
City,State,Zip: BREAUX BRIDGE, LA 70517

C7
SSW
1/8-1/4
0.143 mi.
754 ft.

PICARD'S AUTO TRUCK & INDUSTRIAL INC
3652 MAIN HWY
BREAUX BRIDGE, LA 70517
Site 2 of 2 in cluster C

UST U003922294
N/A

Relative:
Lower
Actual:
24 ft.

UST:
Name: PICARD'S AUTO TRUCK & INDUSTRIAL INC
Address: 3652 MAIN HWY
Address 2: Not reported
City: BREAUX BRIDGE
Master Agency Id: 26687
Subject Item ID: 1

UST Tank Num: 11087

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PICARD'S AUTO TRUCK & INDUSTRIAL INC (Continued)

U003922294

Tank Status:	Closed
Install Date:	04/17/1974
Total Capacity:	1000
Number Of Compartments:	1
Gasoline:	Yes
Diesel:	Not reported
Gasohol:	Not reported
Kerosene:	Not reported
Heating Oil:	Not reported
New Used Oil:	Not reported
MS Aviation Fuel:	Not reported
MS Additive:	Not reported
MS Antifreeze:	Not reported
MS Naptha:	Not reported
MS Varsol:	Not reported
Unknown:	Not reported
Other Sub:	Not reported
Steel Tank Covered With Asphalt:	Yes
Cathodically Protected:	Not reported
Epoxy Coated Tank:	Not reported
A Composite Of Different Materials:	Not reported
Fiberglass Or Plastic:	Not reported
Interior Line With Some Material:	Not reported
Double Wall As Opposed To Single Wall:	Not reported
Outside Lined w/ Polyethylen Jacket:	Not reported
Made Of Concrete:	Not reported
Liner Covering Excavation Hole:	Not reported
Other Material:	Not reported
Pipe Method Description:	Not reported
Subject item desc:	Underground Storage Tank
Service change date:	Not reported
Last service date:	Not reported
Current status start date:	05/01/1984
Current status end date:	Not reported
Emer gen fuel only flag:	Not reported
Tank inert material desc:	Other
Mct fibrgls plastic:	Not reported
Mcp bare steel:	Not reported
Mcp galvanized steel:	Y
Mcp part stl fbrgls lines:	Not reported
Mcp copper:	Not reported
Mcp double walled:	Not reported
Mcp secondary contain:	Not reported
Mcp unknown:	Not reported
Mcp other:	Not reported
Rdt manual gauging:	Not reported
Rdt tank tightness:	Not reported
Rdt invent control:	Not reported
Rdt auto guage:	Not reported
Rdt grndwtr monitor:	Not reported
Rdt intr mon dwall:	Not reported
Rdt intr mon secd:	Not reported
Rdt vapor monitor:	Not reported
Rdt other:	Not reported
Rdp line tightness:	Not reported
Rdp grndwtr monitor:	Not reported
Rdp intr mon dwall:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PICARD'S AUTO TRUCK & INDUSTRIAL INC (Continued)

U003922294

Rdp intr mon secd:	Not reported
Rdp vapor monitor:	Not reported
Rdp other:	Not reported
Overfill prevent install date:	Not reported
Alt spill overfill equip flag:	Not reported
Alt spill overfill equip desc:	Not reported
Tank ext corr protect date:	Not reported
Cpt fibrgls plstc:	Not reported
Cpt stl fbr plastic:	Not reported
Cpt expert no leak:	Not reported
Cpt dielectric coat:	Not reported
Cpt impressed curr:	Not reported
Cpt cathodic protect:	Not reported
Cpt interior lining:	Not reported
Cpt lined cathod prot:	Not reported
Cpt other:	Not reported
Pipe ext corr protect date:	Not reported
Cpp fibrgls plastic:	Not reported
Cpp part stl fbrgls:	Not reported
Cpp expert no leak:	Not reported
Cpp dielectric coat:	Not reported
Cpp impressed curr:	Not reported
Cpp cathodic protect:	Not reported
Cpp other:	Not reported
Install certification date:	Not reported
Install alt certificate num:	Not reported
Install cert worker name:	Not reported
Install cert worker emp name:	Not reported
Install cert by mfr flag:	Not reported
Install insp by reg eng flag:	Not reported
Install insp by dept flag:	Not reported
Install mfr chkfst comp flag:	Not reported
Install cert alt method flag:	Not reported
Install cert alt method desc:	Not reported
Closure certification date:	Not reported
Closure alt cert num:	Not reported
Closure cert worker name:	Not reported
Closure cert worker emp name:	Not reported
Active:	Not reported
Bankrupt:	Not reported
Closed:	05/01/1984
Deferred:	Not reported
Filled:	Not reported
Hold:	Not reported
Inactive:	Not reported
Removed:	Not reported
Sold:	Not reported
Temp out of service:	Not reported

UST Tank Num:	20001
Tank Status:	Closed
Install Date:	04/30/1985
Total Capacity:	1000
Number Of Compartments:	1
Gasoline:	Yes
Diesel:	Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

PICARD'S AUTO TRUCK & INDUSTRIAL INC (Continued)

U003922294

Gasohol:	Not reported
Kerosene:	Not reported
Heating Oil:	Not reported
New Used Oil:	Not reported
MS Aviation Fuel:	Not reported
MS Additive:	Not reported
MS Antifreeze:	Not reported
MS Naptha:	Not reported
MS Varsol:	Not reported
Unknown:	Not reported
Other Sub:	Not reported
Steel Tank Covered With Asphalt:	Not reported
Cathodically Protected:	Yes
Epoxy Coated Tank:	Not reported
A Composite Of Different Materials:	Not reported
Fiberglass Or Plastic:	Not reported
Interior Line With Some Material:	Not reported
Double Wall As Opposed To Single Wall:	Not reported
Outside Lined w/ Polyethylen Jacket:	Not reported
Made Of Concrete:	Not reported
Liner Covering Excavation Hole:	Not reported
Other Material:	Not reported
Pipe Method Description:	Suction: non-safe suction Rel Det Req
Subject item desc:	Tank #20001, gasoline, Closed-in-Place
Service change date:	Not reported
Last service date:	Not reported
Current status start date:	11/15/2010
Current status end date:	Not reported
Emer gen fuel only flag:	Not reported
Tank inert material desc:	Not reported
Mct fibrgls plastic:	Not reported
Mcp bare steel:	Not reported
Mcp galvanized steel:	Y
Mcp part stl fbrgls lines:	Not reported
Mcp copper:	Not reported
Mcp double walled:	Not reported
Mcp secondary contain:	Not reported
Mcp unknown:	Not reported
Mcp other:	Not reported
Rdt manual gauging:	Y
Rdt tank tightness:	Y
Rdt invent control:	Y
Rdt auto guage:	Not reported
Rdt grndwtr monitor:	Not reported
Rdt intr mon dwall:	Not reported
Rdt intr mon secd:	Not reported
Rdt vapor monitor:	Not reported
Rdt other:	Not reported
Rdp line tightness:	Not reported
Rdp grndwtr monitor:	Not reported
Rdp intr mon dwall:	Not reported
Rdp intr mon secd:	Not reported
Rdp vapor monitor:	Not reported
Rdp other:	Not reported
Overfill prevent install date:	01/01/1980
Alt spill overfill equip flag:	Not reported
Alt spill overfill equip desc:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PICARD'S AUTO TRUCK & INDUSTRIAL INC (Continued)

U003922294

Tank ext corr protect date:	Not reported
Cpt fibrgls plstc:	Not reported
Cpt stl fbr plastic:	Not reported
Cpt expert no leak:	Not reported
Cpt dielectric coat:	Not reported
Cpt impressed curr:	Not reported
Cpt cathodic protect:	Not reported
Cpt interior lining:	Not reported
Cpt lined cathod prot:	Not reported
Cpt other:	Not reported
Pipe ext corr protect date:	Not reported
Cpp fibrgls plastic:	Not reported
Cpp part stl fbrgls:	Not reported
Cpp expert no leak:	Not reported
Cpp dielectric coat:	Not reported
Cpp impressed curr:	Not reported
Cpp cathodic protect:	Y
Cpp other:	Not reported
Install certification date:	03/01/1998
Install alt certificate num:	IRC-0086
Install cert worker name:	MIKE GUIDRY
Install cert worker emp name:	SOUTHWEST SERVICE
Install cert by mfr flag:	Not reported
Install insp by reg eng flag:	Not reported
Install insp by dept flag:	Not reported
Install mfr chkfst comp flag:	Not reported
Install cert alt method flag:	Not reported
Install cert alt method desc:	Not reported
Closure certification date:	11/16/2010
Closure alt cert num:	IRC0086
Closure cert worker name:	Mike Guidry
Closure cert worker emp name:	Mike Guidry Services, Inc.
Active:	05/01/1986
Bankrupt:	Not reported
Closed:	11/15/2010
Deferred:	Not reported
Filled:	Not reported
Hold:	Not reported
Inactive:	Not reported
Removed:	Not reported
Sold:	Not reported
Temp out of service:	Not reported

UST Tank Num:	20002
Tank Status:	Closed
Install Date:	04/30/1985
Total Capacity:	1000
Number Of Compartments:	1
Gasoline:	Yes
Diesel:	Not reported
Gasohol:	Not reported
Kerosene:	Not reported
Heating Oil:	Not reported
New Used Oil:	Not reported
MS Aviation Fuel:	Not reported
MS Additive:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PICARD'S AUTO TRUCK & INDUSTRIAL INC (Continued)

U003922294

MS Antifreeze:	Not reported
MS Naptha:	Not reported
MS Varsol:	Not reported
Unknown:	Not reported
Other Sub:	Not reported
Steel Tank Covered With Asphalt:	Not reported
Cathodically Protected:	Not reported
Epoxy Coated Tank:	Not reported
A Composite Of Different Materials:	Not reported
Fiberglass Or Plastic:	Not reported
Interior Line With Some Material:	Not reported
Double Wall As Opposed To Single Wall:	Not reported
Outside Lined w/ Polyethylen Jacket:	Not reported
Made Of Concrete:	Not reported
Liner Covering Excavation Hole:	Not reported
Other Material:	Not reported
Pipe Method Description:	Not reported
Subject item desc:	Tank #20002, gasoline, Closed-in-Place
Service change date:	Not reported
Last service date:	Not reported
Current status start date:	11/15/2010
Current status end date:	Not reported
Emer gen fuel only flag:	Not reported
Tank inert material desc:	Not reported
Mct fibrgls plastic:	Not reported
Mcp bare steel:	Not reported
Mcp galvanized steel:	Y
Mcp part stl fbrgls lines:	Not reported
Mcp copper:	Not reported
Mcp double walled:	Not reported
Mcp secondary contain:	Not reported
Mcp unknown:	Not reported
Mcp other:	Not reported
Rdt manual gauging:	Not reported
Rdt tank tightness:	Not reported
Rdt invent control:	Not reported
Rdt auto guage:	Not reported
Rdt grndwtr monitor:	Not reported
Rdt intr mon dwall:	Not reported
Rdt intr mon secd:	Not reported
Rdt vapor monitor:	Not reported
Rdt other:	Not reported
Rdp line tightness:	Not reported
Rdp grndwtr monitor:	Not reported
Rdp intr mon dwall:	Not reported
Rdp intr mon secd:	Not reported
Rdp vapor monitor:	Not reported
Rdp other:	Not reported
Overfill prevent install date:	Not reported
Alt spill overfill equip flag:	Not reported
Alt spill overfill equip desc:	Not reported
Tank ext corr protect date:	Not reported
Cpt fibrgls plstc:	Not reported
Cpt stl fbr plastic:	Not reported
Cpt expert no leak:	Not reported
Cpt dielectric coat:	Not reported
Cpt impressed curr:	Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

PICARD'S AUTO TRUCK & INDUSTRIAL INC (Continued)

U003922294

Cpt cathodic protect:	Not reported
Cpt interior lining:	Not reported
Cpt lined cathod prot:	Not reported
Cpt other:	Not reported
Pipe ext corr protect date:	Not reported
Cpp fibrgls plastic:	Not reported
Cpp part stl fibrgls:	Not reported
Cpp expert no leak:	Not reported
Cpp dielectric coat:	Not reported
Cpp impressed curr:	Not reported
Cpp cathodic protect:	Not reported
Cpp other:	Not reported
Install certification date:	07/19/1990
Install alt certificate num:	Not reported
Install cert worker name:	Not reported
Install cert worker emp name:	Not reported
Install cert by mfr flag:	Not reported
Install insp by reg eng flag:	Not reported
Install insp by dept flag:	Not reported
Install mfr chkfst comp flag:	Not reported
Install cert alt method flag:	Not reported
Install cert alt method desc:	Not reported
Closure certification date:	11/16/2010
Closure alt cert num:	IRC0086
Closure cert worker name:	Mike Guidry
Closure cert worker emp name:	Mike Guidry Services, Inc.
Active:	05/01/1986
Bankrupt:	Not reported
Closed:	11/15/2010
Deferred:	Not reported
Filled:	Not reported
Hold:	Not reported
Inactive:	Not reported
Removed:	Not reported
Sold:	Not reported
Temp out of service:	Not reported

D8 **PENNYWISE #4**
East **2086 REES ST**
1/8-1/4 **BREAUX BRIDGE, LA 70517**
0.191 mi.
1009 ft. **Site 1 of 4 in cluster D**

LUST **S118841530**
SPILLS **N/A**
REM

Relative: **LUST:**
Higher Name: PENNYWISE #4
 Address: 2086 REES ST
Actual: City,State,Zip: BREAUX BRIDGE, LA 705174214
25 ft. Facility ID: 78906
 Comments: UST

SPILLS:
 Name: PENNYWISE #4
 Address: 2086 REES ST
 City,State,Zip: BREAUX BRIDGE, LA 705174214
 Receive Date: 05/25/2016
 Incident Date: 05/25/2016
 Quantity: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PENNYWISE #4 (Continued)

S118841530

Units: Not reported
Parameter: Not reported
Incident ID: 170788
Other Description: Not reported
AI ID: 78906
Incident Status: Closed
Media Desc: Not reported
Location Description: Pennywise# 4 2086 Rees St Breaux Bridge
Start Date: Not reported
Region: AR
Reporter Name: Tracy Louis
Mailing Address: PO Box 100
Mailing City: Gueydan
Mailing State: LA
Mailing Zip: 70542
Organization Name: ST. MARTIN PARISH SO
Incident Desc: s16-81394 UST - pump spewed gasoline; did not stop after previous customer. col
Incident Type Desc: UST Release, Dispenser / Overfill
Comments: 2-3 gallons of gasoline was spilled to the parking lot when a customer overfilled their vehicle after leaving the dispenser unattended. I spoke with Linda Dore, manager, on 5/27/16 and 6/1/16, and she informed me that she'd put kitty litter on the spilled gasoline, which was confined to the concrete, and the fire department had swept up and disposed of the kitty litter put down. No gasoline was released to the soil.

Name: PENNYWISE #4
Address: 2086 REES ST
City,State,Zip: BREAUX BRIDGE, LA 705174214
Receive Date: 10/01/2018
Incident Date: 10/01/2018
Quantity: Not reported
Units: Not reported
Parameter: Not reported
Incident ID: 187098
Other Description: Diesel
AI ID: 78906
Incident Status: Referred to Remediation
Media Desc: Water
Location Description: 2086 Rees Street, Breaux Bridge
Start Date: Not reported
Region: AR
Reporter Name: Anna Barbay
Mailing Address: PO Box 100
Mailing City: Gueydan
Mailing State: LA
Mailing Zip: 70542
Organization Name: LITTLE PIC PROPERTIES
Incident Desc: s18-120233 UST - failed line tightness test on one diesel line; diesel; glb
Incident Type Desc: UST Release, Piping / Corrosion
Comments: Confirmed Release Date = 01/03/2019 1.JESCO called in the incident on behalf of Little Pic Properties (tank owners) on 10/1/18. 2. Rittiner subcontracted Contech on behalf of the tank owners to respond and Contech noted Diesel dripping from a corroded steel "nipple" between the flex line and the STP on the Diesel UST. BL/SS witnessed the

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

PENNYWISE #4 (Continued)

S118841530

repair activities in progress on 10/11/18. 3. The repaired Diesel line was then tested by Coastal Testing and had passing results. 4. On 10/17/18, LDEQ personnel (BL/SS) checked the (3) RDDs in the tankbed and noted no free product in the bailer. 5. LDEQ contacted the tank owners via phone and email on 10/19/18 and requested that a Site Check be performed to include soil boring(s) within 20 days. 6. On 1/7/19, Ms. Anna Barbay, Geologist, with JESCO Environmental, forwarded via email the soil and groundwater sampling data from a Site Check that was performed on 12/6/18. This data indicated that groundwater impacted from TPH-D, EPH fractions and PAHs was found in soil borings/piezometers installed. The Site Check report is pending. 7. JESCO also contacted SPOC as a courtesy notification regarding the impacted groundwater. A second incident number T188954 was issued. 8. Incident T188954 has been linked to T187098.

REM:

Name: PENNYWISE #4
 Address: 2086 REES ST
 Address 2: Not reported
 City, State, Zip: BREAUX BRIDGE, LA 705174214
 Al Num: 78906
 Evaluated And Closed: 05/28/2021
 Program: UST
 Activity Description: Not reported
 Title Description: Remediation oversight
 EAC Type: Approve Completion NFA w/ BOD
 Comments: Not reported

D9
East
1/8-1/4
0.191 mi.
1009 ft.

PENNYWISE #4
2086 REES ST
BREAUX BRIDGE, LA 70517

UST U003132971
N/A

Site 2 of 4 in cluster D

Relative:
Higher
Actual:
25 ft.

UST:

Name: PENNYWISE #4
 Address: 2086 REES ST
 Address 2: Not reported
 City: BREAUX BRIDGE
 Master Agency Id: 78906
 Subject Item ID: 1

 UST Tank Num: 46658
Tank Status: Active
 Install Date: 04/01/1996
 Total Capacity: 12000
 Number Of Compartments: 2
 Gasoline: Yes
 Diesel: Yes
 Gasohol: Not reported
 Kerosene: Not reported
 Heating Oil: Not reported
 New Used Oil: Not reported
 MS Aviation Fuel: Not reported
 MS Additive: Not reported
 MS Antifreeze: Not reported
 MS Naptha: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PENNYWISE #4 (Continued)

U003132971

MS Varsol:	Not reported
Unknown:	Not reported
Other Sub:	Not reported
Steel Tank Covered With Asphalt:	Not reported
Cathodically Protected:	Yes
Epoxy Coated Tank:	Not reported
A Composite Of Different Materials:	Yes
Fiberglass Or Plastic:	Y
Interior Line With Some Material:	Not reported
Double Wall As Opposed To Single Wall:	Not reported
Outside Lined w/ Polyethylen Jacket:	Not reported
Made Of Concrete:	Not reported
Liner Covering Excavation Hole:	Not reported
Other Material:	Not reported
Pipe Method Description:	Pressure
Subject item desc:	46658-gasoline & diesel
Service change date:	Not reported
Last service date:	Not reported
Current status start date:	04/22/1996
Current status end date:	Not reported
Emer gen fuel only flag:	Not reported
Tank inert material desc:	Not reported
Mct fibrgls plastic:	Not reported
Mcp bare steel:	Not reported
Mcp galvanized steel:	Not reported
Mcp part stl fbrgls lines:	Not reported
Mcp copper:	Not reported
Mcp double walled:	Not reported
Mcp secondary contain:	Not reported
Mcp unknown:	Not reported
Mcp other:	Not reported
Rdt manual gauging:	Y
Rdt tank tightness:	Y
Rdt invent control:	Y
Rdt auto guage:	Y
Rdt grndwtr monitor:	Y
Rdt intr mon dwall:	Not reported
Rdt intr mon secd:	Not reported
Rdt vapor monitor:	Not reported
Rdt other:	Not reported
Rdp line tightness:	Y
Rdp grndwtr monitor:	Y
Rdp intr mon dwall:	Not reported
Rdp intr mon secd:	Not reported
Rdp vapor monitor:	Not reported
Rdp other:	Not reported
Overfill prevent install date:	04/15/1996
Alt spill overfill equip flag:	Not reported
Alt spill overfill equip desc:	Not reported
Tank ext corr protect date:	Not reported
Cpt fibrgls plstc:	Not reported
Cpt stl fbr plastic:	Not reported
Cpt expert no leak:	Not reported
Cpt dielectric coat:	Not reported
Cpt impressed curr:	Not reported
Cpt cathodic protect:	Not reported
Cpt interior lining:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PENNYWISE #4 (Continued)

U003132971

Cpt lined cathod prot:	Not reported
Cpt other:	Not reported
Pipe ext corr protect date:	Not reported
Cpp fibrgls plastic:	Not reported
Cpp part stl fibrgls:	Not reported
Cpp expert no leak:	Not reported
Cpp dielectric coat:	Not reported
Cpp impressed curr:	Not reported
Cpp cathodic protect:	Not reported
Cpp other:	Not reported
Install certification date:	04/16/1996
Install alt certificate num:	IRC-0099
Install cert worker name:	H. HIGGINS
Install cert worker emp name:	LASSCO
Install cert by mfr flag:	Y
Install insp by reg eng flag:	Not reported
Install insp by dept flag:	Not reported
Install mfr chkfst comp flag:	Y
Install cert alt method flag:	Not reported
Install cert alt method desc:	Not reported
Closure certification date:	Not reported
Closure alt cert num:	Not reported
Closure cert worker name:	Not reported
Closure cert worker emp name:	Not reported
Active:	04/22/1996
Bankrupt:	Not reported
Closed:	Not reported
Deferred:	Not reported
Filled:	Not reported
Hold:	Not reported
Inactive:	Not reported
Removed:	Not reported
Sold:	Not reported
Temp out of service:	Not reported

UST Tank Num:	46659
Tank Status:	Active
Install Date:	04/01/1996
Total Capacity:	12000
Number Of Compartments:	1
Gasoline:	Yes
Diesel:	Not reported
Gasohol:	Not reported
Kerosene:	Not reported
Heating Oil:	Not reported
New Used Oil:	Not reported
MS Aviation Fuel:	Not reported
MS Additive:	Not reported
MS Antifreeze:	Not reported
MS Naptha:	Not reported
MS Varsol:	Not reported
Unknown:	Not reported
Other Sub:	Not reported
Steel Tank Covered With Asphalt:	Not reported
Cathodically Protected:	Yes
Epoxy Coated Tank:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PENNYWISE #4 (Continued)

U003132971

A Composite Of Different Materials:	Yes
Fiberglass Or Plastic:	Y
Interior Line With Some Material:	Not reported
Double Wall As Opposed To Single Wall:	Not reported
Outside Lined w/ Polyethylen Jacket:	Not reported
Made Of Concrete:	Not reported
Liner Covering Excavation Hole:	Not reported
Other Material:	Not reported
Pipe Method Description:	Pressure
Subject item desc:	46659-gasoline
Service change date:	Not reported
Last service date:	Not reported
Current status start date:	06/21/1996
Current status end date:	Not reported
Emer gen fuel only flag:	Not reported
Tank inert material desc:	Not reported
Mct fibrgls plastic:	Not reported
Mcp bare steel:	Not reported
Mcp galvanized steel:	Not reported
Mcp part stl fbrgls lines:	Not reported
Mcp copper:	Not reported
Mcp double walled:	Not reported
Mcp secondary contain:	Not reported
Mcp unknown:	Not reported
Mcp other:	Not reported
Rdt manual gauging:	Y
Rdt tank tightness:	Y
Rdt invent control:	Y
Rdt auto guage:	Y
Rdt grndwtr monitor:	Y
Rdt intr mon dwall:	Not reported
Rdt intr mon secd:	Not reported
Rdt vapor monitor:	Not reported
Rdt other:	Not reported
Rdp line tightness:	Y
Rdp grndwtr monitor:	Y
Rdp intr mon dwall:	Not reported
Rdp intr mon secd:	Not reported
Rdp vapor monitor:	Not reported
Rdp other:	Not reported
Overfill prevent install date:	04/15/1996
Alt spill overfill equip flag:	Not reported
Alt spill overfill equip desc:	Not reported
Tank ext corr protect date:	Not reported
Cpt fibrgls plstc:	Not reported
Cpt stl fbr plastic:	Not reported
Cpt expert no leak:	Not reported
Cpt dielectric coat:	Not reported
Cpt impressed curr:	Not reported
Cpt cathodic protect:	Not reported
Cpt interior lining:	Not reported
Cpt lined cathod prot:	Not reported
Cpt other:	Not reported
Pipe ext corr protect date:	Not reported
Cpp fibrgls plastic:	Not reported
Cpp part stl fbrgls:	Not reported
Cpp expert no leak:	Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

PENNYWISE #4 (Continued)

U003132971

Cpp dielectric coat:	Not reported
Cpp impressed curr:	Not reported
Cpp cathodic protect:	Not reported
Cpp other:	Not reported
Install certification date:	04/16/1996
Install alt certificate num:	IRC-0099
Install cert worker name:	H. HIGGINS
Install cert worker emp name:	LASSCO
Install cert by mfr flag:	Y
Install insp by reg eng flag:	Y
Install insp by dept flag:	Not reported
Install mfr chklst comp flag:	Y
Install cert alt method flag:	Not reported
Install cert alt method desc:	Not reported
Closure certification date:	Not reported
Closure alt cert num:	Not reported
Closure cert worker name:	Not reported
Closure cert worker emp name:	Not reported
Active:	06/21/1996
Bankrupt:	Not reported
Closed:	Not reported
Deferred:	Not reported
Filled:	Not reported
Hold:	Not reported
Inactive:	Not reported
Removed:	Not reported
Sold:	Not reported
Temp out of service:	Not reported

D10
East
1/8-1/4
0.213 mi.
1123 ft.

BREAUX BRIDGE PIT STOP
2021 REES ST
BREAUX BRIDGE, LA 70517
Site 3 of 4 in cluster D

LUST S113810026
REM N/A

Relative:
Lower
Actual:
24 ft.

LUST:
 Name: BREAUX BRIDGE PIT STOP
 Address: 2021 REES ST
 City,State,Zip: BREAUX BRIDGE, LA 70517
 Facility ID: 79526
 Comments: UST

REM:
 Name: BREAUX BRIDGE PIT STOP
 Address: 2021 REES ST
 Address 2: Not reported
 City,State,Zip: BREAUX BRIDGE, LA 70517
 AI Num: 79526
 Evaluated And Closed: 02/27/2013
 Program: UST
 Activity Description: Not reported
 Title Description: Remediation oversight
 EAC Type: Comfort Letter
 Comments: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

D11
East
1/8-1/4
0.213 mi.
1123 ft.

BREAUX BRIDGE PIT STOP
2021 REES ST
BREAUX BRIDGE, LA 70517

UST **U003239729**
N/A

Site 4 of 4 in cluster D

Relative:
Lower
Actual:
24 ft.

UST:

Name:	BREAUX BRIDGE PIT STOP
Address:	2021 REES ST
Address 2:	Not reported
City:	BREAUX BRIDGE
Master Agency Id:	79526
Subject Item ID:	1
UST Tank Num:	51591
Tank Status:	Active
Install Date:	10/06/1997
Total Capacity:	12000
Number Of Compartments:	1
Gasoline:	Yes
Diesel:	Not reported
Gasohol:	Not reported
Kerosene:	Not reported
Heating Oil:	Not reported
New Used Oil:	Not reported
MS Aviation Fuel:	Not reported
MS Additive:	Not reported
MS Antifreeze:	Not reported
MS Naptha:	Not reported
MS Varsol:	Not reported
Unknown:	Not reported
Other Sub:	Not reported
Steel Tank Covered With Asphalt:	Not reported
Cathodically Protected:	Yes
Epoxy Coated Tank:	Yes
A Composite Of Different Materials:	Not reported
Fiberglass Or Plastic:	Y
Interior Line With Some Material:	Not reported
Double Wall As Opposed To Single Wall:	Not reported
Outside Lined w/ Polyethylen Jacket:	Not reported
Made Of Concrete:	Not reported
Liner Covering Excavation Hole:	Not reported
Other Material:	Not reported
Pipe Method Description:	Pressure
Subject item desc:	51591-gasoline
Service change date:	Not reported
Last service date:	12/01/1997
Current status start date:	01/15/1998
Current status end date:	Not reported
Emer gen fuel only flag:	Not reported
Tank inert material desc:	Not reported
Mct fibrgls plastic:	Not reported
Mcp bare steel:	Not reported
Mcp galvanized steel:	Not reported
Mcp part stl fbrgls lines:	Not reported
Mcp copper:	Not reported
Mcp double walled:	Not reported
Mcp secondary contain:	Not reported
Mcp unknown:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BREAUX BRIDGE PIT STOP (Continued)

U003239729

Mcp other:	Not reported
Rdt manual gauging:	Not reported
Rdt tank tightness:	Y
Rdt invent control:	Not reported
Rdt auto guage:	Y
Rdt grndwtr monitor:	Not reported
Rdt intr mon dwall:	Not reported
Rdt intr mon secd:	Not reported
Rdt vapor monitor:	Not reported
Rdt other:	Not reported
Rdp line tightness:	Y
Rdp grndwtr monitor:	Not reported
Rdp intr mon dwall:	Not reported
Rdp intr mon secd:	Not reported
Rdp vapor monitor:	Not reported
Rdp other:	Not reported
Overfill prevent install date:	10/06/1997
Alt spill overfill equip flag:	N
Alt spill overfill equip desc:	Not reported
Tank ext corr protect date:	10/06/1997
Cpt fibrgls plstc:	Not reported
Cpt stl fbr plastic:	Not reported
Cpt expert no leak:	Not reported
Cpt dielectric coat:	Not reported
Cpt impressed curr:	Y
Cpt cathodic protect:	Not reported
Cpt interior lining:	Not reported
Cpt lined cathod prot:	Not reported
Cpt other:	Not reported
Pipe ext corr protect date:	10/06/1997
Cpp fibrgls plastic:	Y
Cpp part stl fbrgls:	Not reported
Cpp expert no leak:	Not reported
Cpp dielectric coat:	Not reported
Cpp impressed curr:	Not reported
Cpp cathodic protect:	Not reported
Cpp other:	Not reported
Install certification date:	01/06/1997
Install alt certificate num:	IRC-0099
Install cert worker name:	HARRY HIGGINS
Install cert worker emp name:	LASSCO
Install cert by mfr flag:	Y
Install insp by reg eng flag:	N
Install insp by dept flag:	N
Install mfr chklst comp flag:	Y
Install cert alt method flag:	N
Install cert alt method desc:	Not reported
Closure certification date:	Not reported
Closure alt cert num:	Not reported
Closure cert worker name:	Not reported
Closure cert worker emp name:	Not reported
Active:	01/15/1998
Bankrupt:	Not reported
Closed:	Not reported
Deferred:	Not reported
Filled:	Not reported
Hold:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BREAUX BRIDGE PIT STOP (Continued)

U003239729

Inactive:	Not reported
Removed:	Not reported
Sold:	Not reported
Temp out of service:	Not reported
UST Tank Num:	51592
Tank Status:	Active
Install Date:	10/06/1997
Total Capacity:	12000
Number Of Compartments:	2
Gasoline:	Not reported
Diesel:	Yes
Gasohol:	Not reported
Kerosene:	Not reported
Heating Oil:	Not reported
New Used Oil:	Not reported
MS Aviation Fuel:	Not reported
MS Additive:	Not reported
MS Antifreeze:	Not reported
MS Naptha:	Not reported
MS Varsol:	Not reported
Unknown:	Not reported
Other Sub:	Not reported
Steel Tank Covered With Asphalt:	Not reported
Cathodically Protected:	Yes
Epoxy Coated Tank:	Yes
A Composite Of Different Materials:	Not reported
Fiberglass Or Plastic:	Y
Interior Line With Some Material:	Not reported
Double Wall As Opposed To Single Wall:	Not reported
Outside Lined w/ Polyethylen Jacket:	Not reported
Made Of Concrete:	Not reported
Liner Covering Excavation Hole:	Not reported
Other Material:	Not reported
Pipe Method Description:	Pressure
Subject item desc:	51592-gasoline & diesel
Service change date:	Not reported
Last service date:	12/01/1997
Current status start date:	01/15/1998
Current status end date:	Not reported
Emer gen fuel only flag:	N
Tank inert material desc:	Not reported
Mct fibrgls plastic:	Not reported
Mcp bare steel:	Not reported
Mcp galvanized steel:	Not reported
Mcp part stl fbrgls lines:	Not reported
Mcp copper:	Not reported
Mcp double walled:	Not reported
Mcp secondary contain:	Not reported
Mcp unknown:	Not reported
Mcp other:	Not reported
Rdt manual gauging:	Not reported
Rdt tank tightness:	Y
Rdt invent control:	Not reported
Rdt auto gauge:	Y
Rdt grndwtr monitor:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BREAUX BRIDGE PIT STOP (Continued)

U003239729

Rdt intr mon dwall:	Not reported
Rdt intr mon secd:	Not reported
Rdt vapor monitor:	Not reported
Rdt other:	Not reported
Rdp line tightness:	Y
Rdp grndwtr monitor:	Not reported
Rdp intr mon dwall:	Not reported
Rdp intr mon secd:	Not reported
Rdp vapor monitor:	Not reported
Rdp other:	Not reported
Overfill prevent install date:	10/06/1997
Alt spill overfill equip flag:	N
Alt spill overfill equip desc:	Not reported
Tank ext corr protect date:	10/06/1997
Cpt fibrgls plstc:	Not reported
Cpt stl fbr plastic:	Not reported
Cpt expert no leak:	Not reported
Cpt dielectric coat:	Not reported
Cpt impressed curr:	Y
Cpt cathodic protect:	Not reported
Cpt interior lining:	Not reported
Cpt lined cathod prot:	Not reported
Cpt other:	Not reported
Pipe ext corr protect date:	10/06/1997
Cpp fibrgls plastic:	Y
Cpp part stl fbrgls:	Not reported
Cpp expert no leak:	Not reported
Cpp dielectric coat:	Not reported
Cpp impressed curr:	Not reported
Cpp cathodic protect:	Not reported
Cpp other:	Not reported
Install certification date:	01/06/1998
Install alt certificate num:	IRC-0099
Install cert worker name:	HARRY HIGGINS
Install cert worker emp name:	LASSCO
Install cert by mfr flag:	Y
Install insp by reg eng flag:	N
Install insp by dept flag:	N
Install mfr chklst comp flag:	Y
Install cert alt method flag:	N
Install cert alt method desc:	Not reported
Closure certification date:	Not reported
Closure alt cert num:	Not reported
Closure cert worker name:	Not reported
Closure cert worker emp name:	Not reported
Active:	01/15/1998
Bankrupt:	Not reported
Closed:	Not reported
Deferred:	Not reported
Filled:	Not reported
Hold:	Not reported
Inactive:	Not reported
Removed:	Not reported
Sold:	Not reported
Temp out of service:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

12
ENE
1/8-1/4
0.218 mi.
1149 ft.

PILOT TRAVEL CENTERS LLC - PILOT TRAVEL CENTER #27
2112 REES ST
BREAUX BRIDGE, LA 70517

UST U003926850
N/A

Relative:
Higher
Actual:
25 ft.

UST:
Name: PILOT TRAVEL CENTERS LLC - PILOT TRAVEL CENTER #274
Address: 2112 REES ST
Address 2: Not reported
City: BREAUX BRIDGE
Master Agency Id: 88504
Subject Item ID: 1

UST Tank Num: 54745
Tank Status: **Active**
Install Date: 07/01/2000
Total Capacity: 12000
Number Of Compartments: 1
Gasoline: Yes
Diesel: Not reported
Gasohol: Not reported
Kerosene: Not reported
Heating Oil: Not reported
New Used Oil: Not reported
MS Aviation Fuel: Not reported
MS Additive: Not reported
MS Antifreeze: Not reported
MS Naptha: Not reported
MS Varsol: Not reported
Unknown: Not reported
Other Sub: Not reported
Steel Tank Covered With Asphalt: Not reported
Cathodically Protected: Not reported
Epoxy Coated Tank: Not reported
A Composite Of Different Materials: Not reported
Fiberglass Or Plastic: Y
Interior Line With Some Material: Not reported
Double Wall As Opposed To Single Wall: Yes
Outside Lined w/ Polyethylen Jacket: Not reported
Made Of Concrete: Not reported
Liner Covering Excavation Hole: Not reported
Other Material: Not reported
Pipe Method Description: Pressure
Subject item desc: 54745-gasoline
Service change date: Not reported
Last service date: Not reported
Current status start date: 02/12/2001
Current status end date: Not reported
Emer gen fuel only flag: Not reported
Tank inert material desc: Not reported
Mct fibrgls plastic: Y
Mcp bare steel: Not reported
Mcp galvanized steel: Not reported
Mcp part stl fbrgls lines: Not reported
Mcp copper: Not reported
Mcp double walled: Y
Mcp secondary contain: Not reported
Mcp unknown: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PILOT TRAVEL CENTERS LLC - PILOT TRAVEL CENTER #274 (Continued)

U003926850

Mcp other:	Not reported
Rdt manual gauging:	Not reported
Rdt tank tightness:	Not reported
Rdt invent control:	Not reported
Rdt auto guage:	Y
Rdt grndwtr monitor:	Not reported
Rdt intr mon dwall:	Y
Rdt intr mon secd:	Not reported
Rdt vapor monitor:	Not reported
Rdt other:	Not reported
Rdp line tightness:	Not reported
Rdp grndwtr monitor:	Not reported
Rdp intr mon dwall:	Not reported
Rdp intr mon secd:	Not reported
Rdp vapor monitor:	Not reported
Rdp other:	Not reported
Overfill prevent install date:	07/01/2000
Alt spill overfill equip flag:	Not reported
Alt spill overfill equip desc:	Not reported
Tank ext corr protect date:	Not reported
Cpt fibrgls plstc:	Y
Cpt stl fbr plastic:	Not reported
Cpt expert no leak:	Not reported
Cpt dielectric coat:	Not reported
Cpt impressed curr:	Not reported
Cpt cathodic protect:	Not reported
Cpt interior lining:	Not reported
Cpt lined cathod prot:	Not reported
Cpt other:	Not reported
Pipe ext corr protect date:	Not reported
Cpp fibrgls plastic:	Y
Cpp part stl fbrgls:	Not reported
Cpp expert no leak:	Not reported
Cpp dielectric coat:	Not reported
Cpp impressed curr:	Not reported
Cpp cathodic protect:	Not reported
Cpp other:	Not reported
Install certification date:	12/07/2000
Install alt certificate num:	IRC-0042
Install cert worker name:	DARRELL G. COLLETT
Install cert worker emp name:	COLLETT & NAOMI, INC.
Install cert by mfr flag:	Not reported
Install insp by reg eng flag:	Not reported
Install insp by dept flag:	Not reported
Install mfr chklst comp flag:	Not reported
Install cert alt method flag:	Not reported
Install cert alt method desc:	Not reported
Closure certification date:	Not reported
Closure alt cert num:	Not reported
Closure cert worker name:	Not reported
Closure cert worker emp name:	Not reported
Active:	02/12/2001
Bankrupt:	Not reported
Closed:	Not reported
Deferred:	Not reported
Filled:	Not reported
Hold:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PILOT TRAVEL CENTERS LLC - PILOT TRAVEL CENTER #274 (Continued)

U003926850

Inactive:	Not reported
Removed:	Not reported
Sold:	Not reported
Temp out of service:	Not reported
UST Tank Num:	54746
Tank Status:	Active
Install Date:	07/01/2000
Total Capacity:	15000
Number Of Compartments:	1
Gasoline:	Yes
Diesel:	Not reported
Gasohol:	Not reported
Kerosene:	Not reported
Heating Oil:	Not reported
New Used Oil:	Not reported
MS Aviation Fuel:	Not reported
MS Additive:	Not reported
MS Antifreeze:	Not reported
MS Naptha:	Not reported
MS Varsol:	Not reported
Unknown:	Not reported
Other Sub:	Not reported
Steel Tank Covered With Asphalt:	Not reported
Cathodically Protected:	Not reported
Epoxy Coated Tank:	Not reported
A Composite Of Different Materials:	Not reported
Fiberglass Or Plastic:	Y
Interior Line With Some Material:	Not reported
Double Wall As Opposed To Single Wall:	Yes
Outside Lined w/ Polyethylen Jacket:	Not reported
Made Of Concrete:	Not reported
Liner Covering Excavation Hole:	Not reported
Other Material:	Not reported
Pipe Method Description:	Pressure
Subject item desc:	54746-gasoline
Service change date:	Not reported
Last service date:	Not reported
Current status start date:	02/12/2001
Current status end date:	Not reported
Emer gen fuel only flag:	Not reported
Tank inert material desc:	Not reported
Mct fibrgls plastic:	Y
Mcp bare steel:	Not reported
Mcp galvanized steel:	Not reported
Mcp part stl fbrgls lines:	Not reported
Mcp copper:	Not reported
Mcp double walled:	Y
Mcp secondary contain:	Not reported
Mcp unknown:	Not reported
Mcp other:	Not reported
Rdt manual gauging:	Not reported
Rdt tank tightness:	Not reported
Rdt invent control:	Not reported
Rdt auto gauge:	Y
Rdt grndwtr monitor:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PILOT TRAVEL CENTERS LLC - PILOT TRAVEL CENTER #274 (Continued)

U003926850

Rdt intr mon dwall:	Y
Rdt intr mon secd:	Not reported
Rdt vapor monitor:	Not reported
Rdt other:	Not reported
Rdp line tightness:	Not reported
Rdp grndwtr monitor:	Not reported
Rdp intr mon dwall:	Not reported
Rdp intr mon secd:	Not reported
Rdp vapor monitor:	Not reported
Rdp other:	Not reported
Overfill prevent install date:	07/01/2000
Alt spill overfill equip flag:	Not reported
Alt spill overfill equip desc:	Not reported
Tank ext corr protect date:	Not reported
Cpt fibrgls plstc:	Y
Cpt stl fbr plastic:	Not reported
Cpt expert no leak:	Not reported
Cpt dielectric coat:	Not reported
Cpt impressed curr:	Not reported
Cpt cathodic protect:	Not reported
Cpt interior lining:	Not reported
Cpt lined cathod prot:	Not reported
Cpt other:	Not reported
Pipe ext corr protect date:	Not reported
Cpp fibrgls plastic:	Y
Cpp part stl fbrgls:	Not reported
Cpp expert no leak:	Not reported
Cpp dielectric coat:	Not reported
Cpp impressed curr:	Not reported
Cpp cathodic protect:	Not reported
Cpp other:	Not reported
Install certification date:	12/07/2000
Install alt certificate num:	IRC-0042
Install cert worker name:	DARRELL G. COLLETT
Install cert worker emp name:	COLLETT & NAOMI, INC.
Install cert by mfr flag:	Not reported
Install insp by reg eng flag:	Not reported
Install insp by dept flag:	Not reported
Install mfr chklst comp flag:	Not reported
Install cert alt method flag:	Not reported
Install cert alt method desc:	Not reported
Closure certification date:	Not reported
Closure alt cert num:	Not reported
Closure cert worker name:	Not reported
Closure cert worker emp name:	Not reported
Active:	02/12/2001
Bankrupt:	Not reported
Closed:	Not reported
Deferred:	Not reported
Filled:	Not reported
Hold:	Not reported
Inactive:	Not reported
Removed:	Not reported
Sold:	Not reported
Temp out of service:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PILOT TRAVEL CENTERS LLC - PILOT TRAVEL CENTER #274 (Continued)

U003926850

UST Tank Num:	54747
Tank Status:	Active
Install Date:	07/01/2000
Total Capacity:	4000
Number Of Compartments:	1
Gasoline:	Not reported
Diesel:	Yes
Gasohol:	Not reported
Kerosene:	Not reported
Heating Oil:	Not reported
New Used Oil:	Not reported
MS Aviation Fuel:	Not reported
MS Additive:	Not reported
MS Antifreeze:	Not reported
MS Naptha:	Not reported
MS Varsol:	Not reported
Unknown:	Not reported
Other Sub:	Not reported
Steel Tank Covered With Asphalt:	Not reported
Cathodically Protected:	Not reported
Epoxy Coated Tank:	Not reported
A Composite Of Different Materials:	Not reported
Fiberglass Or Plastic:	Y
Interior Line With Some Material:	Not reported
Double Wall As Opposed To Single Wall:	Yes
Outside Lined w/ Polyethylen Jacket:	Not reported
Made Of Concrete:	Not reported
Liner Covering Excavation Hole:	Not reported
Other Material:	Not reported
Pipe Method Description:	Pressure
Subject item desc:	54747-diesel
Service change date:	Not reported
Last service date:	Not reported
Current status start date:	02/12/2001
Current status end date:	Not reported
Emer gen fuel only flag:	Not reported
Tank inert material desc:	Not reported
Mct fibrgls plastic:	Y
Mcp bare steel:	Not reported
Mcp galvanized steel:	Not reported
Mcp part stl fbrgls lines:	Not reported
Mcp copper:	Not reported
Mcp double walled:	Y
Mcp secondary contain:	Not reported
Mcp unknown:	Not reported
Mcp other:	Not reported
Rdt manual gauging:	Not reported
Rdt tank tightness:	Not reported
Rdt invent control:	Not reported
Rdt auto gauge:	Y
Rdt grndwtr monitor:	Not reported
Rdt intr mon dwall:	Y
Rdt intr mon secd:	Not reported
Rdt vapor monitor:	Not reported
Rdt other:	Not reported
Rdp line tightness:	Not reported
Rdp grndwtr monitor:	Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

PILOT TRAVEL CENTERS LLC - PILOT TRAVEL CENTER #274 (Continued)

U003926850

Rdp intr mon dwall:	Not reported
Rdp intr mon secd:	Not reported
Rdp vapor monitor:	Not reported
Rdp other:	Not reported
Overfill prevent install date:	07/01/2000
Alt spill overfill equip flag:	Not reported
Alt spill overfill equip desc:	Not reported
Tank ext corr protect date:	Not reported
Cpt fibrgls plstc:	Y
Cpt stl fbr plastic:	Not reported
Cpt expert no leak:	Not reported
Cpt dielectric coat:	Not reported
Cpt impressed curr:	Not reported
Cpt cathodic protect:	Not reported
Cpt interior lining:	Not reported
Cpt lined cathod prot:	Not reported
Cpt other:	Not reported
Pipe ext corr protect date:	Not reported
Cpp fibrgls plastic:	Y
Cpp part stl fbrgls:	Not reported
Cpp expert no leak:	Not reported
Cpp dielectric coat:	Not reported
Cpp impressed curr:	Not reported
Cpp cathodic protect:	Not reported
Cpp other:	Not reported
Install certification date:	12/07/2000
Install alt certificate num:	IRC-0042
Install cert worker name:	DARRELL G. COLLETT
Install cert worker emp name:	COLLETT & NAOMI, INC.
Install cert by mfr flag:	Not reported
Install insp by reg eng flag:	Not reported
Install insp by dept flag:	Not reported
Install mfr chklst comp flag:	Not reported
Install cert alt method flag:	Not reported
Install cert alt method desc:	Not reported
Closure certification date:	Not reported
Closure alt cert num:	Not reported
Closure cert worker name:	Not reported
Closure cert worker emp name:	Not reported
Active:	02/12/2001
Bankrupt:	Not reported
Closed:	Not reported
Deferred:	Not reported
Filled:	Not reported
Hold:	Not reported
Inactive:	Not reported
Removed:	Not reported
Sold:	Not reported
Temp out of service:	Not reported
UST Tank Num:	71105
Tank Status:	Active
Install Date:	08/17/2015
Total Capacity:	20000
Number Of Compartments:	Not reported
Gasoline:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PILOT TRAVEL CENTERS LLC - PILOT TRAVEL CENTER #274 (Continued)

U003926850

Diesel:	Yes
Gasohol:	Not reported
Kerosene:	Not reported
Heating Oil:	Not reported
New Used Oil:	Not reported
MS Aviation Fuel:	Not reported
MS Additive:	Not reported
MS Antifreeze:	Not reported
MS Naptha:	Not reported
MS Varsol:	Not reported
Unknown:	Not reported
Other Sub:	Not reported
Steel Tank Covered With Asphalt:	Not reported
Cathodically Protected:	Not reported
Epoxy Coated Tank:	Not reported
A Composite Of Different Materials:	Not reported
Fiberglass Or Plastic:	Not reported
Interior Line With Some Material:	Not reported
Double Wall As Opposed To Single Wall:	Not reported
Outside Lined w/ Polyethylen Jacket:	Not reported
Made Of Concrete:	Not reported
Liner Covering Excavation Hole:	Not reported
Other Material:	Not reported
Pipe Method Description:	Not reported
Subject item desc:	71105-diesel
Service change date:	Not reported
Last service date:	09/30/2015
Current status start date:	08/21/2015
Current status end date:	Not reported
Emer gen fuel only flag:	Not reported
Tank inert material desc:	Not reported
Mct fibrgls plastic:	Not reported
Mcp bare steel:	Not reported
Mcp galvanized steel:	Not reported
Mcp part stl fbrgls lines:	Not reported
Mcp copper:	Not reported
Mcp double walled:	Not reported
Mcp secondary contain:	Not reported
Mcp unknown:	Not reported
Mcp other:	Not reported
Rdt manual gauging:	Not reported
Rdt tank tightness:	Not reported
Rdt invent control:	Not reported
Rdt auto guage:	Not reported
Rdt grndwtr monitor:	Not reported
Rdt intr mon dwall:	Not reported
Rdt intr mon secd:	Not reported
Rdt vapor monitor:	Not reported
Rdt other:	Not reported
Rdp line tightness:	Not reported
Rdp grndwtr monitor:	Not reported
Rdp intr mon dwall:	Not reported
Rdp intr mon secd:	Not reported
Rdp vapor monitor:	Not reported
Rdp other:	Not reported
Overfill prevent install date:	Not reported
Alt spill overfill equip flag:	Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

PILOT TRAVEL CENTERS LLC - PILOT TRAVEL CENTER #274 (Continued)

U003926850

Alt spill overfill equip desc:	Not reported
Tank ext corr protect date:	Not reported
Cpt fibrgls plstc:	Not reported
Cpt stl fbr plastic:	Not reported
Cpt expert no leak:	Not reported
Cpt dielectric coat:	Not reported
Cpt impressed curr:	Not reported
Cpt cathodic protect:	Not reported
Cpt interior lining:	Not reported
Cpt lined cathod prot:	Not reported
Cpt other:	Not reported
Pipe ext corr protect date:	Not reported
Cpp fibrgls plastic:	Not reported
Cpp part stl fbrgls:	Not reported
Cpp expert no leak:	Not reported
Cpp dielectric coat:	Not reported
Cpp impressed curr:	Not reported
Cpp cathodic protect:	Not reported
Cpp other:	Not reported
Install certification date:	Not reported
Install alt certificate num:	Not reported
Install cert worker name:	Not reported
Install cert worker emp name:	Not reported
Install cert by mfr flag:	Not reported
Install insp by reg eng flag:	Not reported
Install insp by dept flag:	Not reported
Install mfr chklst comp flag:	Not reported
Install cert alt method flag:	Not reported
Install cert alt method desc:	Not reported
Closure certification date:	Not reported
Closure alt cert num:	Not reported
Closure cert worker name:	Not reported
Closure cert worker emp name:	Not reported
Active:	08/21/2015
Bankrupt:	Not reported
Closed:	Not reported
Deferred:	Not reported
Filled:	Not reported
Hold:	Not reported
Inactive:	Not reported
Removed:	Not reported
Sold:	Not reported
Temp out of service:	Not reported

13
 NE
 1/4-1/2
 0.321 mi.
 1695 ft.

SILVERS TRAVEL CENTER & CASINO
2247 REES ST EXT
BREAUX BRIDGE, LA 70517

LUST S118692795
REM N/A

Relative:
Higher
Actual:
25 ft.

LUST:
 Name: SILVERS TRAVEL CENTER & CASINO
 Address: 2247 REES ST EXT
 City,State,Zip: BREAUX BRIDGE, LA 70517
 Facility ID: 86397
 Comments: UST

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SILVERS TRAVEL CENTER & CASINO (Continued)

S118692795

REM:

Name: SILVERS TRAVEL CENTER & CASINO
Address: 2247 REES ST EXT
Address 2: Not reported
City,State,Zip: BREAUX BRIDGE, LA 70517
Al Num: 86397
Evaluated And Closed: 07/16/2021
Program: UST
Activity Description: Not reported
Title Description: Remediation oversight
EAC Type: Approve Completion NFA w/ BOD
Comments: Not reported

E14
ESE
1/4-1/2
0.487 mi.
2569 ft.

MASK DEVELOPERS LLC
1813 REES ST
BREAUX BRIDGE, LA 70517
Site 1 of 2 in cluster E

LUST **U003172953**
HIST LUST **N/A**
UST
SPILLS
REM

Relative:
Higher

LUST:

Name: MASK DEVELOPERS LLC
Address: 1813 REES ST
City,State,Zip: BREAUX BRIDGE, LA 70517
Facility ID: 72011
Comments: UST

Actual:
25 ft.

HIST LUST:

Facility ID: 50-002595
Facility Parish: ST. MARTIN
Substance Name: GASOLINE
Substance Name 2: Not reported
Quantity: UNKNOWN
Quantity 2: Not reported
Date Confirmed: 08/12/1991
Date Confirmed 2: Not reported
Incident Number: 91-4-0272
Incident Date: 08/12/1991
Type of Incident: UST LEAK
Type of Incident No2: Not reported
Reported By: HARRY HIGGINS/ PUMPELLY MAINTNEANCE
Reported By 2: Not reported
Owner ID: 00236300
Owner Name: PUMPELLY OIL INC
Owner Address: P. O. BOX 2059
Owner City,St,Zip: SULPHUR, LA 70664-2059
Assessment Pending Info: Yes
Assessment Request Date: Not reported
Assessment Plan Due Date: Not reported
Assessment Plan Received Date: Not reported
Assessment Approved Date: Not reported
Assessment Contractor: Not reported
Assess Date Add Info Due: Not reported
Assess Date Add Info Recd: Not reported
Assess Date Add Info Due2: Not reported
Assess Date Add Info Recd: Not reported
Assess Date Add Info Due3: Not reported
Corrective Plan Due Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MASK DEVELOPERS LLC (Continued)

U003172953

Corrective Plan Received Date: Not reported
Corrective Plan Approved Date: Not reported
Corr Act Date Add Info Due: Not reported
Corr Act Date Add Info Recd: Not reported
Corr Act Date Add Info Due2: Not reported
Corr Act Date Add Info Recd2: Not reported
Corr Act Date Add Info Due3: Not reported
Remediation Method: Not reported
Remediation Date: Not reported
Remediation Terminated Date: Not reported

LA HIST LUST INCIDENT:

Comments: Not reported

LA HIST LUST ASSESMENT:

Comments: OWNER IS PUMPELLY OIL, CO., P.O. BOX 610, WESTLAKE, LA. UST FAILED TIGHTNESS TEST AFTER IT WAS FOUND TO BE TAKING ON WATER. AKA GREENS CAJUN STORE.

LA HIST LUST CORRECTIVE ACTION:

Comments: Not reported

Facility ID: 50-002595
Facility Parish: ST. MARTIN
Substance Name: Not reported
Substance Name 2: Not reported
Quantity: Not reported
Quantity 2: Not reported
Date Confirmed: Not reported
Date Confirmed 2: Not reported
Incident Number: 91-4-0272
Incident Date: 08/12/1991
Type of Incident: Not reported
Type of Incident No2: Not reported
Reported By: Not reported
Reported By 2: Not reported
Owner ID: 00236300
Owner Name: PUMPELLY OIL INC
Owner Address: P. O. BOX 2059
Owner City,St,Zip: SULPHUR, LA 70664-2059
Assessment Pending Info: Yes
Assessment Request Date: Not reported
Assessment Plan Due Date: Not reported
Assessment Plan Received Date: Not reported
Assessment Approved Date: Not reported
Assessment Contractor: Not reported
Assess Date Add Info Due: Not reported
Assess Date Add Info Recd: Not reported
Assess Date Add Info Due2: Not reported
Assess Date Add Info Recd: Not reported
Assess Date Add Info Due3: Not reported
Corrective Plan Due Date: Not reported
Corrective Plan Received Date: Not reported
Corrective Plan Approved Date: Not reported
Corr Act Date Add Info Due: Not reported
Corr Act Date Add Info Recd: Not reported
Corr Act Date Add Info Due2: Not reported
Corr Act Date Add Info Recd2: Not reported
Corr Act Date Add Info Due3: Not reported
Remediation Method: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MASK DEVELOPERS LLC (Continued)

U003172953

Remediation Date: Not reported
Remediation Terminated Date: Not reported

LA HIST LUST INCIDENT:
Comments: Not reported

LA HIST LUST ASSESSMENT:
Comments: OWNER IS PUMPELLY OIL, CO., P.O. BOX 610, WESTLAKE, LA. UST FAILED TIGHTNESS TEST AFTER IT WAS FOUND TO BE TAKING ON WATER. AKA GREENS CAJUN STORE.

LA HIST LUST CORRECTIVE ACTION:
Comments: Not reported

UST:
Name: MASK DEVELOPERS LLC
Address: 1813 REES ST
Address 2: Not reported
City: BREAUX BRIDGE
Master Agency Id: 72011
Subject Item ID: 1

UST Tank Num: 39004
Tank Status: Removed
Install Date: 10/01/1991
Total Capacity: 8000
Number Of Compartments: 1
Gasoline: Yes
Diesel: Not reported
Gasohol: Not reported
Kerosene: Not reported
Heating Oil: Not reported
New Used Oil: Not reported
MS Aviation Fuel: Not reported
MS Additive: Not reported
MS Antifreeze: Not reported
MS Naptha: Not reported
MS Varsol: Not reported
Unknown: Not reported
Other Sub: Not reported
Steel Tank Covered With Asphalt: Not reported
Cathodically Protected: Yes
Epoxy Coated Tank: Yes
A Composite Of Different Materials: Not reported
Fiberglass Or Plastic: Y
Interior Line With Some Material: Not reported
Double Wall As Opposed To Single Wall: Not reported
Outside Lined w/ Polyethylen Jacket: Not reported
Made Of Concrete: Not reported
Liner Covering Excavation Hole: Not reported
Other Material: Not reported
Pipe Method Description: Pressure
Subject item desc: 39004 - Gasoline, Removed
Service change date: Not reported
Last service date: Not reported
Current status start date: 02/05/2009
Current status end date: Not reported
Emer gen fuel only flag: Not reported
Tank inert material desc: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MASK DEVELOPERS LLC (Continued)

U003172953

Mct fibrgls plastic:	Not reported
Mcp bare steel:	Not reported
Mcp galvanized steel:	Not reported
Mcp part stl fbrgls lines:	Not reported
Mcp copper:	Not reported
Mcp double walled:	Not reported
Mcp secondary contain:	Not reported
Mcp unknown:	Not reported
Mcp other:	Not reported
Rdt manual gauging:	Y
Rdt tank tightness:	Y
Rdt invent control:	Y
Rdt auto guage:	Y
Rdt grndwtr monitor:	Y
Rdt intr mon dwall:	Not reported
Rdt intr mon secd:	Not reported
Rdt vapor monitor:	Not reported
Rdt other:	Not reported
Rdp line tightness:	Y
Rdp grndwtr monitor:	Y
Rdp intr mon dwall:	Not reported
Rdp intr mon secd:	Not reported
Rdp vapor monitor:	Not reported
Rdp other:	Not reported
Overfill prevent install date:	01/01/1980
Alt spill overfill equip flag:	Not reported
Alt spill overfill equip desc:	Not reported
Tank ext corr protect date:	Not reported
Cpt fibrgls plstc:	Not reported
Cpt stl fbr plastic:	Not reported
Cpt expert no leak:	Not reported
Cpt dielectric coat:	Not reported
Cpt impressed curr:	Not reported
Cpt cathodic protect:	Not reported
Cpt interior lining:	Not reported
Cpt lined cathod prot:	Not reported
Cpt other:	Not reported
Pipe ext corr protect date:	Not reported
Cpp fibrgls plastic:	Not reported
Cpp part stl fbrgls:	Not reported
Cpp expert no leak:	Not reported
Cpp dielectric coat:	Not reported
Cpp impressed curr:	Not reported
Cpp cathodic protect:	Not reported
Cpp other:	Not reported
Install certification date:	02/14/1997
Install alt certificate num:	IRC-0099
Install cert worker name:	Harry Higgins
Install cert worker emp name:	LASSCO
Install cert by mfr flag:	N
Install insp by reg eng flag:	Not reported
Install insp by dept flag:	Not reported
Install mfr chklst comp flag:	N
Install cert alt method flag:	Not reported
Install cert alt method desc:	Not reported
Closure certification date:	03/19/2009
Closure alt cert num:	C - 0724

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MASK DEVELOPERS LLC (Continued)

U003172953

Closure cert worker name: Donald Watts
Closure cert worker emp name: Hydro-Environmental Technology, Inc.
Active: 10/29/1991
Bankrupt: Not reported
Closed: Not reported
Deferred: Not reported
Filled: Not reported
Hold: Not reported
Inactive: Not reported
Removed: 02/05/2009
Sold: Not reported
Temp out of service: Not reported

UST Tank Num: 39005
Tank Status: Removed
Install Date: 10/01/1991
Total Capacity: 6000
Number Of Compartments: 1
Gasoline: Yes
Diesel: Not reported
Gasohol: Not reported
Kerosene: Not reported
Heating Oil: Not reported
New Used Oil: Not reported
MS Aviation Fuel: Not reported
MS Additive: Not reported
MS Antifreeze: Not reported
MS Naptha: Not reported
MS Varsol: Not reported
Unknown: Not reported
Other Sub: Not reported
Steel Tank Covered With Asphalt: Not reported
Cathodically Protected: Yes
Epoxy Coated Tank: Yes
A Composite Of Different Materials: Not reported
Fiberglass Or Plastic: Y
Interior Line With Some Material: Not reported
Double Wall As Opposed To Single Wall: Not reported
Outside Lined w/ Polyethylen Jacket: Not reported
Made Of Concrete: Not reported
Liner Covering Excavation Hole: Not reported
Other Material: Not reported
Pipe Method Description: Pressure
Subject item desc: 39005 - Gasoline, Removed
Service change date: Not reported
Last service date: Not reported
Current status start date: 02/05/2009
Current status end date: Not reported
Emer gen fuel only flag: Not reported
Tank inert material desc: Not reported
Mct fibrgls plastic: Not reported
Mcp bare steel: Not reported
Mcp galvanized steel: Not reported
Mcp part stl fbrgls lines: Not reported
Mcp copper: Not reported
Mcp double walled: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MASK DEVELOPERS LLC (Continued)

U003172953

Mcp secondary contain:	Not reported
Mcp unknown:	Not reported
Mcp other:	Not reported
Rdt manual gauging:	Y
Rdt tank tightness:	Y
Rdt invent control:	Y
Rdt auto guage:	Y
Rdt grndwtr monitor:	Y
Rdt intr mon dwall:	Not reported
Rdt intr mon secd:	Not reported
Rdt vapor monitor:	Not reported
Rdt other:	Not reported
Rdp line tightness:	Y
Rdp grndwtr monitor:	Y
Rdp intr mon dwall:	Not reported
Rdp intr mon secd:	Not reported
Rdp vapor monitor:	Not reported
Rdp other:	Not reported
Overfill prevent install date:	01/01/1980
Alt spill overfill equip flag:	Not reported
Alt spill overfill equip desc:	Not reported
Tank ext corr protect date:	Not reported
Cpt fibrgls plstc:	Not reported
Cpt stl fbr plastic:	Not reported
Cpt expert no leak:	Not reported
Cpt dielectric coat:	Not reported
Cpt impressed curr:	Not reported
Cpt cathodic protect:	Not reported
Cpt interior lining:	Not reported
Cpt lined cathod prot:	Not reported
Cpt other:	Not reported
Pipe ext corr protect date:	Not reported
Cpp fibrgls plastic:	Not reported
Cpp part stl fbrgls:	Not reported
Cpp expert no leak:	Not reported
Cpp dielectric coat:	Not reported
Cpp impressed curr:	Not reported
Cpp cathodic protect:	Not reported
Cpp other:	Not reported
Install certification date:	02/14/1997
Install alt certificate num:	IRC-0099
Install cert worker name:	Harry Higgins
Install cert worker emp name:	LASSCO
Install cert by mfr flag:	N
Install insp by reg eng flag:	Not reported
Install insp by dept flag:	Not reported
Install mfr chklst comp flag:	N
Install cert alt method flag:	Not reported
Install cert alt method desc:	Not reported
Closure certification date:	03/19/2009
Closure alt cert num:	C-0724
Closure cert worker name:	Donald Watts
Closure cert worker emp name:	Hydro-Environmental Technology, Inc.
Active:	10/29/1991
Bankrupt:	Not reported
Closed:	Not reported
Deferred:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MASK DEVELOPERS LLC (Continued)

U003172953

Filled:	Not reported
Hold:	Not reported
Inactive:	Not reported
Removed:	02/05/2009
Sold:	Not reported
Temp out of service:	Not reported
UST Tank Num:	39006
Tank Status:	Removed
Install Date:	10/01/1991
Total Capacity:	6000
Number Of Compartments:	1
Gasoline:	Yes
Diesel:	Not reported
Gasohol:	Not reported
Kerosene:	Not reported
Heating Oil:	Not reported
New Used Oil:	Not reported
MS Aviation Fuel:	Not reported
MS Additive:	Not reported
MS Antifreeze:	Not reported
MS Naptha:	Not reported
MS Varsol:	Not reported
Unknown:	Not reported
Other Sub:	Not reported
Steel Tank Covered With Asphalt:	Not reported
Cathodically Protected:	Yes
Epoxy Coated Tank:	Yes
A Composite Of Different Materials:	Not reported
Fiberglass Or Plastic:	Y
Interior Line With Some Material:	Not reported
Double Wall As Opposed To Single Wall:	Not reported
Outside Lined w/ Polyethylen Jacket:	Not reported
Made Of Concrete:	Not reported
Liner Covering Excavation Hole:	Not reported
Other Material:	Not reported
Pipe Method Description:	Pressure
Subject item desc:	39006 - Gasoline, Removed
Service change date:	Not reported
Last service date:	Not reported
Current status start date:	02/05/2009
Current status end date:	Not reported
Emer gen fuel only flag:	Not reported
Tank inert material desc:	Not reported
Mct fibrgls plastic:	Not reported
Mcp bare steel:	Not reported
Mcp galvanized steel:	Not reported
Mcp part stl fbrgls lines:	Not reported
Mcp copper:	Not reported
Mcp double walled:	Not reported
Mcp secondary contain:	Not reported
Mcp unknown:	Not reported
Mcp other:	Not reported
Rdt manual gauging:	Y
Rdt tank tightness:	Y
Rdt invent control:	Y

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MASK DEVELOPERS LLC (Continued)

U003172953

Rdt auto guage:	Y
Rdt grndwtr monitor:	Y
Rdt intr mon dwall:	Not reported
Rdt intr mon secd:	Not reported
Rdt vapor monitor:	Not reported
Rdt other:	Not reported
Rdp line tightness:	Y
Rdp grndwtr monitor:	Y
Rdp intr mon dwall:	Not reported
Rdp intr mon secd:	Not reported
Rdp vapor monitor:	Not reported
Rdp other:	Not reported
Overfill prevent install date:	01/01/1980
Alt spill overfill equip flag:	Not reported
Alt spill overfill equip desc:	Not reported
Tank ext corr protect date:	Not reported
Cpt fibrgls plstc:	Not reported
Cpt stl fbr plastic:	Not reported
Cpt expert no leak:	Not reported
Cpt dielectric coat:	Not reported
Cpt impressed curr:	Not reported
Cpt cathodic protect:	Not reported
Cpt interior lining:	Not reported
Cpt lined cathod prot:	Not reported
Cpt other:	Not reported
Pipe ext corr protect date:	Not reported
Cpp fibrgls plastic:	Not reported
Cpp part stl fbrgls:	Not reported
Cpp expert no leak:	Not reported
Cpp dielectric coat:	Not reported
Cpp impressed curr:	Not reported
Cpp cathodic protect:	Not reported
Cpp other:	Not reported
Install certification date:	02/14/1997
Install alt certificate num:	IRC-0099
Install cert worker name:	Harry Higgins
Install cert worker emp name:	LASSCO
Install cert by mfr flag:	N
Install insp by reg eng flag:	Not reported
Install insp by dept flag:	Not reported
Install mfr chklst comp flag:	N
Install cert alt method flag:	Not reported
Install cert alt method desc:	Not reported
Closure certification date:	03/19/2009
Closure alt cert num:	C-0724
Closure cert worker name:	Donald Watts
Closure cert worker emp name:	Hydro-Environmental Technology, Inc.
Active:	10/29/1991
Bankrupt:	Not reported
Closed:	Not reported
Deferred:	Not reported
Filled:	Not reported
Hold:	Not reported
Inactive:	Not reported
Removed:	02/05/2009
Sold:	Not reported
Temp out of service:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MASK DEVELOPERS LLC (Continued)

U003172953

UST Tank Num:	7320
Tank Status:	Removed
Install Date:	05/06/1982
Total Capacity:	6000
Number Of Compartments:	1
Gasoline:	Yes
Diesel:	Not reported
Gasohol:	Not reported
Kerosene:	Not reported
Heating Oil:	Not reported
New Used Oil:	Not reported
MS Aviation Fuel:	Not reported
MS Additive:	Not reported
MS Antifreeze:	Not reported
MS Naptha:	Not reported
MS Varsol:	Not reported
Unknown:	Not reported
Other Sub:	Not reported
Steel Tank Covered With Asphalt:	Not reported
Cathodically Protected:	Not reported
Epoxy Coated Tank:	Not reported
A Composite Of Different Materials:	Not reported
Fiberglass Or Plastic:	Not reported
Interior Line With Some Material:	Not reported
Double Wall As Opposed To Single Wall:	Not reported
Outside Lined w/ Polyethylen Jacket:	Not reported
Made Of Concrete:	Not reported
Liner Covering Excavation Hole:	Not reported
Other Material:	Not reported
Pipe Method Description:	Not reported
Subject item desc:	7320 - Gasoline, Removed
Service change date:	Not reported
Last service date:	Not reported
Current status start date:	10/01/1991
Current status end date:	Not reported
Emer gen fuel only flag:	Not reported
Tank inert material desc:	Not reported
Mct fibrgls plastic:	Not reported
Mcp bare steel:	Not reported
Mcp galvanized steel:	Y
Mcp part stl fbrgls lines:	Not reported
Mcp copper:	Not reported
Mcp double walled:	Not reported
Mcp secondary contain:	Not reported
Mcp unknown:	Not reported
Mcp other:	Not reported
Rdt manual gauging:	Not reported
Rdt tank tightness:	Not reported
Rdt invent control:	Not reported
Rdt auto gauge:	Not reported
Rdt grndwtr monitor:	Not reported
Rdt intr mon dwall:	Not reported
Rdt intr mon secd:	Not reported
Rdt vapor monitor:	Not reported
Rdt other:	Not reported
Rdp line tightness:	Not reported
Rdp grndwtr monitor:	Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

MASK DEVELOPERS LLC (Continued)

U003172953

Rdp intr mon dwall:	Not reported
Rdp intr mon secd:	Not reported
Rdp vapor monitor:	Not reported
Rdp other:	Not reported
Overfill prevent install date:	Not reported
Alt spill overfill equip flag:	Not reported
Alt spill overfill equip desc:	Not reported
Tank ext corr protect date:	Not reported
Cpt fibrgls plstc:	Not reported
Cpt stl fbr plastic:	Not reported
Cpt expert no leak:	Not reported
Cpt dielectric coat:	Not reported
Cpt impressed curr:	Not reported
Cpt cathodic protect:	Not reported
Cpt interior lining:	Not reported
Cpt lined cathod prot:	Not reported
Cpt other:	Not reported
Pipe ext corr protect date:	Not reported
Cpp fibrgls plastic:	Not reported
Cpp part stl fbrgls:	Not reported
Cpp expert no leak:	Not reported
Cpp dielectric coat:	Not reported
Cpp impressed curr:	Not reported
Cpp cathodic protect:	Not reported
Cpp other:	Not reported
Install certification date:	Not reported
Install alt certificate num:	Not reported
Install cert worker name:	Not reported
Install cert worker emp name:	Not reported
Install cert by mfr flag:	Not reported
Install insp by reg eng flag:	Not reported
Install insp by dept flag:	Not reported
Install mfr chklst comp flag:	Not reported
Install cert alt method flag:	Not reported
Install cert alt method desc:	Not reported
Closure certification date:	Not reported
Closure alt cert num:	Not reported
Closure cert worker name:	Not reported
Closure cert worker emp name:	Not reported
Active:	Not reported
Bankrupt:	Not reported
Closed:	Not reported
Deferred:	Not reported
Filled:	Not reported
Hold:	Not reported
Inactive:	Not reported
Removed:	10/01/1991
Sold:	Not reported
Temp out of service:	Not reported

UST Tank Num:	7321
Tank Status:	Removed
Install Date:	05/06/1982
Total Capacity:	6000
Number Of Compartments:	1
Gasoline:	Yes

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

MASK DEVELOPERS LLC (Continued)

U003172953

Diesel:	Not reported
Gasohol:	Not reported
Kerosene:	Not reported
Heating Oil:	Not reported
New Used Oil:	Not reported
MS Aviation Fuel:	Not reported
MS Additive:	Not reported
MS Antifreeze:	Not reported
MS Naptha:	Not reported
MS Varsol:	Not reported
Unknown:	Not reported
Other Sub:	Not reported
Steel Tank Covered With Asphalt:	Not reported
Cathodically Protected:	Not reported
Epoxy Coated Tank:	Not reported
A Composite Of Different Materials:	Not reported
Fiberglass Or Plastic:	Not reported
Interior Line With Some Material:	Not reported
Double Wall As Opposed To Single Wall:	Not reported
Outside Lined w/ Polyethylen Jacket:	Not reported
Made Of Concrete:	Not reported
Liner Covering Excavation Hole:	Not reported
Other Material:	Not reported
Pipe Method Description:	Not reported
Subject item desc:	7321 - Gasoline, Removed
Service change date:	Not reported
Last service date:	Not reported
Current status start date:	10/01/1991
Current status end date:	Not reported
Emer gen fuel only flag:	Not reported
Tank inert material desc:	Not reported
Mct fibrgls plastic:	Not reported
Mcp bare steel:	Not reported
Mcp galvanized steel:	Y
Mcp part stl fbrgls lines:	Not reported
Mcp copper:	Not reported
Mcp double walled:	Not reported
Mcp secondary contain:	Not reported
Mcp unknown:	Not reported
Mcp other:	Not reported
Rdt manual gauging:	Not reported
Rdt tank tightness:	Not reported
Rdt invent control:	Not reported
Rdt auto guage:	Not reported
Rdt grndwtr monitor:	Not reported
Rdt intr mon dwall:	Not reported
Rdt intr mon secd:	Not reported
Rdt vapor monitor:	Not reported
Rdt other:	Not reported
Rdp line tightness:	Not reported
Rdp grndwtr monitor:	Not reported
Rdp intr mon dwall:	Not reported
Rdp intr mon secd:	Not reported
Rdp vapor monitor:	Not reported
Rdp other:	Not reported
Overfill prevent install date:	Not reported
Alt spill overfill equip flag:	Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

MASK DEVELOPERS LLC (Continued)

U003172953

Alt spill overfill equip desc:	Not reported
Tank ext corr protect date:	Not reported
Cpt fibrgls plstc:	Not reported
Cpt stl fbr plastic:	Not reported
Cpt expert no leak:	Not reported
Cpt dielectric coat:	Not reported
Cpt impressed curr:	Not reported
Cpt cathodic protect:	Not reported
Cpt interior lining:	Not reported
Cpt lined cathod prot:	Not reported
Cpt other:	Not reported
Pipe ext corr protect date:	Not reported
Cpp fibrgls plastic:	Not reported
Cpp part stl fbrgls:	Not reported
Cpp expert no leak:	Not reported
Cpp dielectric coat:	Not reported
Cpp impressed curr:	Not reported
Cpp cathodic protect:	Not reported
Cpp other:	Not reported
Install certification date:	Not reported
Install alt certificate num:	Not reported
Install cert worker name:	Not reported
Install cert worker emp name:	Not reported
Install cert by mfr flag:	Not reported
Install insp by reg eng flag:	Not reported
Install insp by dept flag:	Not reported
Install mfr chklst comp flag:	Not reported
Install cert alt method flag:	Not reported
Install cert alt method desc:	Not reported
Closure certification date:	Not reported
Closure alt cert num:	Not reported
Closure cert worker name:	Not reported
Closure cert worker emp name:	Not reported
Active:	Not reported
Bankrupt:	Not reported
Closed:	Not reported
Deferred:	Not reported
Filled:	Not reported
Hold:	Not reported
Inactive:	Not reported
Removed:	10/01/1991
Sold:	Not reported
Temp out of service:	Not reported

UST Tank Num:	7322
Tank Status:	Removed
Install Date:	05/06/1982
Total Capacity:	6000
Number Of Compartments:	1
Gasoline:	Yes
Diesel:	Not reported
Gasohol:	Not reported
Kerosene:	Not reported
Heating Oil:	Not reported
New Used Oil:	Not reported
MS Aviation Fuel:	Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

MASK DEVELOPERS LLC (Continued)

U003172953

MS Additive:	Not reported
MS Antifreeze:	Not reported
MS Naptha:	Not reported
MS Varsol:	Not reported
Unknown:	Not reported
Other Sub:	Not reported
Steel Tank Covered With Asphalt:	Not reported
Cathodically Protected:	Not reported
Epoxy Coated Tank:	Not reported
A Composite Of Different Materials:	Not reported
Fiberglass Or Plastic:	Not reported
Interior Line With Some Material:	Not reported
Double Wall As Opposed To Single Wall:	Not reported
Outside Lined w/ Polyethylen Jacket:	Not reported
Made Of Concrete:	Not reported
Liner Covering Excavation Hole:	Not reported
Other Material:	Not reported
Pipe Method Description:	Not reported
Subject item desc:	7322 - Gasoline, Removed
Service change date:	Not reported
Last service date:	Not reported
Current status start date:	10/01/1991
Current status end date:	Not reported
Emer gen fuel only flag:	Not reported
Tank inert material desc:	Not reported
Mct fibrgls plastic:	Not reported
Mcp bare steel:	Not reported
Mcp galvanized steel:	Y
Mcp part stl fbrgls lines:	Not reported
Mcp copper:	Not reported
Mcp double walled:	Not reported
Mcp secondary contain:	Not reported
Mcp unknown:	Not reported
Mcp other:	Not reported
Rdt manual gauging:	Not reported
Rdt tank tightness:	Not reported
Rdt invent control:	Not reported
Rdt auto guage:	Not reported
Rdt grndwtr monitor:	Not reported
Rdt intr mon dwall:	Not reported
Rdt intr mon secd:	Not reported
Rdt vapor monitor:	Not reported
Rdt other:	Not reported
Rdp line tightness:	Not reported
Rdp grndwtr monitor:	Not reported
Rdp intr mon dwall:	Not reported
Rdp intr mon secd:	Not reported
Rdp vapor monitor:	Not reported
Rdp other:	Not reported
Overfill prevent install date:	Not reported
Alt spill overfill equip flag:	Not reported
Alt spill overfill equip desc:	Not reported
Tank ext corr protect date:	Not reported
Cpt fibrgls plstc:	Not reported
Cpt stl fbr plastic:	Not reported
Cpt expert no leak:	Not reported
Cpt dielectric coat:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MASK DEVELOPERS LLC (Continued)

U003172953

Cpt impressed curr:	Not reported
Cpt cathodic protect:	Not reported
Cpt interior lining:	Not reported
Cpt lined cathod prot:	Not reported
Cpt other:	Not reported
Pipe ext corr protect date:	Not reported
Cpp fibrgls plastic:	Not reported
Cpp part stl fibrgls:	Not reported
Cpp expert no leak:	Not reported
Cpp dielectric coat:	Not reported
Cpp impressed curr:	Not reported
Cpp cathodic protect:	Not reported
Cpp other:	Not reported
Install certification date:	Not reported
Install alt certificate num:	Not reported
Install cert worker name:	Not reported
Install cert worker emp name:	Not reported
Install cert by mfr flag:	Not reported
Install insp by reg eng flag:	Not reported
Install insp by dept flag:	Not reported
Install mfr chklst comp flag:	Not reported
Install cert alt method flag:	Not reported
Install cert alt method desc:	Not reported
Closure certification date:	Not reported
Closure alt cert num:	Not reported
Closure cert worker name:	Not reported
Closure cert worker emp name:	Not reported
Active:	Not reported
Bankrupt:	Not reported
Closed:	Not reported
Deferred:	Not reported
Filled:	Not reported
Hold:	Not reported
Inactive:	Not reported
Removed:	10/01/1991
Sold:	Not reported
Temp out of service:	Not reported

SPILLS:

Name:	MASK DEVELOPERS, LLC (FORMER REES TEXACO)
Address:	1813 REES ST
City,State,Zip:	BREAUX BRIDGE, LA
Receive Date:	04/01/2009
Incident Date:	03/05/2009
Quantity:	0
Units:	0
Parameter:	0
Incident ID:	113878
Other Description:	0
AI ID:	72011
Incident Status:	Closed
Media Desc:	Soil
Location Description:	MASK Developers, LLC (former Rees Texaco) 1813 Rees St Breaux Bridge
Start Date:	Not reported
Region:	Not reported
Reporter Name:	Not reported
Mailing Address:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MASK DEVELOPERS LLC (Continued)

U003172953

Mailing City: Not reported
Mailing State: Not reported
Mailing Zip: Not reported
Organization Name: MASK Developers LLC
Incident Desc: Incident NFA'ed due to TPH-D result passing fractionation.
Incident Type Desc: Not reported
Comments: Not reported

Name: MASK DEVELOPERS LLC (FORMER REES TEXACO)
Address: 1813 REES ST
City,State,Zip: BREAUX BRIDGE, LA
Receive Date: 04/01/2009
Incident Date: 03/05/2009
Quantity: 0
Units: 0
Parameter: 0
Incident ID: 113876
Other Description: 0
AI ID: 72011
Incident Status: Closed
Media Desc: Soil
Location Description: MASK Developers LLC (former Rees Texaco) 1813 Rees St BreauX Bridge
Start Date: Not reported
Region: Not reported
Reporter Name: Not reported
Mailing Address: Not reported
Mailing City: Not reported
Mailing State: Not reported
Mailing Zip: Not reported
Organization Name: MASK Developers LLC
Incident Desc: Benzene Result of 0.0955 mg/kg passed SPLP, therefore this incident will be NFA'ed.
Incident Type Desc: Not reported
Comments: Not reported

REM:

Name: MASK DEVELOPERS LLC
Address: 1813 REES ST
Address 2: Not reported
City,State,Zip: BREAUX BRIDGE, LA 70517
AI Num: 72011
Evaluated And Closed: 06/12/2007
Program: UST
Activity Description: Not reported
Title Description: Remediation oversight
EAC Type: Approve Completion NFA w/ BOD
Comments: EDMS ID 5796432.

MAP FINDINGS

Map ID
Direction
Distance
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

E15 **BROUSSARD PROPERTY**
ESE **1811 REES ST**
1/4-1/2 **BREAUX BRIDGE, LA**
0.489 mi.
2581 ft. **Site 2 of 2 in cluster E**

LUST **S108854403**
SPILLS **N/A**
REM

Relative:
Higher
Actual:
25 ft.

LUST:
Name: BROUSSARD PROPERTY
Address: 1811 REES ST
City,State,Zip: BREAux BRIDGE, LA
Facility ID: 150988
Comments: UST

SPILLS:

Name: BROUSSARD PROPERTY
Address: 1811 REES ST.
City,State,Zip: BREAux BRIDGE, LA
Receive Date: 06/21/2007
Incident Date: 05/21/2007
Quantity: Not reported
Units: Not reported
Parameter: Not reported
Incident ID: 97706
Other Description: Not reported
AI ID: 150988
Incident Status: Closed
Media Desc: Water/Soil
Location Description: Breussard Property 1811 Rees St. Breaux Bridge
Start Date: Not reported
Region: Not reported
Reporter Name: Not reported
Mailing Address: Not reported
Mailing City: Not reported
Mailing State: Not reported
Mailing Zip: Not reported
Organization Name: Breussard Property
Incident Desc: s07-2332 UST...limited subsurface investigation indicates levels of
BTEX and TPH-G above RECAP. col
Incident Type Desc: Not reported
Comments: Not reported

REM:

Name: BROUSSARD PROPERTY
Address: 1811 REES ST
Address 2: Not reported
City,State,Zip: BREAux BRIDGE, LA
AI Num: 150988
Evaluated And Closed: 10/26/2007
Program: UST
Activity Description: Not reported
Title Description: Remediation oversight
EAC Type: Approve Completion NFA w/ BOD
Comments: Not reported

Count: 0 records.

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
NO SITES FOUND					

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Number of Days to Update: Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

STANDARD ENVIRONMENTAL RECORDS

Lists of Federal NPL (Superfund) sites

NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 01/25/2022	Source: EPA
Date Data Arrived at EDR: 02/03/2022	Telephone: N/A
Date Made Active in Reports: 02/22/2022	Last EDR Contact: 05/05/2022
Number of Days to Update: 19	Next Scheduled EDR Contact: 07/11/2022
	Data Release Frequency: Quarterly

NPL Site Boundaries

Sources:

EPA's Environmental Photographic Interpretation Center (EPIC)
Telephone: 202-564-7333

EPA Region 1
Telephone 617-918-1143

EPA Region 6
Telephone: 214-655-6659

EPA Region 3
Telephone 215-814-5418

EPA Region 7
Telephone: 913-551-7247

EPA Region 4
Telephone 404-562-8033

EPA Region 8
Telephone: 303-312-6774

EPA Region 5
Telephone 312-886-6686

EPA Region 9
Telephone: 415-947-4246

EPA Region 10
Telephone 206-553-8665

Proposed NPL: Proposed National Priority List Sites

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

Date of Government Version: 01/25/2022	Source: EPA
Date Data Arrived at EDR: 02/03/2022	Telephone: N/A
Date Made Active in Reports: 02/22/2022	Last EDR Contact: 05/05/2022
Number of Days to Update: 19	Next Scheduled EDR Contact: 07/11/2022
	Data Release Frequency: Quarterly

NPL LIENS: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 10/15/1991
Date Data Arrived at EDR: 02/02/1994
Date Made Active in Reports: 03/30/1994
Number of Days to Update: 56

Source: EPA
Telephone: 202-564-4267
Last EDR Contact: 08/15/2011
Next Scheduled EDR Contact: 11/28/2011
Data Release Frequency: No Update Planned

Lists of Federal Delisted NPL sites

Delisted NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 01/25/2022
Date Data Arrived at EDR: 02/03/2022
Date Made Active in Reports: 02/22/2022
Number of Days to Update: 19

Source: EPA
Telephone: N/A
Last EDR Contact: 05/05/2022
Next Scheduled EDR Contact: 07/11/2022
Data Release Frequency: Quarterly

Lists of Federal sites subject to CERCLA removals and CERCLA orders

FEDERAL FACILITY: Federal Facility Site Information listing

A listing of National Priority List (NPL) and Base Realignment and Closure (BRAC) sites found in the Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) Database where EPA Federal Facilities Restoration and Reuse Office is involved in cleanup activities.

Date of Government Version: 05/25/2021
Date Data Arrived at EDR: 06/24/2021
Date Made Active in Reports: 09/20/2021
Number of Days to Update: 88

Source: Environmental Protection Agency
Telephone: 703-603-8704
Last EDR Contact: 04/01/2022
Next Scheduled EDR Contact: 07/11/2022
Data Release Frequency: Varies

SEMS: Superfund Enterprise Management System

SEMS (Superfund Enterprise Management System) tracks hazardous waste sites, potentially hazardous waste sites, and remedial activities performed in support of EPA's Superfund Program across the United States. The list was formerly known as CERCLIS, renamed to SEMS by the EPA in 2015. The list contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). This dataset also contains sites which are either proposed to or on the National Priorities List (NPL) and the sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 01/25/2022
Date Data Arrived at EDR: 02/03/2022
Date Made Active in Reports: 02/22/2022
Number of Days to Update: 19

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 05/05/2022
Next Scheduled EDR Contact: 07/25/2022
Data Release Frequency: Quarterly

Lists of Federal CERCLA sites with NFRAP

SEMS-ARCHIVE: Superfund Enterprise Management System Archive

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

SEMS-ARCHIVE (Superfund Enterprise Management System Archive) tracks sites that have no further interest under the Federal Superfund Program based on available information. The list was formerly known as the CERCLIS-NFRAP, renamed to SEMS ARCHIVE by the EPA in 2015. EPA may perform a minimal level of assessment work at a site while it is archived if site conditions change and/or new information becomes available. Archived sites have been removed and archived from the inventory of SEMS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list the site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. The decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be potential NPL site.

Date of Government Version: 01/25/2022	Source: EPA
Date Data Arrived at EDR: 02/03/2022	Telephone: 800-424-9346
Date Made Active in Reports: 02/22/2022	Last EDR Contact: 05/05/2022
Number of Days to Update: 19	Next Scheduled EDR Contact: 07/25/2022
	Data Release Frequency: Quarterly

Lists of Federal RCRA facilities undergoing Corrective Action

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 02/28/2022	Source: EPA
Date Data Arrived at EDR: 03/02/2022	Telephone: 800-424-9346
Date Made Active in Reports: 03/17/2022	Last EDR Contact: 04/06/2022
Number of Days to Update: 15	Next Scheduled EDR Contact: 07/04/2022
	Data Release Frequency: Quarterly

Lists of Federal RCRA TSD facilities

RCRA-TSDF: RCRA - Treatment, Storage and Disposal

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 02/28/2022	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/02/2022	Telephone: 214-665-6444
Date Made Active in Reports: 03/17/2022	Last EDR Contact: 04/06/2022
Number of Days to Update: 15	Next Scheduled EDR Contact: 07/04/2022
	Data Release Frequency: Quarterly

Lists of Federal RCRA generators

RCRA-LQG: RCRA - Large Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

Date of Government Version: 02/28/2022	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/02/2022	Telephone: 214-665-6444
Date Made Active in Reports: 03/17/2022	Last EDR Contact: 04/06/2022
Number of Days to Update: 15	Next Scheduled EDR Contact: 07/04/2022
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

RCRA-SQG: RCRA - Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

Date of Government Version: 02/28/2022	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/02/2022	Telephone: 214-665-6444
Date Made Active in Reports: 03/17/2022	Last EDR Contact: 04/06/2022
Number of Days to Update: 15	Next Scheduled EDR Contact: 07/04/2022
	Data Release Frequency: Quarterly

RCRA-VSQG: RCRA - Very Small Quantity Generators (Formerly Conditionally Exempt Small Quantity Generators)

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Very small quantity generators (VSQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

Date of Government Version: 02/28/2022	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/02/2022	Telephone: 214-665-6444
Date Made Active in Reports: 03/17/2022	Last EDR Contact: 04/06/2022
Number of Days to Update: 15	Next Scheduled EDR Contact: 07/04/2022
	Data Release Frequency: Quarterly

Federal institutional controls / engineering controls registries

LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

Date of Government Version: 02/08/2022	Source: Department of the Navy
Date Data Arrived at EDR: 02/11/2022	Telephone: 843-820-7326
Date Made Active in Reports: 05/10/2022	Last EDR Contact: 05/05/2022
Number of Days to Update: 88	Next Scheduled EDR Contact: 08/22/2022
	Data Release Frequency: Varies

US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 11/19/2021	Source: Environmental Protection Agency
Date Data Arrived at EDR: 11/19/2021	Telephone: 703-603-0695
Date Made Active in Reports: 02/14/2022	Last EDR Contact: 02/23/2022
Number of Days to Update: 87	Next Scheduled EDR Contact: 06/06/2022
	Data Release Frequency: Varies

US INST CONTROLS: Institutional Controls Sites List

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 11/19/2021	Source: Environmental Protection Agency
Date Data Arrived at EDR: 11/19/2021	Telephone: 703-603-0695
Date Made Active in Reports: 02/14/2022	Last EDR Contact: 02/23/2022
Number of Days to Update: 87	Next Scheduled EDR Contact: 06/06/2022
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Federal ERNS list

ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 12/31/2021
Date Data Arrived at EDR: 03/01/2022
Date Made Active in Reports: 03/10/2022
Number of Days to Update: 9

Source: National Response Center, United States Coast Guard
Telephone: 202-267-2180
Last EDR Contact: 03/22/2022
Next Scheduled EDR Contact: 07/04/2022
Data Release Frequency: Quarterly

Lists of state- and tribal hazardous waste facilities

SHWS: Potential and Confirmed Sites List

Confirmed status denotes that assessments have been performed and a determination made that (1) hazardous waste(s) or substance(s) are present at the site and (2) these sites are under the jurisdiction of the LDEQ/RSD. Potential status is an indicator that sites are either waiting to be assessed or the assessment is in progress.

Date of Government Version: 01/10/2022
Date Data Arrived at EDR: 01/11/2022
Date Made Active in Reports: 03/30/2022
Number of Days to Update: 78

Source: Department of Environmental Quality
Telephone: 225-219-3181
Last EDR Contact: 04/11/2022
Next Scheduled EDR Contact: 07/25/2022
Data Release Frequency: Quarterly

Lists of state and tribal landfills and solid waste disposal facilities

SWF/LF: Landfill List

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 12/15/2021
Date Data Arrived at EDR: 12/20/2021
Date Made Active in Reports: 03/09/2022
Number of Days to Update: 79

Source: Department of Environmental Quality
Telephone: 225-219-3181
Last EDR Contact: 03/07/2022
Next Scheduled EDR Contact: 06/20/2022
Data Release Frequency: Annually

DEBRIS: LDEQ Approved Debris Sites

A listing of LDEQ Approved Debris Sites where hurricane debris is dumped.

Date of Government Version: 12/06/2021
Date Data Arrived at EDR: 12/08/2021
Date Made Active in Reports: 02/25/2022
Number of Days to Update: 79

Source: Department of Environmental Quality
Telephone: 225-219-3953
Last EDR Contact: 03/09/2022
Next Scheduled EDR Contact: 06/20/2022
Data Release Frequency: Varies

HIST DEBRIS: LDEQ Approved Debris Sites

A listing of LDEQ Approved Debris Sites where hurricane debris is dumped.

Date of Government Version: 02/07/2007
Date Data Arrived at EDR: 11/14/2008
Date Made Active in Reports: 11/21/2008
Number of Days to Update: 7

Source: Department of Environmental Quality
Telephone: 225-219-3070
Last EDR Contact: 03/23/2009
Next Scheduled EDR Contact: 06/22/2009
Data Release Frequency: No Update Planned

Lists of state and tribal leaking storage tanks

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

LUST: Leaking Underground Storage Tanks

Leaking Underground Storage Tank Incident Reports. LUST records contain an inventory of reported leaking underground storage tank incidents. Not all states maintain these records, and the information stored varies by state.

Date of Government Version: 01/10/2022
Date Data Arrived at EDR: 01/11/2022
Date Made Active in Reports: 03/30/2022
Number of Days to Update: 78

Source: Department of Environmental Quality
Telephone: 225-219-3181
Last EDR Contact: 04/11/2022
Next Scheduled EDR Contact: 07/25/2022
Data Release Frequency: Quarterly

INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

Date of Government Version: 10/12/2021
Date Data Arrived at EDR: 11/15/2021
Date Made Active in Reports: 02/08/2022
Number of Days to Update: 85

Source: EPA Region 10
Telephone: 206-553-2857
Last EDR Contact: 04/21/2022
Next Scheduled EDR Contact: 08/01/2022
Data Release Frequency: Varies

INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land

A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 04/28/2021
Date Data Arrived at EDR: 06/11/2021
Date Made Active in Reports: 09/07/2021
Number of Days to Update: 88

Source: EPA Region 1
Telephone: 617-918-1313
Last EDR Contact: 04/21/2022
Next Scheduled EDR Contact: 08/01/2022
Data Release Frequency: Varies

INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Colorado, Montana, North Dakota, South Dakota, Utah and Wyoming.

Date of Government Version: 10/12/2021
Date Data Arrived at EDR: 11/15/2021
Date Made Active in Reports: 02/08/2022
Number of Days to Update: 85

Source: EPA Region 8
Telephone: 303-312-6271
Last EDR Contact: 04/21/2022
Next Scheduled EDR Contact: 08/01/2022
Data Release Frequency: Varies

INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Iowa, Kansas, and Nebraska

Date of Government Version: 10/12/2021
Date Data Arrived at EDR: 11/15/2021
Date Made Active in Reports: 02/08/2022
Number of Days to Update: 85

Source: EPA Region 7
Telephone: 913-551-7003
Last EDR Contact: 04/21/2022
Next Scheduled EDR Contact: 08/01/2022
Data Release Frequency: Varies

INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Florida, Mississippi and North Carolina.

Date of Government Version: 05/28/2021
Date Data Arrived at EDR: 06/22/2021
Date Made Active in Reports: 09/20/2021
Number of Days to Update: 90

Source: EPA Region 4
Telephone: 404-562-8677
Last EDR Contact: 04/21/2022
Next Scheduled EDR Contact: 08/01/2022
Data Release Frequency: Varies

INDIAN LUST R5: Leaking Underground Storage Tanks on Indian Land

Leaking underground storage tanks located on Indian Land in Michigan, Minnesota and Wisconsin.

Date of Government Version: 10/12/2021
Date Data Arrived at EDR: 11/15/2021
Date Made Active in Reports: 02/08/2022
Number of Days to Update: 85

Source: EPA, Region 5
Telephone: 312-886-7439
Last EDR Contact: 04/21/2022
Next Scheduled EDR Contact: 08/01/2022
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in New Mexico and Oklahoma.

Date of Government Version: 10/12/2021	Source: EPA Region 6
Date Data Arrived at EDR: 11/15/2021	Telephone: 214-665-6597
Date Made Active in Reports: 02/08/2022	Last EDR Contact: 04/21/2022
Number of Days to Update: 85	Next Scheduled EDR Contact: 08/01/2022
	Data Release Frequency: Varies

INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Arizona, California, New Mexico and Nevada

Date of Government Version: 10/12/2021	Source: Environmental Protection Agency
Date Data Arrived at EDR: 11/15/2021	Telephone: 415-972-3372
Date Made Active in Reports: 02/08/2022	Last EDR Contact: 04/21/2022
Number of Days to Update: 85	Next Scheduled EDR Contact: 08/01/2022
	Data Release Frequency: Varies

HIST LUST: Underground Storage Tank Case History Incidents

This listing includes detailed information for Leaking Underground Storage Tanks reported through November 1999. It is no longer updated. Current LUST incidents, without detail, can be found in the Leaking Underground Storage Tank Database

Date of Government Version: 11/01/1999	Source: Department of Environmental Quality
Date Data Arrived at EDR: 02/16/2000	Telephone: N/A
Date Made Active in Reports: 05/01/2000	Last EDR Contact: 12/04/2001
Number of Days to Update: 75	Next Scheduled EDR Contact: N/A
	Data Release Frequency: No Update Planned

Lists of state and tribal registered storage tanks

FEMA UST: Underground Storage Tank Listing

A listing of all FEMA owned underground storage tanks.

Date of Government Version: 10/14/2021	Source: FEMA
Date Data Arrived at EDR: 11/05/2021	Telephone: 202-646-5797
Date Made Active in Reports: 02/01/2022	Last EDR Contact: 04/04/2022
Number of Days to Update: 88	Next Scheduled EDR Contact: 07/18/2022
	Data Release Frequency: Varies

UST: Louisiana Underground Storage Tank Database

Registered Underground Storage Tanks. UST's are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA) and must be registered with the state department responsible for administering the UST program. Available information varies by state program.

Date of Government Version: 01/10/2022	Source: Department of Environmental Quality
Date Data Arrived at EDR: 01/11/2022	Telephone: 225-219-3181
Date Made Active in Reports: 04/04/2022	Last EDR Contact: 04/11/2022
Number of Days to Update: 83	Next Scheduled EDR Contact: 07/25/2022
	Data Release Frequency: Quarterly

INDIAN UST R10: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 10 (Alaska, Idaho, Oregon, Washington, and Tribal Nations).

Date of Government Version: 10/12/2021	Source: EPA Region 10
Date Data Arrived at EDR: 11/15/2021	Telephone: 206-553-2857
Date Made Active in Reports: 02/08/2022	Last EDR Contact: 04/21/2022
Number of Days to Update: 85	Next Scheduled EDR Contact: 08/01/2022
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN UST R1: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 1 (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont and ten Tribal Nations).

Date of Government Version: 10/14/2021	Source: EPA, Region 1
Date Data Arrived at EDR: 11/15/2021	Telephone: 617-918-1313
Date Made Active in Reports: 02/08/2022	Last EDR Contact: 04/21/2022
Number of Days to Update: 85	Next Scheduled EDR Contact: 08/01/2022
	Data Release Frequency: Varies

INDIAN UST R9: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 9 (Arizona, California, Hawaii, Nevada, the Pacific Islands, and Tribal Nations).

Date of Government Version: 10/12/2021	Source: EPA Region 9
Date Data Arrived at EDR: 11/15/2021	Telephone: 415-972-3368
Date Made Active in Reports: 02/08/2022	Last EDR Contact: 04/21/2022
Number of Days to Update: 85	Next Scheduled EDR Contact: 08/01/2022
	Data Release Frequency: Varies

INDIAN UST R6: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 6 (Louisiana, Arkansas, Oklahoma, New Mexico, Texas and 65 Tribes).

Date of Government Version: 10/12/2021	Source: EPA Region 6
Date Data Arrived at EDR: 11/15/2021	Telephone: 214-665-7591
Date Made Active in Reports: 02/08/2022	Last EDR Contact: 04/21/2022
Number of Days to Update: 85	Next Scheduled EDR Contact: 08/01/2022
	Data Release Frequency: Varies

INDIAN UST R4: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee and Tribal Nations)

Date of Government Version: 05/28/2021	Source: EPA Region 4
Date Data Arrived at EDR: 06/22/2021	Telephone: 404-562-9424
Date Made Active in Reports: 09/20/2021	Last EDR Contact: 04/21/2022
Number of Days to Update: 90	Next Scheduled EDR Contact: 08/01/2022
	Data Release Frequency: Varies

INDIAN UST R7: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 7 (Iowa, Kansas, Missouri, Nebraska, and 9 Tribal Nations).

Date of Government Version: 10/12/2021	Source: EPA Region 7
Date Data Arrived at EDR: 11/15/2021	Telephone: 913-551-7003
Date Made Active in Reports: 02/08/2022	Last EDR Contact: 04/21/2022
Number of Days to Update: 85	Next Scheduled EDR Contact: 08/01/2022
	Data Release Frequency: Varies

INDIAN UST R8: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming and 27 Tribal Nations).

Date of Government Version: 10/12/2021	Source: EPA Region 8
Date Data Arrived at EDR: 11/15/2021	Telephone: 303-312-6137
Date Made Active in Reports: 02/08/2022	Last EDR Contact: 04/21/2022
Number of Days to Update: 85	Next Scheduled EDR Contact: 08/01/2022
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN UST R5: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 5 (Michigan, Minnesota and Wisconsin and Tribal Nations).

Date of Government Version: 04/06/2021	Source: EPA Region 5
Date Data Arrived at EDR: 06/11/2021	Telephone: 312-886-6136
Date Made Active in Reports: 09/07/2021	Last EDR Contact: 04/21/2022
Number of Days to Update: 88	Next Scheduled EDR Contact: 08/01/2022
	Data Release Frequency: Varies

State and tribal institutional control / engineering control registries

AUL: Listing of Institutional and/or Engineering Controls

A notice of contamination (nature and levels of contaminants) and restriction of property to non-residential use are placed in the conveyance records for the property.

Date of Government Version: 03/29/2022	Source: Department of Environmental Quality
Date Data Arrived at EDR: 03/30/2022	Telephone: 225-219-3168
Date Made Active in Reports: 04/08/2022	Last EDR Contact: 03/29/2022
Number of Days to Update: 9	Next Scheduled EDR Contact: 07/18/2022
	Data Release Frequency: Varies

Lists of state and tribal voluntary cleanup sites

INDIAN VCP R1: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 1.

Date of Government Version: 07/27/2015	Source: EPA, Region 1
Date Data Arrived at EDR: 09/29/2015	Telephone: 617-918-1102
Date Made Active in Reports: 02/18/2016	Last EDR Contact: 03/16/2022
Number of Days to Update: 142	Next Scheduled EDR Contact: 07/04/2022
	Data Release Frequency: Varies

INDIAN VCP R7: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 7.

Date of Government Version: 03/20/2008	Source: EPA, Region 7
Date Data Arrived at EDR: 04/22/2008	Telephone: 913-551-7365
Date Made Active in Reports: 05/19/2008	Last EDR Contact: 07/08/2021
Number of Days to Update: 27	Next Scheduled EDR Contact: 07/20/2009
	Data Release Frequency: Varies

VCP: Voluntary Remediation Program Sites

Sites that have entered the Department of Environmental Quality's Voluntary Remediation Program

Date of Government Version: 01/10/2022	Source: Department of Environmental Quality
Date Data Arrived at EDR: 01/12/2022	Telephone: 225-219-3181
Date Made Active in Reports: 03/31/2022	Last EDR Contact: 04/12/2022
Number of Days to Update: 78	Next Scheduled EDR Contact: 07/25/2022
	Data Release Frequency: Quarterly

Lists of state and tribal brownfield sites

BROWNFIELDS: Brownfields Inventory

Brownfields are abandoned, idled, or underused industrial or commercial real property, the expansion, redevelopment or reuse of which may be complicated by the presence of or potential presence of a hazardous substance, pollutant, or contaminant.

Date of Government Version: 01/10/2022	Source: Department of Environmental Quality
Date Data Arrived at EDR: 01/11/2022	Telephone: 225-219-3167
Date Made Active in Reports: 04/01/2022	Last EDR Contact: 04/11/2022
Number of Days to Update: 80	Next Scheduled EDR Contact: 07/25/2022
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS: A Listing of Brownfields Sites

Brownfields are real property, the expansion, redevelopment, or reuse of which may be complicated by the presence or potential presence of a hazardous substance, pollutant, or contaminant. Cleaning up and reinvesting in these properties takes development pressures off of undeveloped, open land, and both improves and protects the environment. Assessment, Cleanup and Redevelopment Exchange System (ACRES) stores information reported by EPA Brownfields grant recipients on brownfields properties assessed or cleaned up with grant funding as well as information on Targeted Brownfields Assessments performed by EPA Regions. A listing of ACRES Brownfield sites is obtained from Cleanups in My Community. Cleanups in My Community provides information on Brownfields properties for which information is reported back to EPA, as well as areas served by Brownfields grant programs.

Date of Government Version: 02/23/2022	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/10/2022	Telephone: 202-566-2777
Date Made Active in Reports: 03/10/2022	Last EDR Contact: 03/15/2022
Number of Days to Update: 0	Next Scheduled EDR Contact: 06/27/2022
	Data Release Frequency: Semi-Annually

Local Lists of Landfill / Solid Waste Disposal Sites

SWRCY: Recycling Directory

A listing of recycling facilities.

Date of Government Version: 09/16/2021	Source: Department of Environmental Quality
Date Data Arrived at EDR: 09/16/2021	Telephone: 225-219-3181
Date Made Active in Reports: 12/07/2021	Last EDR Contact: 03/07/2022
Number of Days to Update: 82	Next Scheduled EDR Contact: 07/04/2022
	Data Release Frequency: Varies

INDIAN ODI: Report on the Status of Open Dumps on Indian Lands

Location of open dumps on Indian land.

Date of Government Version: 12/31/1998	Source: Environmental Protection Agency
Date Data Arrived at EDR: 12/03/2007	Telephone: 703-308-8245
Date Made Active in Reports: 01/24/2008	Last EDR Contact: 04/21/2022
Number of Days to Update: 52	Next Scheduled EDR Contact: 08/08/2022
	Data Release Frequency: Varies

ODI: Open Dump Inventory

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985	Source: Environmental Protection Agency
Date Data Arrived at EDR: 08/09/2004	Telephone: 800-424-9346
Date Made Active in Reports: 09/17/2004	Last EDR Contact: 06/09/2004
Number of Days to Update: 39	Next Scheduled EDR Contact: N/A
	Data Release Frequency: No Update Planned

DEBRIS REGION 9: Torres Martinez Reservation Illegal Dump Site Locations

A listing of illegal dump sites location on the Torres Martinez Indian Reservation located in eastern Riverside County and northern Imperial County, California.

Date of Government Version: 01/12/2009	Source: EPA, Region 9
Date Data Arrived at EDR: 05/07/2009	Telephone: 415-947-4219
Date Made Active in Reports: 09/21/2009	Last EDR Contact: 04/14/2022
Number of Days to Update: 137	Next Scheduled EDR Contact: 08/01/2022
	Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

IHS OPEN DUMPS: Open Dumps on Indian Land

A listing of all open dumps located on Indian Land in the United States.

Date of Government Version: 04/01/2014	Source: Department of Health & Human Services, Indian Health Service
Date Data Arrived at EDR: 08/06/2014	Telephone: 301-443-1452
Date Made Active in Reports: 01/29/2015	Last EDR Contact: 04/28/2022
Number of Days to Update: 176	Next Scheduled EDR Contact: 08/08/2022
	Data Release Frequency: Varies

Local Lists of Hazardous waste / Contaminated Sites

US HIST CDL: National Clandestine Laboratory Register

A listing of clandestine drug lab locations that have been removed from the DEAs National Clandestine Laboratory Register.

Date of Government Version: 02/22/2022	Source: Drug Enforcement Administration
Date Data Arrived at EDR: 02/23/2022	Telephone: 202-307-1000
Date Made Active in Reports: 05/10/2022	Last EDR Contact: 02/23/2022
Number of Days to Update: 76	Next Scheduled EDR Contact: 06/06/2022
	Data Release Frequency: No Update Planned

CDL: Clandestine Drug Lab

A list of residential real properties that have been reported as potentially contaminated.

Date of Government Version: 02/22/2022	Source: Department of Environmental Quality
Date Data Arrived at EDR: 02/23/2022	Telephone: 225-219-5337
Date Made Active in Reports: 05/19/2022	Last EDR Contact: 02/23/2022
Number of Days to Update: 85	Next Scheduled EDR Contact: 06/06/2022
	Data Release Frequency: Semi-Annually

DEL SHWS: Deleted Potential & Confirmed Sites

A listing of sites removed from the Potential and Confirmed Listing.

Date of Government Version: 01/10/2022	Source: Department of Environmental Quality
Date Data Arrived at EDR: 01/11/2022	Telephone: 225-219-3168
Date Made Active in Reports: 03/30/2022	Last EDR Contact: 04/11/2022
Number of Days to Update: 78	Next Scheduled EDR Contact: 07/25/2022
	Data Release Frequency: Quarterly

US CDL: Clandestine Drug Labs

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 02/22/2022	Source: Drug Enforcement Administration
Date Data Arrived at EDR: 02/23/2022	Telephone: 202-307-1000
Date Made Active in Reports: 05/10/2022	Last EDR Contact: 02/23/2022
Number of Days to Update: 76	Next Scheduled EDR Contact: 06/06/2022
	Data Release Frequency: Quarterly

PFAS: Per- and Polyfluoroalkyl Substances (PFAS) Data

Site locations where pfas contamination, that have impacted to soil and groundwater have been confirmed.

Date of Government Version: 01/31/2022	Source: Department of Environmental Quality
Date Data Arrived at EDR: 02/01/2022	Telephone: 225-219-3168
Date Made Active in Reports: 04/25/2022	Last EDR Contact: 04/28/2022
Number of Days to Update: 83	Next Scheduled EDR Contact: 08/15/2022
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

AQUEOUS FOAM: A listing of reported incidents involving firefighting foam.

A listing of reported incidents involving firefighting foam.

Date of Government Version: 02/02/2022	Source: Department of Environmental Quality
Date Data Arrived at EDR: 02/11/2022	Telephone: 225-219-3640
Date Made Active in Reports: 03/08/2022	Last EDR Contact: 05/05/2022
Number of Days to Update: 25	Next Scheduled EDR Contact: 08/22/2022
	Data Release Frequency: Varies

Local Land Records

LIENS: Environmental Liens

An Environmental Lien is a charge, security, or encumbrance upon title to a property to secure the payment of a cost, damage, debt, obligation, or duty arising out of response actions, cleanup, or other remediation of hazardous substances or petroleum products upon a property, including (but not limited to) liens imposed pursuant to CERCLA 42 USC 9607(1) and similar state or local laws. In other words: a lien placed upon a property's title due to an environmental condition.

Date of Government Version: 01/04/2022	Source: Department of Environmental Quality
Date Data Arrived at EDR: 01/11/2022	Telephone: N/A
Date Made Active in Reports: 03/29/2022	Last EDR Contact: 04/11/2022
Number of Days to Update: 77	Next Scheduled EDR Contact: 07/25/2022
	Data Release Frequency: Varies

LIENS 2: CERCLA Lien Information

A Federal CERCLA ('Superfund') lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties.

Date of Government Version: 01/25/2022	Source: Environmental Protection Agency
Date Data Arrived at EDR: 02/03/2022	Telephone: 202-564-6023
Date Made Active in Reports: 02/22/2022	Last EDR Contact: 05/05/2022
Number of Days to Update: 19	Next Scheduled EDR Contact: 07/11/2022
	Data Release Frequency: Semi-Annually

Records of Emergency Release Reports

HMIRS: Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 12/15/2021	Source: U.S. Department of Transportation
Date Data Arrived at EDR: 12/16/2021	Telephone: 202-366-4555
Date Made Active in Reports: 03/10/2022	Last EDR Contact: 03/21/2022
Number of Days to Update: 84	Next Scheduled EDR Contact: 07/04/2022
	Data Release Frequency: Quarterly

SPILLS: Emergency Response Section Incidents

Spills and/or releases, to land, reported to the Emergency Response Section.

Date of Government Version: 02/08/2022	Source: Department of Environmental Quality
Date Data Arrived at EDR: 02/10/2022	Telephone: 225-219-3620
Date Made Active in Reports: 05/03/2022	Last EDR Contact: 05/05/2022
Number of Days to Update: 82	Next Scheduled EDR Contact: 08/22/2022
	Data Release Frequency: Varies

SPILLS 90: SPILLS90 data from FirstSearch

Spills 90 includes those spill and release records available exclusively from FirstSearch databases. Typically, they may include chemical, oil and/or hazardous substance spills recorded after 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 90.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 10/30/2012
Date Data Arrived at EDR: 01/03/2013
Date Made Active in Reports: 03/07/2013
Number of Days to Update: 63

Source: FirstSearch
Telephone: N/A
Last EDR Contact: 01/03/2013
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

Other Ascertainable Records

RCRA NonGen / NLR: RCRA - Non Generators / No Longer Regulated

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

Date of Government Version: 02/28/2022
Date Data Arrived at EDR: 03/02/2022
Date Made Active in Reports: 03/17/2022
Number of Days to Update: 15

Source: Environmental Protection Agency
Telephone: 214-665-6444
Last EDR Contact: 04/06/2022
Next Scheduled EDR Contact: 07/04/2022
Data Release Frequency: Quarterly

FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 12/01/2021
Date Data Arrived at EDR: 02/15/2022
Date Made Active in Reports: 05/10/2022
Number of Days to Update: 84

Source: U.S. Army Corps of Engineers
Telephone: 202-528-4285
Last EDR Contact: 05/17/2022
Next Scheduled EDR Contact: 08/29/2022
Data Release Frequency: Varies

DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 06/07/2021
Date Data Arrived at EDR: 07/13/2021
Date Made Active in Reports: 03/09/2022
Number of Days to Update: 239

Source: USGS
Telephone: 888-275-8747
Last EDR Contact: 04/12/2022
Next Scheduled EDR Contact: 07/25/2022
Data Release Frequency: Varies

FEDLAND: Federal and Indian Lands

Federally and Indian administrated lands of the United States. Lands included are administrated by: Army Corps of Engineers, Bureau of Reclamation, National Wild and Scenic River, National Wildlife Refuge, Public Domain Land, Wilderness, Wilderness Study Area, Wildlife Management Area, Bureau of Indian Affairs, Bureau of Land Management, Department of Justice, Forest Service, Fish and Wildlife Service, National Park Service.

Date of Government Version: 04/02/2018
Date Data Arrived at EDR: 04/11/2018
Date Made Active in Reports: 11/06/2019
Number of Days to Update: 574

Source: U.S. Geological Survey
Telephone: 888-275-8747
Last EDR Contact: 04/05/2022
Next Scheduled EDR Contact: 07/18/2022
Data Release Frequency: N/A

SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners Listing

The State Coalition for Remediation of Drycleaners was established in 1998, with support from the U.S. EPA Office of Superfund Remediation and Technology Innovation. It is comprised of representatives of states with established drycleaner remediation programs. Currently the member states are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 01/01/2017
Date Data Arrived at EDR: 02/03/2017
Date Made Active in Reports: 04/07/2017
Number of Days to Update: 63

Source: Environmental Protection Agency
Telephone: 615-532-8599
Last EDR Contact: 05/06/2022
Next Scheduled EDR Contact: 08/22/2022
Data Release Frequency: Varies

US FIN ASSUR: Financial Assurance Information

All owners and operators of facilities that treat, store, or dispose of hazardous waste are required to provide proof that they will have sufficient funds to pay for the clean up, closure, and post-closure care of their facilities.

Date of Government Version: 12/13/2021
Date Data Arrived at EDR: 12/17/2021
Date Made Active in Reports: 03/17/2022
Number of Days to Update: 90

Source: Environmental Protection Agency
Telephone: 202-566-1917
Last EDR Contact: 03/21/2022
Next Scheduled EDR Contact: 07/04/2022
Data Release Frequency: Quarterly

EPA WATCH LIST: EPA WATCH LIST

EPA maintains a "Watch List" to facilitate dialogue between EPA, state and local environmental agencies on enforcement matters relating to facilities with alleged violations identified as either significant or high priority. Being on the Watch List does not mean that the facility has actually violated the law only that an investigation by EPA or a state or local environmental agency has led those organizations to allege that an unproven violation has in fact occurred. Being on the Watch List does not represent a higher level of concern regarding the alleged violations that were detected, but instead indicates cases requiring additional dialogue between EPA, state and local agencies - primarily because of the length of time the alleged violation has gone unaddressed or unresolved.

Date of Government Version: 08/30/2013
Date Data Arrived at EDR: 03/21/2014
Date Made Active in Reports: 06/17/2014
Number of Days to Update: 88

Source: Environmental Protection Agency
Telephone: 617-520-3000
Last EDR Contact: 04/28/2022
Next Scheduled EDR Contact: 08/15/2022
Data Release Frequency: Quarterly

2020 COR ACTION: 2020 Corrective Action Program List

The EPA has set ambitious goals for the RCRA Corrective Action program by creating the 2020 Corrective Action Universe. This RCRA cleanup baseline includes facilities expected to need corrective action. The 2020 universe contains a wide variety of sites. Some properties are heavily contaminated while others were contaminated but have since been cleaned up. Still others have not been fully investigated yet, and may require little or no remediation. Inclusion in the 2020 Universe does not necessarily imply failure on the part of a facility to meet its RCRA obligations.

Date of Government Version: 09/30/2017
Date Data Arrived at EDR: 05/08/2018
Date Made Active in Reports: 07/20/2018
Number of Days to Update: 73

Source: Environmental Protection Agency
Telephone: 703-308-4044
Last EDR Contact: 05/06/2022
Next Scheduled EDR Contact: 08/15/2022
Data Release Frequency: Varies

TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2016
Date Data Arrived at EDR: 06/17/2020
Date Made Active in Reports: 09/10/2020
Number of Days to Update: 85

Source: EPA
Telephone: 202-260-5521
Last EDR Contact: 03/18/2022
Next Scheduled EDR Contact: 06/27/2022
Data Release Frequency: Every 4 Years

TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 12/31/2018
Date Data Arrived at EDR: 08/14/2020
Date Made Active in Reports: 11/04/2020
Number of Days to Update: 82

Source: EPA
Telephone: 202-566-0250
Last EDR Contact: 05/20/2022
Next Scheduled EDR Contact: 08/29/2022
Data Release Frequency: Annually

SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 01/19/2022
Date Data Arrived at EDR: 01/19/2022
Date Made Active in Reports: 04/11/2022
Number of Days to Update: 82

Source: EPA
Telephone: 202-564-4203
Last EDR Contact: 04/20/2022
Next Scheduled EDR Contact: 08/01/2022
Data Release Frequency: Annually

ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 01/25/2022
Date Data Arrived at EDR: 02/03/2022
Date Made Active in Reports: 02/22/2022
Number of Days to Update: 19

Source: EPA
Telephone: 703-416-0223
Last EDR Contact: 05/05/2022
Next Scheduled EDR Contact: 06/13/2022
Data Release Frequency: Annually

RMP: Risk Management Plans

When Congress passed the Clean Air Act Amendments of 1990, it required EPA to publish regulations and guidance for chemical accident prevention at facilities using extremely hazardous substances. The Risk Management Program Rule (RMP Rule) was written to implement Section 112(r) of these amendments. The rule, which built upon existing industry codes and standards, requires companies of all sizes that use certain flammable and toxic substances to develop a Risk Management Program, which includes a(n): Hazard assessment that details the potential effects of an accidental release, an accident history of the last five years, and an evaluation of worst-case and alternative accidental releases; Prevention program that includes safety precautions and maintenance, monitoring, and employee training measures; and Emergency response program that spells out emergency health care, employee training measures and procedures for informing the public and response agencies (e.g the fire department) should an accident occur.

Date of Government Version: 04/27/2022
Date Data Arrived at EDR: 05/04/2022
Date Made Active in Reports: 05/10/2022
Number of Days to Update: 6

Source: Environmental Protection Agency
Telephone: 202-564-8600
Last EDR Contact: 04/18/2022
Next Scheduled EDR Contact: 08/01/2022
Data Release Frequency: Varies

RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995
Date Data Arrived at EDR: 07/03/1995
Date Made Active in Reports: 08/07/1995
Number of Days to Update: 35

Source: EPA
Telephone: 202-564-4104
Last EDR Contact: 06/02/2008
Next Scheduled EDR Contact: 09/01/2008
Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

PRP: Potentially Responsible Parties

A listing of verified Potentially Responsible Parties

Date of Government Version: 01/25/2022	Source: EPA
Date Data Arrived at EDR: 02/03/2022	Telephone: 202-564-6023
Date Made Active in Reports: 02/25/2022	Last EDR Contact: 05/05/2022
Number of Days to Update: 22	Next Scheduled EDR Contact: 08/15/2022
	Data Release Frequency: Quarterly

PADS: PCB Activity Database System

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 01/20/2022	Source: EPA
Date Data Arrived at EDR: 01/20/2022	Telephone: 202-566-0500
Date Made Active in Reports: 03/25/2022	Last EDR Contact: 04/08/2022
Number of Days to Update: 64	Next Scheduled EDR Contact: 07/18/2022
	Data Release Frequency: Annually

ICIS: Integrated Compliance Information System

The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 11/18/2016	Source: Environmental Protection Agency
Date Data Arrived at EDR: 11/23/2016	Telephone: 202-564-2501
Date Made Active in Reports: 02/10/2017	Last EDR Contact: 03/31/2022
Number of Days to Update: 79	Next Scheduled EDR Contact: 07/18/2022
	Data Release Frequency: Quarterly

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/09/2009	Source: EPA/Office of Prevention, Pesticides and Toxic Substances
Date Data Arrived at EDR: 04/16/2009	Telephone: 202-566-1667
Date Made Active in Reports: 05/11/2009	Last EDR Contact: 08/18/2017
Number of Days to Update: 25	Next Scheduled EDR Contact: 12/04/2017
	Data Release Frequency: No Update Planned

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.

Date of Government Version: 04/09/2009	Source: EPA
Date Data Arrived at EDR: 04/16/2009	Telephone: 202-566-1667
Date Made Active in Reports: 05/11/2009	Last EDR Contact: 08/18/2017
Number of Days to Update: 25	Next Scheduled EDR Contact: 12/04/2017
	Data Release Frequency: No Update Planned

MLTS: Material Licensing Tracking System

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 07/29/2021	Source: Nuclear Regulatory Commission
Date Data Arrived at EDR: 08/24/2021	Telephone: 301-415-7169
Date Made Active in Reports: 11/19/2021	Last EDR Contact: 04/18/2022
Number of Days to Update: 87	Next Scheduled EDR Contact: 08/01/2022
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

COAL ASH DOE: Steam-Electric Plant Operation Data

A listing of power plants that store ash in surface ponds.

Date of Government Version: 12/31/2020	Source: Department of Energy
Date Data Arrived at EDR: 11/30/2021	Telephone: 202-586-8719
Date Made Active in Reports: 02/22/2022	Last EDR Contact: 02/28/2022
Number of Days to Update: 84	Next Scheduled EDR Contact: 06/13/2022
	Data Release Frequency: Varies

COAL ASH EPA: Coal Combustion Residues Surface Impoundments List

A listing of coal combustion residues surface impoundments with high hazard potential ratings.

Date of Government Version: 01/12/2017	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/05/2019	Telephone: N/A
Date Made Active in Reports: 11/11/2019	Last EDR Contact: 02/28/2022
Number of Days to Update: 251	Next Scheduled EDR Contact: 06/13/2022
	Data Release Frequency: Varies

PCB TRANSFORMER: PCB Transformer Registration Database

The database of PCB transformer registrations that includes all PCB registration submittals.

Date of Government Version: 09/13/2019	Source: Environmental Protection Agency
Date Data Arrived at EDR: 11/06/2019	Telephone: 202-566-0517
Date Made Active in Reports: 02/10/2020	Last EDR Contact: 05/06/2022
Number of Days to Update: 96	Next Scheduled EDR Contact: 08/15/2022
	Data Release Frequency: Varies

RADINFO: Radiation Information Database

The Radiation Information Database (RADINFO) contains information about facilities that are regulated by U.S. Environmental Protection Agency (EPA) regulations for radiation and radioactivity.

Date of Government Version: 07/01/2019	Source: Environmental Protection Agency
Date Data Arrived at EDR: 07/01/2019	Telephone: 202-343-9775
Date Made Active in Reports: 09/23/2019	Last EDR Contact: 03/28/2022
Number of Days to Update: 84	Next Scheduled EDR Contact: 07/11/2022
	Data Release Frequency: Quarterly

HIST FTTS: FIFRA/TSCA Tracking System Administrative Case Listing

A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/01/2007	Telephone: 202-564-2501
Date Made Active in Reports: 04/10/2007	Last EDR Contact: 12/17/2007
Number of Days to Update: 40	Next Scheduled EDR Contact: 03/17/2008
	Data Release Frequency: No Update Planned

HIST FTTS INSP: FIFRA/TSCA Tracking System Inspection & Enforcement Case Listing

A complete inspection and enforcement case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 10/19/2006
Date Data Arrived at EDR: 03/01/2007
Date Made Active in Reports: 04/10/2007
Number of Days to Update: 40

Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 12/17/2008
Next Scheduled EDR Contact: 03/17/2008
Data Release Frequency: No Update Planned

DOT OPS: Incident and Accident Data

Department of Transportation, Office of Pipeline Safety Incident and Accident data.

Date of Government Version: 01/02/2020
Date Data Arrived at EDR: 01/28/2020
Date Made Active in Reports: 04/17/2020
Number of Days to Update: 80

Source: Department of Transportation, Office of Pipeline Safety
Telephone: 202-366-4595
Last EDR Contact: 04/26/2022
Next Scheduled EDR Contact: 08/08/2022
Data Release Frequency: Quarterly

CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 12/31/2021
Date Data Arrived at EDR: 01/14/2022
Date Made Active in Reports: 03/25/2022
Number of Days to Update: 70

Source: Department of Justice, Consent Decree Library
Telephone: Varies
Last EDR Contact: 04/04/2022
Next Scheduled EDR Contact: 07/18/2022
Data Release Frequency: Varies

BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/2019
Date Data Arrived at EDR: 03/02/2022
Date Made Active in Reports: 03/25/2022
Number of Days to Update: 23

Source: EPA/NTIS
Telephone: 800-424-9346
Last EDR Contact: 03/02/2022
Next Scheduled EDR Contact: 07/04/2022
Data Release Frequency: Biennially

INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2014
Date Data Arrived at EDR: 07/14/2015
Date Made Active in Reports: 01/10/2017
Number of Days to Update: 546

Source: USGS
Telephone: 202-208-3710
Last EDR Contact: 04/05/2022
Next Scheduled EDR Contact: 07/18/2022
Data Release Frequency: Semi-Annually

FUSRAP: Formerly Utilized Sites Remedial Action Program

DOE established the Formerly Utilized Sites Remedial Action Program (FUSRAP) in 1974 to remediate sites where radioactive contamination remained from Manhattan Project and early U.S. Atomic Energy Commission (AEC) operations.

Date of Government Version: 07/26/2021
Date Data Arrived at EDR: 07/27/2021
Date Made Active in Reports: 10/22/2021
Number of Days to Update: 87

Source: Department of Energy
Telephone: 202-586-3559
Last EDR Contact: 04/28/2022
Next Scheduled EDR Contact: 08/15/2022
Data Release Frequency: Varies

UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 08/30/2019
Date Data Arrived at EDR: 11/15/2019
Date Made Active in Reports: 01/28/2020
Number of Days to Update: 74

Source: Department of Energy
Telephone: 505-845-0011
Last EDR Contact: 05/16/2022
Next Scheduled EDR Contact: 08/29/2022
Data Release Frequency: Varies

LEAD SMELTER 1: Lead Smelter Sites

A listing of former lead smelter site locations.

Date of Government Version: 01/25/2022
Date Data Arrived at EDR: 02/03/2022
Date Made Active in Reports: 02/22/2022
Number of Days to Update: 19

Source: Environmental Protection Agency
Telephone: 703-603-8787
Last EDR Contact: 05/05/2022
Next Scheduled EDR Contact: 07/11/2022
Data Release Frequency: Varies

LEAD SMELTER 2: Lead Smelter Sites

A list of several hundred sites in the U.S. where secondary lead smelting was done from 1931 and 1964. These sites may pose a threat to public health through ingestion or inhalation of contaminated soil or dust

Date of Government Version: 04/05/2001
Date Data Arrived at EDR: 10/27/2010
Date Made Active in Reports: 12/02/2010
Number of Days to Update: 36

Source: American Journal of Public Health
Telephone: 703-305-6451
Last EDR Contact: 12/02/2009
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

US AIRS (AFS): Aerometric Information Retrieval System Facility Subsystem (AFS)

The database is a sub-system of Aerometric Information Retrieval System (AIRS). AFS contains compliance data on air pollution point sources regulated by the U.S. EPA and/or state and local air regulatory agencies. This information comes from source reports by various stationary sources of air pollution, such as electric power plants, steel mills, factories, and universities, and provides information about the air pollutants they produce. Action, air program, air program pollutant, and general level plant data. It is used to track emissions and compliance data from industrial plants.

Date of Government Version: 10/12/2016
Date Data Arrived at EDR: 10/26/2016
Date Made Active in Reports: 02/03/2017
Number of Days to Update: 100

Source: EPA
Telephone: 202-564-2496
Last EDR Contact: 09/26/2017
Next Scheduled EDR Contact: 01/08/2018
Data Release Frequency: Annually

US AIRS MINOR: Air Facility System Data

A listing of minor source facilities.

Date of Government Version: 10/12/2016
Date Data Arrived at EDR: 10/26/2016
Date Made Active in Reports: 02/03/2017
Number of Days to Update: 100

Source: EPA
Telephone: 202-564-2496
Last EDR Contact: 09/26/2017
Next Scheduled EDR Contact: 01/08/2018
Data Release Frequency: Annually

MINES VIOLATIONS: MSHA Violation Assessment Data

Mines violation and assessment information. Department of Labor, Mine Safety & Health Administration.

Date of Government Version: 03/21/2022
Date Data Arrived at EDR: 03/22/2022
Date Made Active in Reports: 03/25/2022
Number of Days to Update: 3

Source: DOL, Mine Safety & Health Administration
Telephone: 202-693-9424
Last EDR Contact: 03/14/2022
Next Scheduled EDR Contact: 06/13/2022
Data Release Frequency: Quarterly

US MINES: Mines Master Index File

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 11/02/2021
Date Data Arrived at EDR: 11/22/2021
Date Made Active in Reports: 02/14/2022
Number of Days to Update: 84

Source: Department of Labor, Mine Safety and Health Administration
Telephone: 303-231-5959
Last EDR Contact: 02/23/2022
Next Scheduled EDR Contact: 06/06/2022
Data Release Frequency: Semi-Annually

US MINES 2: Ferrous and Nonferrous Metal Mines Database Listing

This map layer includes ferrous (ferrous metal mines are facilities that extract ferrous metals, such as iron ore or molybdenum) and nonferrous (Nonferrous metal mines are facilities that extract nonferrous metals, such as gold, silver, copper, zinc, and lead) metal mines in the United States.

Date of Government Version: 05/06/2020
Date Data Arrived at EDR: 05/27/2020
Date Made Active in Reports: 08/13/2020
Number of Days to Update: 78

Source: USGS
Telephone: 703-648-7709
Last EDR Contact: 02/24/2022
Next Scheduled EDR Contact: 06/06/2022
Data Release Frequency: Varies

US MINES 3: Active Mines & Mineral Plants Database Listing

Active Mines and Mineral Processing Plant operations for commodities monitored by the Minerals Information Team of the USGS.

Date of Government Version: 04/14/2011
Date Data Arrived at EDR: 06/08/2011
Date Made Active in Reports: 09/13/2011
Number of Days to Update: 97

Source: USGS
Telephone: 703-648-7709
Last EDR Contact: 02/24/2022
Next Scheduled EDR Contact: 06/06/2022
Data Release Frequency: Varies

ABANDONED MINES: Abandoned Mines

An inventory of land and water impacted by past mining (primarily coal mining) is maintained by OSMRE to provide information needed to implement the Surface Mining Control and Reclamation Act of 1977 (SMCRA). The inventory contains information on the location, type, and extent of AML impacts, as well as, information on the cost associated with the reclamation of those problems. The inventory is based upon field surveys by State, Tribal, and OSMRE program officials. It is dynamic to the extent that it is modified as new problems are identified and existing problems are reclaimed.

Date of Government Version: 12/14/2021
Date Data Arrived at EDR: 12/15/2021
Date Made Active in Reports: 03/10/2022
Number of Days to Update: 85

Source: Department of Interior
Telephone: 202-208-2609
Last EDR Contact: 03/04/2022
Next Scheduled EDR Contact: 06/20/2022
Data Release Frequency: Quarterly

FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 11/04/2021
Date Data Arrived at EDR: 11/22/2021
Date Made Active in Reports: 02/25/2022
Number of Days to Update: 95

Source: EPA
Telephone: (214) 665-2200
Last EDR Contact: 05/18/2022
Next Scheduled EDR Contact: 06/13/2022
Data Release Frequency: Quarterly

ECHO: Enforcement & Compliance History Information

ECHO provides integrated compliance and enforcement information for about 800,000 regulated facilities nationwide.

Date of Government Version: 01/01/2022
Date Data Arrived at EDR: 01/04/2022
Date Made Active in Reports: 01/10/2022
Number of Days to Update: 6

Source: Environmental Protection Agency
Telephone: 202-564-2280
Last EDR Contact: 04/05/2022
Next Scheduled EDR Contact: 07/18/2022
Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

UXO: Unexploded Ordnance Sites

A listing of unexploded ordnance site locations

Date of Government Version: 12/31/2020	Source: Department of Defense
Date Data Arrived at EDR: 01/11/2022	Telephone: 703-704-1564
Date Made Active in Reports: 02/14/2022	Last EDR Contact: 04/12/2022
Number of Days to Update: 34	Next Scheduled EDR Contact: 07/25/2022
	Data Release Frequency: Varies

DOCKET HWC: Hazardous Waste Compliance Docket Listing

A complete list of the Federal Agency Hazardous Waste Compliance Docket Facilities.

Date of Government Version: 05/06/2021	Source: Environmental Protection Agency
Date Data Arrived at EDR: 05/21/2021	Telephone: 202-564-0527
Date Made Active in Reports: 08/11/2021	Last EDR Contact: 05/19/2022
Number of Days to Update: 82	Next Scheduled EDR Contact: 09/05/2022
	Data Release Frequency: Varies

FUELS PROGRAM: EPA Fuels Program Registered Listing

This listing includes facilities that are registered under the Part 80 (Code of Federal Regulations) EPA Fuels Programs. All companies now are required to submit new and updated registrations.

Date of Government Version: 02/17/2022	Source: EPA
Date Data Arrived at EDR: 02/17/2022	Telephone: 800-385-6164
Date Made Active in Reports: 05/10/2022	Last EDR Contact: 05/17/2022
Number of Days to Update: 82	Next Scheduled EDR Contact: 08/29/2022
	Data Release Frequency: Quarterly

AIRS: Air Permit List

A listing of facilities with air permits issued by the Air Permits Division

Date of Government Version: 05/13/2022	Source: Department of Environmental Quality
Date Data Arrived at EDR: 05/18/2022	Telephone: 225-219-3417
Date Made Active in Reports: 05/20/2022	Last EDR Contact: 05/04/2022
Number of Days to Update: 2	Next Scheduled EDR Contact: 08/22/2022
	Data Release Frequency: Varies

ASBESTOS: Asbestos Projects List

Asbestos demolition and renovation notification projects locations in the state.

Date of Government Version: 12/31/2020	Source: Department of Environmental Quality
Date Data Arrived at EDR: 04/13/2021	Telephone: 225-219-3181
Date Made Active in Reports: 06/30/2021	Last EDR Contact: 04/14/2022
Number of Days to Update: 78	Next Scheduled EDR Contact: 07/25/2022
	Data Release Frequency: Annually

COAL ASH: Coal Ash Disposal Sites

A listing of coal ash impoundments.

Date of Government Version: 04/10/2018	Source: Department of Environmental Quality
Date Data Arrived at EDR: 04/12/2018	Telephone: 225-219-3168
Date Made Active in Reports: 04/26/2018	Last EDR Contact: 03/31/2022
Number of Days to Update: 14	Next Scheduled EDR Contact: 07/18/2022
	Data Release Frequency: Varies

DRYCLEANERS: Drycleaner Facility Listing

A listing of drycleaner facilities.

Date of Government Version: 01/10/2022	Source: Department of Environmental Quality
Date Data Arrived at EDR: 01/11/2022	Telephone: 225-219-3168
Date Made Active in Reports: 03/29/2022	Last EDR Contact: 04/11/2022
Number of Days to Update: 77	Next Scheduled EDR Contact: 07/25/2022
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Financial Assurance 1: Financial Assurance Information

Financial assurance is intended to ensure that resources are available to pay for the cost of closure, post-closure care, and corrective measures if the owner or operator of a regulated facility is unable or unwilling to pay

Date of Government Version: 04/25/2022	Source: Department of Environmental Quality
Date Data Arrived at EDR: 04/26/2022	Telephone: 225-219-3168
Date Made Active in Reports: 05/03/2022	Last EDR Contact: 04/18/2022
Number of Days to Update: 7	Next Scheduled EDR Contact: 08/01/2022
	Data Release Frequency: Varies

Financial Assurance 2: Financial Assurance Information Listing

Information for solid waste facilities. Financial assurance is intended to ensure that resources are available to pay for the cost of closure, post-closure care, and corrective measures if the owner or operator of a regulated facility is unable or unwilling to pay

Date of Government Version: 04/25/2022	Source: Department of Environmental Quality
Date Data Arrived at EDR: 04/26/2022	Telephone: 225-219-3168
Date Made Active in Reports: 05/03/2022	Last EDR Contact: 04/18/2022
Number of Days to Update: 7	Next Scheduled EDR Contact: 08/01/2022
	Data Release Frequency: Varies

NPDES: LPDES Permits Database

A listing of sites with a Louisiana Pollutant Discharge Elimination System (LPDES) program issued permit.

Date of Government Version: 04/25/2022	Source: Department of Environmental Quality
Date Data Arrived at EDR: 04/26/2022	Telephone: 225-219-3181
Date Made Active in Reports: 05/03/2022	Last EDR Contact: 04/18/2022
Number of Days to Update: 7	Next Scheduled EDR Contact: 08/01/2022
	Data Release Frequency: Varies

REM: Division of Remediation Services Database

Facilities or sites come to the Underground Storage Tank and Remediation Division either through self notification or referral. These sites are designated for remediation via the following regulatory paths: Solid Waste (SW), Hazardous Waste (Haz Waste), Groundwater (Grwater), Inactive & Abandoned Sites (Confirmed or Potential), or Underground Storage Tanks (UST).

Date of Government Version: 01/10/2022	Source: Department of Environmental Quality
Date Data Arrived at EDR: 01/11/2022	Telephone: 225-219-3168
Date Made Active in Reports: 03/30/2022	Last EDR Contact: 04/11/2022
Number of Days to Update: 78	Next Scheduled EDR Contact: 07/25/2022
	Data Release Frequency: Quarterly

UIC: Underground Injection Wells Listing

A listing of underground injection well locations.

Date of Government Version: 12/25/2021	Source: Department of fNatural Resources
Date Data Arrived at EDR: 02/23/2022	Telephone: 225-342-5515
Date Made Active in Reports: 05/20/2022	Last EDR Contact: 02/23/2022
Number of Days to Update: 86	Next Scheduled EDR Contact: 06/06/2022
	Data Release Frequency: Varies

PCS ENF: Enforcement data

No description is available for this data

Date of Government Version: 12/31/2014	Source: EPA
Date Data Arrived at EDR: 02/05/2015	Telephone: 202-564-2497
Date Made Active in Reports: 03/06/2015	Last EDR Contact: 03/31/2022
Number of Days to Update: 29	Next Scheduled EDR Contact: 07/18/2022
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

MINES MRDS: Mineral Resources Data System Mineral Resources Data System

Date of Government Version: 04/06/2018	Source: USGS
Date Data Arrived at EDR: 10/21/2019	Telephone: 703-648-6533
Date Made Active in Reports: 10/24/2019	Last EDR Contact: 02/24/2022
Number of Days to Update: 3	Next Scheduled EDR Contact: 06/06/2022
	Data Release Frequency: Varies

PCS INACTIVE: Listing of Inactive PCS Permits

An inactive permit is a facility that has shut down or is no longer discharging.

Date of Government Version: 11/05/2014	Source: EPA
Date Data Arrived at EDR: 01/06/2015	Telephone: 202-564-2496
Date Made Active in Reports: 05/06/2015	Last EDR Contact: 03/31/2022
Number of Days to Update: 120	Next Scheduled EDR Contact: 07/18/2022
	Data Release Frequency: Semi-Annually

PCS: Permit Compliance System

PCS is a computerized management information system that contains data on National Pollutant Discharge Elimination System (NPDES) permit holding facilities. PCS tracks the permit, compliance, and enforcement status of NPDES facilities.

Date of Government Version: 07/14/2011	Source: EPA, Office of Water
Date Data Arrived at EDR: 08/05/2011	Telephone: 202-564-2496
Date Made Active in Reports: 09/29/2011	Last EDR Contact: 03/31/2022
Number of Days to Update: 55	Next Scheduled EDR Contact: 07/18/2022
	Data Release Frequency: Semi-Annually

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP: EDR Proprietary Manufactured Gas Plants

The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A	Source: EDR, Inc.
Date Data Arrived at EDR: N/A	Telephone: N/A
Date Made Active in Reports: N/A	Last EDR Contact: N/A
Number of Days to Update: N/A	Next Scheduled EDR Contact: N/A
	Data Release Frequency: No Update Planned

EDR Hist Auto: EDR Exclusive Historical Auto Stations

EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A	Source: EDR, Inc.
Date Data Arrived at EDR: N/A	Telephone: N/A
Date Made Active in Reports: N/A	Last EDR Contact: N/A
Number of Days to Update: N/A	Next Scheduled EDR Contact: N/A
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

EDR Hist Cleaner: EDR Exclusive Historical Cleaners

EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A	Source: EDR, Inc.
Date Data Arrived at EDR: N/A	Telephone: N/A
Date Made Active in Reports: N/A	Last EDR Contact: N/A
Number of Days to Update: N/A	Next Scheduled EDR Contact: N/A
	Data Release Frequency: Varies

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

RGA HWS: Recovered Government Archive State Hazardous Waste Facilities List

The EDR Recovered Government Archive State Hazardous Waste database provides a list of SHWS incidents derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Environmental Quality in Louisiana.

Date of Government Version: N/A	Source: Department of Environmental Quality
Date Data Arrived at EDR: 07/01/2013	Telephone: N/A
Date Made Active in Reports: 01/03/2014	Last EDR Contact: 06/01/2012
Number of Days to Update: 186	Next Scheduled EDR Contact: N/A
	Data Release Frequency: Varies

RGA LF: Recovered Government Archive Solid Waste Facilities List

The EDR Recovered Government Archive Landfill database provides a list of landfills derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Environmental Quality in Louisiana.

Date of Government Version: N/A	Source: Department of Environmental Quality
Date Data Arrived at EDR: 07/01/2013	Telephone: N/A
Date Made Active in Reports: 01/15/2014	Last EDR Contact: 06/01/2012
Number of Days to Update: 198	Next Scheduled EDR Contact: N/A
	Data Release Frequency: Varies

RGA LUST: Recovered Government Archive Leaking Underground Storage Tank

The EDR Recovered Government Archive Leaking Underground Storage Tank database provides a list of LUST incidents derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Environmental Quality in Louisiana.

Date of Government Version: N/A	Source: Department of Environmental Quality
Date Data Arrived at EDR: 07/01/2013	Telephone: N/A
Date Made Active in Reports: 01/03/2014	Last EDR Contact: 06/01/2012
Number of Days to Update: 186	Next Scheduled EDR Contact: N/A
	Data Release Frequency: Varies

OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

CT MANIFEST: Hazardous Waste Manifest Data

Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 12/03/2021
Date Data Arrived at EDR: 02/11/2022
Date Made Active in Reports: 05/06/2022
Number of Days to Update: 84

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3375
Last EDR Contact: 05/09/2022
Next Scheduled EDR Contact: 08/22/2022
Data Release Frequency: No Update Planned

NY MANIFEST: Facility and Manifest Data

Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 01/01/2019
Date Data Arrived at EDR: 10/29/2021
Date Made Active in Reports: 01/19/2022
Number of Days to Update: 82

Source: Department of Environmental Conservation
Telephone: 518-402-8651
Last EDR Contact: 04/28/2022
Next Scheduled EDR Contact: 08/08/2022
Data Release Frequency: Quarterly

PA MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 06/30/2018
Date Data Arrived at EDR: 07/19/2019
Date Made Active in Reports: 09/10/2019
Number of Days to Update: 53

Source: Department of Environmental Protection
Telephone: 717-783-8990
Last EDR Contact: 04/08/2022
Next Scheduled EDR Contact: 07/25/2022
Data Release Frequency: Annually

WI MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 05/31/2018
Date Data Arrived at EDR: 06/19/2019
Date Made Active in Reports: 09/03/2019
Number of Days to Update: 76

Source: Department of Natural Resources
Telephone: N/A
Last EDR Contact: 03/02/2022
Next Scheduled EDR Contact: 06/20/2022
Data Release Frequency: Annually

Oil/Gas Pipelines

Source: Endeavor Business Media

Petroleum Bundle (Crude Oil, Refined Products, Petrochemicals, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)) N = Natural Gas Bundle (Natural Gas, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)). This map includes information copyrighted by Endeavor Business Media. This information is provided on a best effort basis and Endeavor Business Media does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of Endeavor Business Media.

Electric Power Transmission Line Data

Source: Endeavor Business Media

This map includes information copyrighted by Endeavor Business Media. This information is provided on a best effort basis and Endeavor Business Media does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of Endeavor Business Media.

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

AHA Hospitals:

Source: American Hospital Association, Inc.
Telephone: 312-280-5991

The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Medical Centers: Provider of Services Listing

Source: Centers for Medicare & Medicaid Services

Telephone: 410-786-3000

A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services.

Nursing Homes

Source: National Institutes of Health

Telephone: 301-594-6248

Information on Medicare and Medicaid certified nursing homes in the United States.

Public Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.

Private Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on private school locations in the United States.

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.

Source: FEMA

Telephone: 877-336-2627

Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

Current USGS 7.5 Minute Topographic Map

Source: U.S. Geological Survey

STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

GEOCHECK[®] - PHYSICAL SETTING SOURCE ADDENDUM

TARGET PROPERTY ADDRESS

HARGRODER SITE
DEGEYTER ROAD
BREAUX BRIDGE, LA 70517

TARGET PROPERTY COORDINATES

Latitude (North):	30.292075 - 30° 17' 31.47"
Longitude (West):	91.924182 - 91° 55' 27.06"
Universal Tranverse Mercator:	Zone 15
UTM X (Meters):	603460.1
UTM Y (Meters):	3351459.2
Elevation:	25 ft. above sea level

USGS TOPOGRAPHIC MAP

Target Property Map:	16395669 BREAUX BRIDGE, LA
Version Date:	2020

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principle investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General South

SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

FEMA FLOOD ZONE

<u>Flood Plain Panel at Target Property</u>	<u>FEMA Source Type</u>
22099C0120H	FEMA FIRM Flood data
<u>Additional Panels in search area:</u>	<u>FEMA Source Type</u>
22099C0125H	FEMA FIRM Flood data

NATIONAL WETLAND INVENTORY

<u>NWI Quad at Target Property</u>	<u>NWI Electronic Data Coverage</u>
BREAUX BRIDGE	YES - refer to the Overview Map and Detail Map

HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Site-Specific Hydrogeological Data*:

Search Radius:	1.25 miles
Status:	Not found

AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

<u>MAP ID</u>	<u>LOCATION FROM TP</u>	<u>GENERAL DIRECTION GROUNDWATER FLOW</u>
Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

ROCK STRATIGRAPHIC UNIT


Era:	Cenozoic
System:	Quaternary
Series:	Holocene
Code:	Qh <i>(decoded above as Era, System & Series)</i>

GEOLOGIC AGE IDENTIFICATION

Category: Stratified Sequence

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

SSURGO SOIL MAP - 6991547.2s



- ★ Target Property
- SSURGO Soil
- Water



SITE NAME: Hargroder Site
ADDRESS: Degeyter Road
Breaux Bridge LA 70517
LAT/LONG: 30.292075 / 91.924182

CLIENT: Chenier Environmental Consulting
CONTACT: Aaron Bass
INQUIRY #: 6991547.2s
DATE: May 23, 2022 4:09 pm

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. The following information is based on Soil Conservation Service SSURGO data.

Soil Map ID: 1

Soil Component Name: Dundee

Soil Surface Texture: silt loam

Hydrologic Group: Class C - Slow infiltration rates. Soils with layers impeding downward movement of water, or soils with moderately fine or fine textures.

Soil Drainage Class: Somewhat poorly drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: High

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 77 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	7 inches	silt loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay Soils.	Max: 14.11 Min: 4.23	Max: 7.3 Min: 4.5
2	7 inches	42 inches	silty clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay Soils.	Max: 14.11 Min: 4.23	Max: 7.3 Min: 4.5
3	42 inches	70 inches	silt loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay Soils.	Max: 14.11 Min: 4.23	Max: 7.3 Min: 4.5

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Map ID: 2

Soil Component Name: Gallion

Soil Surface Texture: silt loam

Hydrologic Group: Class B - Moderate infiltration rates. Deep and moderately deep, moderately well and well drained soils with moderately coarse textures.

Soil Drainage Class: Well drained

Hydric Status: Partially hydric

Corrosion Potential - Uncoated Steel: Moderate

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 31 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	5 inches	silt loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay Soils.	Max: 14.11 Min: 4.23	Max: 8.4 Min: 5.6
2	5 inches	40 inches	silty clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay Soils.	Max: 14.11 Min: 4.23	Max: 8.4 Min: 5.6
3	40 inches	59 inches	sr to silty clay loam to very fine sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay Soils.	Max: 14.11 Min: 4.23	Max: 8.4 Min: 5.6

Soil Map ID: 3

Soil Component Name: Tensas

Soil Surface Texture: silty clay loam

Hydrologic Group: Class D - Very slow infiltration rates. Soils are clayey, have a high water table, or are shallow to an impervious layer.

Soil Drainage Class: Somewhat poorly drained

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: High

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 61 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	11 inches	silty clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay	Max: 14.11 Min: 1.41	Max: 7.3 Min: 5.1
2	11 inches	43 inches	clay	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay	Max: 14.11 Min: 1.41	Max: 7.3 Min: 5.1
3	43 inches	79 inches	very fine sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay	Max: 14.11 Min: 1.41	Max: 7.3 Min: 5.1

Soil Map ID: 4

Soil Component Name: Water, large

Soil Surface Texture: silty clay loam

Hydrologic Group: Class D - Very slow infiltration rates. Soils are clayey, have a high water table, or are shallow to an impervious layer.

Soil Drainage Class:
Hydric Status: Unknown

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

No Layer Information available.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

WELL SEARCH DISTANCE INFORMATION

<u>DATABASE</u>	<u>SEARCH DISTANCE (miles)</u>
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 1 mile
State Database	1.000

FEDERAL USGS WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
A1	USGS40000394864	1/8 - 1/4 Mile SSE
J79	USGS40000394790	1/2 - 1 Mile WSW
K83	USGS40000394916	1/2 - 1 Mile West

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
No PWS System Found		

Note: PWS System location is not always the same as well location.

STATE DATABASE WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
A2	LATD60000111564	1/8 - 1/4 Mile SSE
3	LATD60000184123	1/4 - 1/2 Mile SSW
4	LATD60000111563	1/4 - 1/2 Mile East
5	LATD60000109610	1/4 - 1/2 Mile SE
B6	LATD60000204164	1/2 - 1 Mile East
B7	LATD60000112625	1/2 - 1 Mile East
B8	LATD60000112626	1/2 - 1 Mile East
B9	LATD60000112630	1/2 - 1 Mile East
B10	LATD60000110350	1/2 - 1 Mile East
B11	LATD60000110284	1/2 - 1 Mile East
B12	LATD60000110283	1/2 - 1 Mile East
B13	LATD60000110282	1/2 - 1 Mile East
B14	LATD60000110349	1/2 - 1 Mile East
B15	LATD60000110348	1/2 - 1 Mile East
B16	LATD60000110347	1/2 - 1 Mile East
C17	LATD60000172469	1/2 - 1 Mile NE
B18	LATD60000132071	1/2 - 1 Mile East
C19	LATD60000112632	1/2 - 1 Mile NE

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
C20	LATD60000156432	1/2 - 1 Mile NE
C21	LATD60000179294	1/2 - 1 Mile NE
C22	LATD60000112631	1/2 - 1 Mile NE
C23	LATD60000110406	1/2 - 1 Mile NE
C24	LATD60000110407	1/2 - 1 Mile NE
C25	LATD60000110408	1/2 - 1 Mile NE
C26	LATD60000109712	1/2 - 1 Mile NE
C27	LATD60000109387	1/2 - 1 Mile NE
C28	LATD60000109383	1/2 - 1 Mile NE
C29	LATD60000109796	1/2 - 1 Mile NE
C30	LATD60000110341	1/2 - 1 Mile NE
C31	LATD60000110241	1/2 - 1 Mile NE
C32	LATD60000109952	1/2 - 1 Mile NE
C33	LATD60000212019	1/2 - 1 Mile NE
C34	LATD60000211829	1/2 - 1 Mile NE
C35	LATD60000214696	1/2 - 1 Mile NE
C36	LATD60000214695	1/2 - 1 Mile NE
C37	LATD60000172470	1/2 - 1 Mile NE
C38	LATD60000112559	1/2 - 1 Mile NE
B39	LATD60000195610	1/2 - 1 Mile East
B40	LATD60000195611	1/2 - 1 Mile East
C41	LATD60000114132	1/2 - 1 Mile NE
C42	LATD60000112493	1/2 - 1 Mile NE
C43	LATD60000173011	1/2 - 1 Mile NE
C44	LATD60000172468	1/2 - 1 Mile NE
C45	LATD60000109279	1/2 - 1 Mile NE
C46	LATD60000109278	1/2 - 1 Mile NE
C47	LATD60000110306	1/2 - 1 Mile NE
C48	LATD60000109538	1/2 - 1 Mile NE
C49	LATD60000112722	1/2 - 1 Mile NE
C50	LATD60000110081	1/2 - 1 Mile NE
51	LATD60000110977	1/2 - 1 Mile SSW
B52	LATD60000106623	1/2 - 1 Mile East
B53	LATD60000212048	1/2 - 1 Mile East
54	LATD60000212627	1/2 - 1 Mile WNW
C55	LATD60000172467	1/2 - 1 Mile NE
D56	LATD60000209151	1/2 - 1 Mile WSW
C57	LATD60000178936	1/2 - 1 Mile NE
D58	LATD60000113406	1/2 - 1 Mile WSW
E59	LATD60000112231	1/2 - 1 Mile NE
E60	LATD60000111911	1/2 - 1 Mile NE
E61	LATD60000112156	1/2 - 1 Mile NE
62	LATD60000113821	1/2 - 1 Mile NNE
63	LATD60000112556	1/2 - 1 Mile SE
64	LATD60000183906	1/2 - 1 Mile West
F65	LATD60000197336	1/2 - 1 Mile SW
G66	LATD60000112406	1/2 - 1 Mile SW
G67	LATD60000112407	1/2 - 1 Mile SW
68	LATD60000109651	1/2 - 1 Mile WSW
F69	LATD60000195575	1/2 - 1 Mile SW
H70	LATD60000113505	1/2 - 1 Mile ESE
H71	LATD60000112146	1/2 - 1 Mile ESE

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

STATE DATABASE WELL INFORMATION


MAP ID	WELL ID	LOCATION FROM TP
H72	LATD60000113760	1/2 - 1 Mile ESE
H73	LATD60000113762	1/2 - 1 Mile ESE
H74	LATD60000113761	1/2 - 1 Mile ESE
I75	LATD60000210121	1/2 - 1 Mile South
76	LATD60000185383	1/2 - 1 Mile SW
I77	LATD60000110879	1/2 - 1 Mile South
78	LATD60000111252	1/2 - 1 Mile NE
J80	LATD60000109793	1/2 - 1 Mile WSW
J81	LATD60000114227	1/2 - 1 Mile WSW
K82	LATD60000110261	1/2 - 1 Mile West
84	LATD60000110442	1/2 - 1 Mile SSW
L85	LATD60000211818	1/2 - 1 Mile SSW
86	LATD60000181580	1/2 - 1 Mile SSE
87	LATD60000201157	1/2 - 1 Mile SW
M88	LATD60000166959	1/2 - 1 Mile NW
M89	LATD60000166960	1/2 - 1 Mile NW
90	LATD60000111615	1/2 - 1 Mile ESE
L91	LATD60000071481	1/2 - 1 Mile SSW

OTHER STATE DATABASE INFORMATION

STATE OIL/GAS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
1	LAOG12000152787	1/4 - 1/2 Mile SSE
2	LAOG12000091363	1/4 - 1/2 Mile SE
A3	LAOG12000090603	1/2 - 1 Mile SSW
B4	LAOG12000225315	1/2 - 1 Mile SW
B6	LAOG12000092453	1/2 - 1 Mile SW
B5	LAOG12000092284	1/2 - 1 Mile SW
7	LAOG12000210326	1/2 - 1 Mile South
A8	LAOG12000094119	1/2 - 1 Mile SSW
C9	LAOG12000083554	1/2 - 1 Mile SE
10	LAOG12000081347	1/2 - 1 Mile SSE
C11	LAOG12000098269	1/2 - 1 Mile SE
12	LAOG12000083091	1/2 - 1 Mile WSW
D13	LAOG12000232312	1/2 - 1 Mile SSE
D14	LAOG12000162846	1/2 - 1 Mile SSE
E15	LAOG12000083508	1/2 - 1 Mile SSE
E16	LAOG12000171001	1/2 - 1 Mile SSE
17	LAOG12000116171	1/2 - 1 Mile South
F19	LAOG12000238753	1/2 - 1 Mile SW
F18	LAOG12000067484	1/2 - 1 Mile SW
20	LAOG12000083524	1/2 - 1 Mile South
G22	LAOG12000210442	1/2 - 1 Mile SE
G21	LAOG12000180357	1/2 - 1 Mile SE
G23	LAOG12000240209	1/2 - 1 Mile SE
24	LAOG12000129534	1/2 - 1 Mile WNW
H25	LAOG12000060841	1/2 - 1 Mile SE
26	LAOG12000231927	1/2 - 1 Mile SSW
27	LAOG12000211459	1/2 - 1 Mile WSW
H28	LAOG12000179679	1/2 - 1 Mile SE

PHYSICAL SETTING SOURCE MAP - 6991547.2s



- County Boundary
- Major Roads
- Contour Lines
- Airports
- Earthquake epicenter, Richter 5 or greater
- Water Wells
- Public Water Supply Wells
- Cluster of Multiple Icons



- Groundwater Flow Direction
- Indeterminate Groundwater Flow at Location
- Groundwater Flow Varies at Location
- Closest Hydrogeological Data
- Oil, gas or related wells



SITE NAME: Hargroder Site
 ADDRESS: Degeyer Road
 Breaux Bridge LA 70517
 LAT/LONG: 30.292075 / 91.924182

CLIENT: Chenier Environmental Consulting
 CONTACT: Aaron Bass
 INQUIRY #: 6991547.2s
 DATE: May 23, 2022 4:09 pm

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

A1
SSE
1/8 - 1/4 Mile
Lower

FED USGS USGS40000394864

Organization ID:	USGS-LA	Organization Name:	USGS Louisiana Water Science Center
Monitor Location:	SMn-5177Z	Type:	Well
Description:	Not Reported	HUC:	08080103
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Coastal lowlands aquifer system	Aquifer Type:	Not Reported
Formation Type:	Atchafalaya Aquifer	Well Depth:	170
Construction Date:	19850411	Well Hole Depth:	170
Well Depth Units:	ft		
Well Hole Depth Units:	ft		

Ground water levels,Number of Measurements:	1	Level reading date:	1985-04-11
Feet below surface:	25.	Feet to sea level:	Not Reported
Note:	Not Reported		

A2
SSE
1/8 - 1/4 Mile
Lower

LA WELLS LATD60000111564

Well ID:	099-5177Z	Local Well #:	5177Z
Well Use:	domestic	Sub-use:	Not Reported
Well Status:	Active	Seq #:	01
Owner:	HULIN, MABLE L	Well Depth:	170
Date Drilled:	04/85	Geo Unit:	112ACFL
Mechanic Test:	Not Reported	Chemical Analysis:	Not Reported
Bio Analysis:	Not Reported	Pump Test:	Not Reported
Driller:	CORMIER'S	Driller #:	043
Hole Depth:	170	Elevation:	Not Reported
Depth From Surface:	25.00	Measured Date:	04/11/85
Date Added by Agency:	1996-05-09	Date Registered by Agency:	04/85
Date Plugged:	Not Reported	Plugged By:	Not Reported
Yield on Pump Test:	Not Reported	Drawdown on Test:	Not Reported
Casing Diameter:	2	Casing Material:	PLASTIC
Screen Diameter:	2	Screen Interval:	164-170
Assoc Well Serial #:	Not Reported	Well Name:	Not Reported
Comments:	Not Reported	Pumpdown Method:	Not Reported
Extension Pipe Length:	Not Reported	Top of Extension Pipe:	Not Reported
Bottom of Extension Pipe:	Not Reported	Screen Material Type:	Not Reported
Gravel Packed:	N	Ground Elevation:	Not Reported
Screen Diameter:	Not Reported	Remarks:	Not Reported
Avg Heat Pump Depth:	0	Heat Pump Hole #:	Not Reported
Annular Space Cemented Depth:	Not Reported	Screen interval Length:	Not Reported
Screen Slot Size:	Not Reported	Inspection Comments:	Not Reported
Pump Depth:	Not Reported	Pump Horse Power:	Not Reported
Planned Pumpage (GPM):	0	Planned Pumpage (hr/day):	0
Planned Pumpage (days/yr):	Not Reported	Pump Rate (Gal/day):	Not Reported
Measured Method:	Not Reported	Hrs of Test:	Not Reported
Pump Test Date:	0	Static Water Level:	Not Reported
Static Measurement Method:	Not Reported	Water Level Post-Test:	Not Reported
Pump Test Done:	Not Reported	Cementing Method:	Not Reported
P and A Comments:	Not Reported	P and A Details:	Not Reported
Casing Length:	Not Reported	Driller Owner:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Owner ID: 0

3
SSW
1/4 - 1/2 Mile
Higher

LA WELLS LATD60000184123

Well ID:	099-7572Z	Local Well #:	7572Z
Well Use:	domestic	Sub-use:	Not Reported
Well Status:	Active	Seq #:	00
Owner:	MIKE COMEAUX	Well Depth:	190
Date Drilled:	5/16/11	Geo Unit:	112ACFL
Mechanic Test:	N	Chemical Analysis:	N
Bio Analysis:	N	Pump Test:	N
Driller:	HUVAL, BRIAN , WATER WELL DRILLING		
Driller #:	426	Hole Depth:	190
Elevation:	0020	Depth From Surface:	27
Measured Date:	5-16-11	Date Added by Agency:	Not Reported
Date Registered by Agency:	5-18-11	Date Plugged:	Not Reported
Plugged By:	Not Reported	Yield on Pump Test:	Not Reported
Drawdown on Test:	Not Reported	Casing Diameter:	2
Casing Material:	PLASTIC	Screen Diameter:	2
Screen Interval:	Not Reported	Assoc Well Serial #:	Not Reported
Well Name:	Not Reported	Comments:	Not Reported
Pumpdown Method:	Not Reported	Extension Pipe Length:	Not Reported
Top of Extension Pipe:	Not Reported	Bottom of Extension Pipe:	Not Reported
Screen Material Type:	PLASTIC	Gravel Packed:	N
Ground Elevation:	Not Reported	Screen Diameter:	Not Reported
Remarks:	WWC 618 SUBCONTRACTOR		
Heat Pump Hole #:	Not Reported	Avg Heat Pump Depth:	0
Screen interval Length:	5	Annular Space Cemented Depth:	10
Inspection Comments:	26-MAY-11	Screen Slot Size:	14
Pump Horse Power:	Not Reported	Pump Depth:	Not Reported
Planned Pumpage (hr/day):	0	Planned Pumpage (GPM):	0
Pump Rate (Gal/day):	Not Reported	Planned Pumpage (days/yr):	Not Reported
Hrs of Test:	Not Reported	Measured Method:	Not Reported
Static Water Level:	Not Reported	Pump Test Date:	0
Water Level Post-Test:	Not Reported	Static Measurement Method:	Not Reported
Cementing Method:	G	Pump Test Done:	Not Reported
P and A Details:	Not Reported	P and A Comments:	Not Reported
Driller Owner:	HUVAL, BRIAN J.	Casing Length:	185
		Owner ID:	9849

4
East
1/4 - 1/2 Mile
Lower

LA WELLS LATD60000111563

Well ID:	099-5175Z	Local Well #:	5175Z
Well Use:	plugged and abandoned domestic	Well Status:	Plugged and Abandoned
Sub-use:	Plugged	Owner:	HULIN, MABLE L
Seq #:	01	Date Drilled:	Not Reported
Well Depth:	170	Mechanic Test:	Not Reported
Geo Unit:	112ACFL	Bio Analysis:	Not Reported
Chemical Analysis:	Not Reported	Driller:	UNKNOWN
Pump Test:	Not Reported	Hole Depth:	170
Driller #:	000	Depth From Surface:	0.00
Elevation:	Not Reported	Date Added by Agency:	1993-12-15
Measured Date:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Date Registered by Agency:	Not Reported	Date Plugged:	04/85
Plugged By:	CORMIER'S	Yield on Pump Test:	Not Reported
Drawdown on Test:	Not Reported	Casing Diameter:	Not Reported
Casing Material:	Not Reported	Screen Diameter:	Not Reported
Screen Interval:	Not Reported	Assoc Well Serial #:	Not Reported
Well Name:	Not Reported	Comments:	Not Reported
Pumpdown Method:	Not Reported	Extension Pipe Length:	Not Reported
Top of Extension Pipe:	Not Reported	Bottom of Extension Pipe:	Not Reported
Screen Material Type:	Not Reported	Gravel Packed:	N
Ground Elevation:	Not Reported	Screen Diameter:	Not Reported
Remarks:	Not Reported	Avg Heat Pump Depth:	0
Heat Pump Hole #:	Not Reported	Annular Space Cemented Depth:	Not Reported
Screen interval Length:	Not Reported	Screen Slot Size:	Not Reported
Inspection Comments:	Not Reported	Pump Depth:	Not Reported
Pump Horse Power:	Not Reported	Planned Pumpage (GPM):	0
Planned Pumpage (hr/day):	0	Planned Pumpage (days/yr):	Not Reported
Pump Rate (Gal/day):	Not Reported	Measured Method:	Not Reported
Hrs of Test:	Not Reported	Pump Test Date:	0
Static Water Level:	Not Reported	Static Measurement Method:	Not Reported
Water Level Post-Test:	Not Reported	Pump Test Done:	Not Reported
Cementing Method:	Not Reported	P and A Comments:	Not Reported
P and A Details:	Not Reported	Casing Length:	Not Reported
Driller Owner:	Not Reported	Owner ID:	0

**5
SE
1/4 - 1/2 Mile
Lower**

LA WELLS LATD60000109610

Well ID:	099-5332Z	Local Well #:	5332Z
Well Use:	plugged and abandoned rig supply	Well Status:	Plugged and Abandoned
Sub-use:	Plugged	Owner:	GREAT SOUTHERN
Seq #:	01	Date Drilled:	08/84
Well Depth:	133	Mechanic Test:	Not Reported
Geo Unit:	112ACFL	Bio Analysis:	Not Reported
Chemical Analysis:	Not Reported	Driller:	H2O
Pump Test:	Not Reported	Hole Depth:	133
Driller #:	236	Depth From Surface:	0.00
Elevation:	25	Date Added by Agency:	2001-03-21
Measured Date:	Not Reported	Date Plugged:	02/85
Date Registered by Agency:	09/84	Yield on Pump Test:	Not Reported
Plugged By:	H2O	Casing Diameter:	4
Drawdown on Test:	Not Reported	Screen Diameter:	4
Casing Material:	PLASTIC	Assoc Well Serial #:	193378
Screen Interval:	113-133	Comments:	Not Reported
Well Name:	Not Reported	Extension Pipe Length:	Not Reported
Pumpdown Method:	Not Reported	Bottom of Extension Pipe:	Not Reported
Top of Extension Pipe:	Not Reported	Gravel Packed:	N
Screen Material Type:	Not Reported	Screen Diameter:	Not Reported
Ground Elevation:	Not Reported	Avg Heat Pump Depth:	0
Remarks:	Not Reported	Annular Space Cemented Depth:	Not Reported
Heat Pump Hole #:	Not Reported	Screen Slot Size:	Not Reported
Screen interval Length:	Not Reported	Pump Depth:	Not Reported
Inspection Comments:	Not Reported	Planned Pumpage (GPM):	0
Pump Horse Power:	Not Reported	Planned Pumpage (days/yr):	Not Reported
Planned Pumpage (hr/day):	0	Measured Method:	Not Reported
Pump Rate (Gal/day):	Not Reported	Pump Test Date:	0
Hrs of Test:	Not Reported	Static Measurement Method:	Not Reported
Static Water Level:	Not Reported	Pump Test Done:	Not Reported
Water Level Post-Test:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Cementing Method:	Not Reported	P and A Comments:	Not Reported
P and A Details:	Not Reported	Casing Length:	Not Reported
Driller Owner:	Not Reported	Owner ID:	0

**B6
East
1/2 - 1 Mile
Higher**

LA WELLS LATD60000204164

Well ID:	099-7634Z	Local Well #:	7634Z
Well Use:	monitor	Sub-use:	Not Reported
Well Status:	Plugged and Abandoned	Seq #:	00
Owner:	MAPCO EXPRESS	Well Depth:	20
Date Drilled:	12/29/2012	Geo Unit:	112MRVAC
Mechanic Test:	N	Chemical Analysis:	N
Bio Analysis:	N	Pump Test:	N
Driller:	SAMPLE SOLUTIONS LLC	Driller #:	667
Hole Depth:	20	Elevation:	0024
Depth From Surface:	11.21	Measured Date:	12-29-12
Date Added by Agency:	Not Reported	Date Registered by Agency:	2-15-12
Date Plugged:	9-5-12	Plugged By:	Not Reported
Yield on Pump Test:	Not Reported	Drawdown on Test:	Not Reported
Casing Diameter:	4	Casing Material:	PLASTIC
Screen Diameter:	4	Screen Interval:	Not Reported
Assoc Well Serial #:	Not Reported	Well Name:	MW-1
Comments:	Not Reported	Pumpdown Method:	Not Reported
Extension Pipe Length:	Not Reported	Top of Extension Pipe:	Not Reported
Bottom of Extension Pipe:	Not Reported	Screen Material Type:	PLASTIC
Gravel Packed:	N	Ground Elevation:	Not Reported
Screen Diameter:	Not Reported	Remarks:	Not Reported
Avg Heat Pump Depth:	0	Heat Pump Hole #:	Not Reported
Annular Space Cemented Depth:	5.5	Screen interval Length:	10
Screen Slot Size:	.010	Inspection Comments:	Not Reported
Pump Depth:	Not Reported	Pump Horse Power:	Not Reported
Planned Pumpage (GPM):	0	Planned Pumpage (hr/day):	0
Planned Pumpage (days/yr):	Not Reported	Pump Rate (Gal/day):	Not Reported
Measured Method:	Not Reported	Hrs of Test:	Not Reported
Pump Test Date:	0	Static Water Level:	Not Reported
Static Measurement Method:	Not Reported	Water Level Post-Test:	Not Reported
Pump Test Done:	Not Reported	Cementing Method:	G

P and A Comments: Not Reported
P and A Details: WELL CASING AND SCREEN WAS PULLED FROM BOREHOLE. BOREHOLE WAS GROUTED WITH A CEMENT B SLURRY PUMPED FROM BOTTOM TO TOP BY TREMIE METHOD. SURFACE COMPLETION WAS REMOVED AND WITH CONCRETE.

Casing Length:	10	Driller Owner:	Not Reported
Owner ID:	28267		

**B7
East
1/2 - 1 Mile
Higher**

LA WELLS LATD60000112625

Well ID:	099-6192Z	Local Well #:	6192Z
Well Use:	plugged and abandoned monitor	Well Status:	Plugged and Abandoned
Sub-use:	Plugged	Owner:	MAPCO PETRO
Seq #:	08	Date Drilled:	08/93
Well Depth:	16	Mechanic Test:	Not Reported
Geo Unit:	112MRVAC		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Chemical Analysis:	Not Reported	Bio Analysis:	Not Reported
Pump Test:	Not Reported	Driller:	GRIFFITH, TOM
Driller #:	058	Hole Depth:	16
Elevation:	24	Depth From Surface:	8.98
Measured Date:	08/26/93	Date Added by Agency:	2002-09-03
Date Registered by Agency:	10/93	Date Plugged:	08/02
Plugged By:	SOIL TESTING	Yield on Pump Test:	Not Reported
Drawdown on Test:	Not Reported	Casing Diameter:	4
Casing Material:	PLASTIC	Screen Diameter:	4
Screen Interval:	1-16	Assoc Well Serial #:	3137
Well Name:	MW-8		
Comments:	2099 REES STREET, BREAUX BRIDGE, LOUISIANA		
Pumpdown Method:	Not Reported	Extension Pipe Length:	Not Reported
Top of Extension Pipe:	Not Reported	Bottom of Extension Pipe:	Not Reported
Screen Material Type:	Not Reported	Gravel Packed:	N
Ground Elevation:	Not Reported	Screen Diameter:	Not Reported
Remarks:	Not Reported	Avg Heat Pump Depth:	0
Heat Pump Hole #:	Not Reported	Annular Space Cemented Depth:	Not Reported
Screen interval Length:	Not Reported	Screen Slot Size:	Not Reported
Inspection Comments:	Not Reported	Pump Depth:	Not Reported
Pump Horse Power:	Not Reported	Planned Pumpage (GPM):	0
Planned Pumpage (hr/day):	0	Planned Pumpage (days/yr):	Not Reported
Pump Rate (Gal/day):	Not Reported	Measured Method:	Not Reported
Hrs of Test:	Not Reported	Pump Test Date:	0
Static Water Level:	Not Reported	Static Measurement Method:	Not Reported
Water Level Post-Test:	Not Reported	Pump Test Done:	Not Reported
Cementing Method:	Not Reported	P and A Comments:	Not Reported
P and A Details:	Not Reported	Casing Length:	Not Reported
Driller Owner:	Not Reported	Owner ID:	0

**B8
East
1/2 - 1 Mile
Higher**

LA WELLS LATD60000112626

Well ID:	099-6193Z	Local Well #:	6193Z
Well Use:	destroyed monitor	Sub-use:	Destroyed
Well Status:	Destroyed	Seq #:	09
Owner:	MAPCO PETRO	Well Depth:	16
Date Drilled:	08/93	Geo Unit:	112MRVAC
Mechanic Test:	Not Reported	Chemical Analysis:	Not Reported
Bio Analysis:	Not Reported	Pump Test:	Not Reported
Driller:	GRIFFITH, TOM	Driller #:	058
Hole Depth:	16	Elevation:	24
Depth From Surface:	8.05	Measured Date:	08/26/93
Date Added by Agency:	2000-07-28	Date Registered by Agency:	10/93
Date Plugged:	Not Reported	Plugged By:	Not Reported
Yield on Pump Test:	Not Reported	Drawdown on Test:	Not Reported
Casing Diameter:	4	Casing Material:	PLASTIC
Screen Diameter:	4	Screen Interval:	1-16
Assoc Well Serial #:	3137	Well Name:	MW-9
Comments:	WELL REPORTEDLY DESTROYED DURING CONSTRUCTION ACTIVITIES. 2099 REES STREET, BREAUX BRIDGE, LOUISIANA		
Pumpdown Method:	Not Reported	Extension Pipe Length:	Not Reported
Top of Extension Pipe:	Not Reported	Bottom of Extension Pipe:	Not Reported
Screen Material Type:	Not Reported	Gravel Packed:	N
Ground Elevation:	Not Reported	Screen Diameter:	Not Reported
Remarks:	Not Reported	Avg Heat Pump Depth:	0
Heat Pump Hole #:	Not Reported	Annular Space Cemented Depth:	Not Reported
Screen interval Length:	Not Reported	Screen Slot Size:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Inspection Comments:	Not Reported	Pump Depth:	Not Reported
Pump Horse Power:	Not Reported	Planned Pumpage (GPM):	0
Planned Pumpage (hr/day):	0	Planned Pumpage (days/yr):	Not Reported
Pump Rate (Gal/day):	Not Reported	Measured Method:	Not Reported
Hrs of Test:	Not Reported	Pump Test Date:	0
Static Water Level:	Not Reported	Static Measurement Method:	Not Reported
Water Level Post-Test:	Not Reported	Pump Test Done:	Not Reported
Cementing Method:	Not Reported	P and A Comments:	Not Reported
P and A Details:	Not Reported	Casing Length:	Not Reported
Driller Owner:	Not Reported	Owner ID:	0

**B9
East
1/2 - 1 Mile
Higher**

LA WELLS LATD60000112630

Well ID:	099-6194Z	Local Well #:	6194Z
Well Use:	plugged and abandoned monitor	Well Status:	Plugged and Abandoned
Sub-use:	Plugged	Owner:	MAPCO PETRO
Seq #:	10	Date Drilled:	08/93
Well Depth:	16	Mechanic Test:	Not Reported
Geo Unit:	112MRVAC	Bio Analysis:	Not Reported
Chemical Analysis:	Not Reported	Driller:	GRIFFITH, TOM
Pump Test:	Not Reported	Hole Depth:	16
Driller #:	058	Depth From Surface:	11.18
Elevation:	24	Date Added by Agency:	2005-09-16
Measured Date:	08/26/93	Date Plugged:	08/05
Date Registered by Agency:	10/93	Yield on Pump Test:	Not Reported
Plugged By:	PROFESSIONAL-	Casing Diameter:	4
Drawdown on Test:	Not Reported	Screen Diameter:	4
Casing Material:	PLASTIC	Assoc Well Serial #:	3137
Screen Interval:	1-16		
Well Name:	MW-10		
Comments:	2099 REES STREET, BREAUX BRIDGE, LOUISIANA		
Pumpdown Method:	Not Reported	Extension Pipe Length:	Not Reported
Top of Extension Pipe:	Not Reported	Bottom of Extension Pipe:	Not Reported
Screen Material Type:	Not Reported	Gravel Packed:	N
Ground Elevation:	Not Reported	Screen Diameter:	Not Reported
Remarks:	Not Reported	Avg Heat Pump Depth:	0
Heat Pump Hole #:	Not Reported	Annular Space Cemented Depth:	Not Reported
Screen interval Length:	Not Reported	Screen Slot Size:	Not Reported
Inspection Comments:	Not Reported	Pump Depth:	Not Reported
Pump Horse Power:	Not Reported	Planned Pumpage (GPM):	0
Planned Pumpage (hr/day):	0	Planned Pumpage (days/yr):	Not Reported
Pump Rate (Gal/day):	Not Reported	Measured Method:	Not Reported
Hrs of Test:	Not Reported	Pump Test Date:	0
Static Water Level:	Not Reported	Static Measurement Method:	Not Reported
Water Level Post-Test:	Not Reported	Pump Test Done:	Not Reported
Cementing Method:	Not Reported	P and A Comments:	Not Reported
P and A Details:	Not Reported	Casing Length:	Not Reported
Driller Owner:	Not Reported	Owner ID:	0

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

B10
East
1/2 - 1 Mile
Higher

LA WELLS LATD60000110350

Well ID:	099-6154Z	Local Well #:	6154Z
Well Use:	plugged and abandoned monitor		
Sub-use:	Plugged	Well Status:	Plugged and Abandoned
Seq #:	07	Owner:	MAPCO PETRO
Well Depth:	11	Date Drilled:	05/93
Geo Unit:	112MRVAC	Mechanic Test:	Not Reported
Chemical Analysis:	Not Reported	Bio Analysis:	Not Reported
Pump Test:	Not Reported	Driller:	SHAW
Driller #:	234	Hole Depth:	14
Elevation:	24	Depth From Surface:	5.30
Measured Date:	05/27/93	Date Added by Agency:	2005-09-16
Date Registered by Agency:	07/93	Date Plugged:	08/05
Plugged By:	PROFESSIONAL-	Yield on Pump Test:	Not Reported
Drawdown on Test:	Not Reported	Casing Diameter:	4
Casing Material:	PLASTIC	Screen Diameter:	4
Screen Interval:	1-11	Assoc Well Serial #:	3137
Well Name:	MW-7		
Comments:	2099 REES ST, BREAUX BRIDGE, LOUISIANA		
Pumpdown Method:	Not Reported	Extension Pipe Length:	Not Reported
Top of Extension Pipe:	Not Reported	Bottom of Extension Pipe:	Not Reported
Screen Material Type:	Not Reported	Gravel Packed:	N
Ground Elevation:	Not Reported	Screen Diameter:	Not Reported
Remarks:	Not Reported	Avg Heat Pump Depth:	0
Heat Pump Hole #:	Not Reported	Annular Space Cemented Depth:	Not Reported
Screen interval Length:	Not Reported	Screen Slot Size:	Not Reported
Inspection Comments:	Not Reported	Pump Depth:	Not Reported
Pump Horse Power:	Not Reported	Planned Pumpage (GPM):	0
Planned Pumpage (hr/day):	0	Planned Pumpage (days/yr):	Not Reported
Pump Rate (Gal/day):	Not Reported	Measured Method:	Not Reported
Hrs of Test:	Not Reported	Pump Test Date:	0
Static Water Level:	Not Reported	Static Measurement Method:	Not Reported
Water Level Post-Test:	Not Reported	Pump Test Done:	Not Reported
Cementing Method:	Not Reported	P and A Comments:	Not Reported
P and A Details:	Not Reported	Casing Length:	Not Reported
Driller Owner:	Not Reported	Owner ID:	0

B11
East
1/2 - 1 Mile
Higher

LA WELLS LATD60000110284

Well ID:	099-6150Z	Local Well #:	6150Z
Well Use:	plugged and abandoned monitor		
Sub-use:	Plugged	Well Status:	Plugged and Abandoned
Seq #:	03	Owner:	MAPCO PETRO
Well Depth:	11	Date Drilled:	05/93
Geo Unit:	112MRVAC	Mechanic Test:	Not Reported
Chemical Analysis:	Not Reported	Bio Analysis:	Not Reported
Pump Test:	Not Reported	Driller:	SHAW
Driller #:	234	Hole Depth:	12
Elevation:	24	Depth From Surface:	5.01
Measured Date:	05/27/93	Date Added by Agency:	2005-09-16
Date Registered by Agency:	07/93	Date Plugged:	08/05

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Plugged By:	PROFESSIONAL-	Yield on Pump Test:	Not Reported
Drawdown on Test:	Not Reported	Casing Diameter:	4
Casing Material:	PLASTIC	Screen Diameter:	4
Screen Interval:	1-11	Assoc Well Serial #:	3137
Well Name:	MW-3		
Comments:	2099 REES ST, BREAUX BRIDGE, LOUISIANA		
Pumpdown Method:	Not Reported	Extension Pipe Length:	Not Reported
Top of Extension Pipe:	Not Reported	Bottom of Extension Pipe:	Not Reported
Screen Material Type:	Not Reported	Gravel Packed:	N
Ground Elevation:	Not Reported	Screen Diameter:	Not Reported
Remarks:	Not Reported	Avg Heat Pump Depth:	0
Heat Pump Hole #:	Not Reported	Annular Space Cemented Depth:	Not Reported
Screen interval Length:	Not Reported	Screen Slot Size:	Not Reported
Inspection Comments:	Not Reported	Pump Depth:	Not Reported
Pump Horse Power:	Not Reported	Planned Pumpage (GPM):	0
Planned Pumpage (hr/day):	0	Planned Pumpage (days/yr):	Not Reported
Pump Rate (Gal/day):	Not Reported	Measured Method:	Not Reported
Hrs of Test:	Not Reported	Pump Test Date:	0
Static Water Level:	Not Reported	Static Measurement Method:	Not Reported
Water Level Post-Test:	Not Reported	Pump Test Done:	Not Reported
Cementing Method:	Not Reported	P and A Comments:	Not Reported
P and A Details:	Not Reported	Casing Length:	Not Reported
Driller Owner:	Not Reported	Owner ID:	0

**B12
East
1/2 - 1 Mile
Higher**

LA WELLS LATD60000110283

Well ID:	099-6149Z	Local Well #:	6149Z
Well Use:	plugged and abandoned monitor		
Sub-use:	Plugged	Well Status:	Plugged and Abandoned
Seq #:	02	Owner:	MAPCO PETRO
Well Depth:	11	Date Drilled:	05/93
Geo Unit:	112MRVAC	Mechanic Test:	Not Reported
Chemical Analysis:	Not Reported	Bio Analysis:	Not Reported
Pump Test:	Not Reported	Driller:	SHAW
Driller #:	234	Hole Depth:	12
Elevation:	24	Depth From Surface:	4.74
Measured Date:	05/27/93	Date Added by Agency:	2005-09-16
Date Registered by Agency:	07/93	Date Plugged:	08/05
Plugged By:	PROFESSIONAL-	Yield on Pump Test:	Not Reported
Drawdown on Test:	Not Reported	Casing Diameter:	4
Casing Material:	PLASTIC	Screen Diameter:	4
Screen Interval:	1-11	Assoc Well Serial #:	3137
Well Name:	MW-2		
Comments:	2099 REES ST, BREAUX BRIDGE, LOUISIANA		
Pumpdown Method:	Not Reported	Extension Pipe Length:	Not Reported
Top of Extension Pipe:	Not Reported	Bottom of Extension Pipe:	Not Reported
Screen Material Type:	Not Reported	Gravel Packed:	N
Ground Elevation:	Not Reported	Screen Diameter:	Not Reported
Remarks:	Not Reported	Avg Heat Pump Depth:	0
Heat Pump Hole #:	Not Reported	Annular Space Cemented Depth:	Not Reported
Screen interval Length:	Not Reported	Screen Slot Size:	Not Reported
Inspection Comments:	Not Reported	Pump Depth:	Not Reported
Pump Horse Power:	Not Reported	Planned Pumpage (GPM):	0
Planned Pumpage (hr/day):	0	Planned Pumpage (days/yr):	Not Reported
Pump Rate (Gal/day):	Not Reported	Measured Method:	Not Reported
Hrs of Test:	Not Reported	Pump Test Date:	0
Static Water Level:	Not Reported	Static Measurement Method:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Water Level Post-Test:	Not Reported	Pump Test Done:	Not Reported
Cementing Method:	Not Reported	P and A Comments:	Not Reported
P and A Details:	Not Reported	Casing Length:	Not Reported
Driller Owner:	Not Reported	Owner ID:	0

**B13
East
1/2 - 1 Mile
Higher**

LA WELLS LATD60000110282

Well ID:	099-6148Z	Local Well #:	6148Z
Well Use:	plugged and abandoned monitor	Well Status:	Plugged and Abandoned
Sub-use:	Plugged	Owner:	MAPCO PETRO
Seq #:	01	Date Drilled:	05/93
Well Depth:	11	Mechanic Test:	Not Reported
Geo Unit:	112MRVAC	Bio Analysis:	Not Reported
Chemical Analysis:	Not Reported	Driller:	SHAW
Pump Test:	Not Reported	Hole Depth:	12
Driller #:	234	Depth From Surface:	6.17
Elevation:	24	Date Added by Agency:	2005-09-16
Measured Date:	05/27/93	Date Plugged:	08/05
Date Registered by Agency:	07/93	Yield on Pump Test:	Not Reported
Plugged By:	PROFESSIONAL-	Casing Diameter:	4
Drawdown on Test:	Not Reported	Screen Diameter:	4
Casing Material:	PLASTIC	Assoc Well Serial #:	3137
Screen Interval:	1-11		
Well Name:	MW-1		
Comments:	2099 REES ST, BREAUX BRIDGE, LOUISIANA		
Pumpdown Method:	Not Reported	Extension Pipe Length:	Not Reported
Top of Extension Pipe:	Not Reported	Bottom of Extension Pipe:	Not Reported
Screen Material Type:	Not Reported	Gravel Packed:	N
Ground Elevation:	Not Reported	Screen Diameter:	Not Reported
Remarks:	Not Reported	Avg Heat Pump Depth:	0
Heat Pump Hole #:	Not Reported	Annular Space Cemented Depth:	Not Reported
Screen interval Length:	Not Reported	Screen Slot Size:	Not Reported
Inspection Comments:	Not Reported	Pump Depth:	Not Reported
Pump Horse Power:	Not Reported	Planned Pumpage (GPM):	0
Planned Pumpage (hr/day):	0	Planned Pumpage (days/yr):	Not Reported
Pump Rate (Gal/day):	Not Reported	Measured Method:	Not Reported
Hrs of Test:	Not Reported	Pump Test Date:	0
Static Water Level:	Not Reported	Static Measurement Method:	Not Reported
Water Level Post-Test:	Not Reported	Pump Test Done:	Not Reported
Cementing Method:	Not Reported	P and A Comments:	Not Reported
P and A Details:	Not Reported	Casing Length:	Not Reported
Driller Owner:	Not Reported	Owner ID:	0

**B14
East
1/2 - 1 Mile
Higher**

LA WELLS LATD60000110349

Well ID:	099-6153Z	Local Well #:	6153Z
Well Use:	plugged and abandoned monitor	Well Status:	Plugged and Abandoned
Sub-use:	Plugged	Owner:	MAPCO PETRO
Seq #:	06	Date Drilled:	05/93
Well Depth:	11	Mechanic Test:	Not Reported
Geo Unit:	112MRVAC	Bio Analysis:	Not Reported
Chemical Analysis:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Pump Test:	Not Reported	Driller:	SHAW
Driller #:	234	Hole Depth:	14
Elevation:	24	Depth From Surface:	3.02
Measured Date:	05/27/93	Date Added by Agency:	2005-09-16
Date Registered by Agency:	07/93	Date Plugged:	08/05
Plugged By:	PROFESSIONAL-	Yield on Pump Test:	Not Reported
Drawdown on Test:	Not Reported	Casing Diameter:	4
Casing Material:	PLASTIC	Screen Diameter:	4
Screen Interval:	1-11	Assoc Well Serial #:	3137
Well Name:	MW-6		
Comments:	2099 REES ST, BREAUX BRIDGE, LOUISIANA		
Pumpdown Method:	Not Reported	Extension Pipe Length:	Not Reported
Top of Extension Pipe:	Not Reported	Bottom of Extension Pipe:	Not Reported
Screen Material Type:	Not Reported	Gravel Packed:	N
Ground Elevation:	Not Reported	Screen Diameter:	Not Reported
Remarks:	Not Reported	Avg Heat Pump Depth:	0
Heat Pump Hole #:	Not Reported	Annular Space Cemented Depth:	Not Reported
Screen interval Length:	Not Reported	Screen Slot Size:	Not Reported
Inspection Comments:	Not Reported	Pump Depth:	Not Reported
Pump Horse Power:	Not Reported	Planned Pumpage (GPM):	0
Planned Pumpage (hr/day):	0	Planned Pumpage (days/yr):	Not Reported
Pump Rate (Gal/day):	Not Reported	Measured Method:	Not Reported
Hrs of Test:	Not Reported	Pump Test Date:	0
Static Water Level:	Not Reported	Static Measurement Method:	Not Reported
Water Level Post-Test:	Not Reported	Pump Test Done:	Not Reported
Cementing Method:	Not Reported	P and A Comments:	Not Reported
P and A Details:	Not Reported	Casing Length:	Not Reported
Driller Owner:	Not Reported	Owner ID:	0

**B15
East
1/2 - 1 Mile
Higher**

LA WELLS LATD60000110348

Well ID:	099-6152Z	Local Well #:	6152Z
Well Use:	plugged and abandoned monitor	Well Status:	Plugged and Abandoned
Sub-use:	Plugged	Owner:	MAPCO PETRO
Seq #:	05	Date Drilled:	05/93
Well Depth:	11	Mechanic Test:	Not Reported
Geo Unit:	112MRVAC	Bio Analysis:	Not Reported
Chemical Analysis:	Not Reported	Driller:	SHAW
Pump Test:	Not Reported	Hole Depth:	14
Driller #:	234	Depth From Surface:	4.63
Elevation:	24	Date Added by Agency:	2005-09-16
Measured Date:	05/27/93	Date Plugged:	08/05
Date Registered by Agency:	07/93	Yield on Pump Test:	Not Reported
Plugged By:	PROFESSIONAL-	Casing Diameter:	4
Drawdown on Test:	Not Reported	Screen Diameter:	4
Casing Material:	PLASTIC	Assoc Well Serial #:	3137
Screen Interval:	1-11		
Well Name:	MW-5		
Comments:	2099 REES ST, BREAUX BRIDGE, LOUISIANA		
Pumpdown Method:	Not Reported	Extension Pipe Length:	Not Reported
Top of Extension Pipe:	Not Reported	Bottom of Extension Pipe:	Not Reported
Screen Material Type:	Not Reported	Gravel Packed:	N
Ground Elevation:	Not Reported	Screen Diameter:	Not Reported
Remarks:	Not Reported	Avg Heat Pump Depth:	0
Heat Pump Hole #:	Not Reported	Annular Space Cemented Depth:	Not Reported
Screen interval Length:	Not Reported	Screen Slot Size:	Not Reported
Inspection Comments:	Not Reported	Pump Depth:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Pump Horse Power:	Not Reported	Planned Pumpage (GPM):	0
Planned Pumpage (hr/day):	0	Planned Pumpage (days/yr):	Not Reported
Pump Rate (Gal/day):	Not Reported	Measured Method:	Not Reported
Hrs of Test:	Not Reported	Pump Test Date:	0
Static Water Level:	Not Reported	Static Measurement Method:	Not Reported
Water Level Post-Test:	Not Reported	Pump Test Done:	Not Reported
Cementing Method:	Not Reported	P and A Comments:	Not Reported
P and A Details:	Not Reported	Casing Length:	Not Reported
Driller Owner:	Not Reported	Owner ID:	0

**B16
East
1/2 - 1 Mile
Higher**

LA WELLS LATD60000110347

Well ID:	099-6151Z	Local Well #:	6151Z
Well Use:	plugged and abandoned monitor	Well Status:	Plugged and Abandoned
Sub-use:	Plugged	Owner:	MAPCO PETRO
Seq #:	04	Date Drilled:	05/93
Well Depth:	11	Mechanic Test:	Not Reported
Geo Unit:	112MRVAC	Bio Analysis:	Not Reported
Chemical Analysis:	Not Reported	Driller:	SHAW
Pump Test:	Not Reported	Hole Depth:	14
Driller #:	234	Depth From Surface:	3.53
Elevation:	24	Date Added by Agency:	2005-09-16
Measured Date:	05/27/93	Date Plugged:	08/05
Date Registered by Agency:	07/93	Yield on Pump Test:	Not Reported
Plugged By:	PROFESSIONAL-	Casing Diameter:	4
Drawdown on Test:	Not Reported	Screen Diameter:	4
Casing Material:	PLASTIC	Assoc Well Serial #:	3137
Screen Interval:	1-11		
Well Name:	MW-4		
Comments:	2099 REES ST, BREAUX BRIDGE, LOUISIANA		
Pumpdown Method:	Not Reported	Extension Pipe Length:	Not Reported
Top of Extension Pipe:	Not Reported	Bottom of Extension Pipe:	Not Reported
Screen Material Type:	Not Reported	Gravel Packed:	N
Ground Elevation:	Not Reported	Screen Diameter:	Not Reported
Remarks:	Not Reported	Avg Heat Pump Depth:	0
Heat Pump Hole #:	Not Reported	Annular Space Cemented Depth:	Not Reported
Screen interval Length:	Not Reported	Screen Slot Size:	Not Reported
Inspection Comments:	Not Reported	Pump Depth:	Not Reported
Pump Horse Power:	Not Reported	Planned Pumpage (GPM):	0
Planned Pumpage (hr/day):	0	Planned Pumpage (days/yr):	Not Reported
Pump Rate (Gal/day):	Not Reported	Measured Method:	Not Reported
Hrs of Test:	Not Reported	Pump Test Date:	0
Static Water Level:	Not Reported	Static Measurement Method:	Not Reported
Water Level Post-Test:	Not Reported	Pump Test Done:	Not Reported
Cementing Method:	Not Reported	P and A Comments:	Not Reported
P and A Details:	Not Reported	Casing Length:	Not Reported
Driller Owner:	Not Reported	Owner ID:	0

**C17
NE
1/2 - 1 Mile
Higher**

LA WELLS LATD60000172469

Well ID:	099-6839Z	Local Well #:	6839Z
Well Use:	monitor	Sub-use:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well Status:	Destroyed	Seq #:	01
Owner:	MACRO OIL COMPANY	Well Depth:	34
Date Drilled:	04/01	Geo Unit:	112MRVAC
Mechanic Test:	Not Reported	Chemical Analysis:	Not Reported
Bio Analysis:	Not Reported	Pump Test:	Not Reported
Driller:	HYDRO ENVIRONMENTAL TECHNOLOGY, INC.		
Driller #:	416	Hole Depth:	36
Elevation:	25	Depth From Surface:	23.00
Measured Date:	04/17/01	Date Added by Agency:	2001-08-06
Date Registered by Agency:	04/01	Date Plugged:	11-27-12
Plugged By:	Not Reported	Yield on Pump Test:	Not Reported
Drawdown on Test:	Not Reported	Casing Diameter:	4
Casing Material:	PLASTIC	Screen Diameter:	4
Screen Interval:	14-34	Assoc Well Serial #:	Not Reported
Well Name:	MW-8R		
Comments:	2129 AMES BROUSSARD ROAD, BREAUX BRIDGE, LA 70517		REPLACES WELL NUMBER 099-6443Z
Pumpdown Method:	Not Reported	Extension Pipe Length:	Not Reported
Top of Extension Pipe:	Not Reported	Bottom of Extension Pipe:	Not Reported
Screen Material Type:	Not Reported	Gravel Packed:	N
Ground Elevation:	Not Reported	Screen Diameter:	Not Reported
Remarks:	Not Reported	Avg Heat Pump Depth:	0
Heat Pump Hole #:	Not Reported	Annular Space Cemented Depth:	Not Reported
Screen interval Length:	Not Reported	Screen Slot Size:	Not Reported
Inspection Comments:	Not Reported	Pump Depth:	Not Reported
Pump Horse Power:	Not Reported	Planned Pumpage (GPM):	0
Planned Pumpage (hr/day):	0	Planned Pumpage (days/yr):	Not Reported
Pump Rate (Gal/day):	Not Reported	Measured Method:	Not Reported
Hrs of Test:	Not Reported	Pump Test Date:	0
Static Water Level:	Not Reported	Static Measurement Method:	Not Reported
Water Level Post-Test:	Not Reported	Pump Test Done:	Not Reported
Cementing Method:	Not Reported	P and A Comments:	Not Reported
P and A Details:	WELL WAS DESTROYED DURING CONSTRUCTION ACTIVITIES AT THE SITE. SEVERAL ATTEMPTS WERE MADE TO LOCATE THE WELL WITH GPS COORDINATES, GROUND PENETRATING RADAR, AND HAND DIGGING METHODS BASED ON THE WELL LOCATION IN AN ATTEMPT TO LOCATE THE WELL		
Casing Length:	Not Reported	Driller Owner:	Not Reported
Owner ID:	44057		

**B18
East
1/2 - 1 Mile
Higher**

LA WELLS LATD60000132071

Well ID:	099-8143Z	Local Well #:	8143Z
Well Use:	monitor	Sub-use:	Not Reported
Well Status:	Destroyed	Seq #:	00
Owner:	PENNYWISE #4	Well Depth:	20
Date Drilled:	01/21/2020	Geo Unit:	112MRVAC
Mechanic Test:	N	Chemical Analysis:	N
Bio Analysis:	N	Pump Test:	N
Driller:	JESCO ENVIRONMENTAL & GEOTECH. SERVICES, INC.		
Driller #:	500	Hole Depth:	20
Elevation:	0024	Depth From Surface:	6.65
Measured Date:	01/22/2020	Date Added by Agency:	Not Reported
Date Registered by Agency:	01/29/2020	Date Plugged:	Not Reported
Plugged By:	Not Reported	Yield on Pump Test:	Not Reported
Drawdown on Test:	Not Reported	Casing Diameter:	4
Casing Material:	PLASTIC	Screen Diameter:	4
Screen Interval:	Not Reported	Assoc Well Serial #:	Not Reported
Well Name:	MW-3	Comments:	Not Reported
Pumpdown Method:	Not Reported	Extension Pipe Length:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Top of Extension Pipe:	Not Reported	Bottom of Extension Pipe:	Not Reported
Screen Material Type:	PLASTIC	Gravel Packed:	N
Ground Elevation:	Not Reported	Screen Diameter:	Not Reported
Remarks:	0.5 FT SUMPTHE DRILLER REPORTED THAT THE WELL WAS DESTROYED DURING THE EXCAVATION OF A		
Avg Heat Pump Depth:	0	Heat Pump Hole #:	Not Reported
Annular Space Cemented Depth:	6	Screen interval Length:	10
Screen Slot Size:	0.01	Inspection Comments:	Not Reported
Pump Depth:	Not Reported	Pump Horse Power:	Not Reported
Planned Pumpage (GPM):	0	Planned Pumpage (hr/day):	0
Planned Pumpage (days/yr):	Not Reported	Pump Rate (Gal/day):	Not Reported
Measured Method:	Not Reported	Hrs of Test:	Not Reported
Pump Test Date:	0	Static Water Level:	Not Reported
Static Measurement Method:	Not Reported	Water Level Post-Test:	Not Reported
Pump Test Done:	Not Reported	Cementing Method:	P
P and A Comments:	Not Reported	P and A Details:	Not Reported
Casing Length:	10	Driller Owner:	Not Reported
Owner ID:	169477		

**C19
NE
1/2 - 1 Mile
Higher**

LA WELLS LATD60000112632

Well ID:	099-6113Z	Local Well #:	6113Z
Well Use:	plugged and abandoned monitor	Well Status:	Plugged and Abandoned
Sub-use:	Plugged	Owner:	MACRO OIL
Seq #:	02	Date Drilled:	12/91
Well Depth:	26	Mechanic Test:	Not Reported
Geo Unit:	112MRVAC	Bio Analysis:	Not Reported
Chemical Analysis:	Not Reported	Driller:	AQUATERRA, INC.
Pump Test:	Not Reported	Hole Depth:	26
Driller #:	396	Depth From Surface:	17.90
Elevation:	25	Date Added by Agency:	2001-06-19
Measured Date:	12/18/91	Date Plugged:	03/97
Date Registered by Agency:	01/92	Yield on Pump Test:	Not Reported
Plugged By:	HYDRO	Casing Diameter:	4
Drawdown on Test:	Not Reported	Screen Diameter:	4
Casing Material:	PLASTIC	Assoc Well Serial #:	Not Reported
Screen Interval:	16-26	Comments:	Not Reported
Well Name:	MW-2	Extension Pipe Length:	Not Reported
Pumpdown Method:	Not Reported	Bottom of Extension Pipe:	Not Reported
Top of Extension Pipe:	Not Reported	Gravel Packed:	N
Screen Material Type:	Not Reported	Screen Diameter:	Not Reported
Ground Elevation:	Not Reported	Avg Heat Pump Depth:	0
Remarks:	Not Reported	Annular Space Cemented Depth:	Not Reported
Heat Pump Hole #:	Not Reported	Screen Slot Size:	Not Reported
Screen interval Length:	Not Reported	Pump Depth:	Not Reported
Inspection Comments:	Not Reported	Planned Pumpage (GPM):	0
Pump Horse Power:	Not Reported	Planned Pumpage (days/yr):	Not Reported
Planned Pumpage (hr/day):	0	Measured Method:	Not Reported
Pump Rate (Gal/day):	Not Reported	Pump Test Date:	0
Hrs of Test:	Not Reported	Static Measurement Method:	Not Reported
Static Water Level:	Not Reported	Pump Test Done:	Not Reported
Water Level Post-Test:	Not Reported	P and A Comments:	Not Reported
Cementing Method:	Not Reported	Casing Length:	Not Reported
P and A Details:	Not Reported	Owner ID:	0
Driller Owner:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

C20
NE
1/2 - 1 Mile
Higher

LA WELLS LATD60000156432

Well ID:	099-5228Z	Local Well #:	5228Z
Well Use:	plugged and abandoned monitor		
Sub-use:	Plugged	Well Status:	Plugged and Abandoned
Seq #:	06	Owner:	MARCO OIL
Well Depth:	21	Date Drilled:	1979
Geo Unit:	112MRVAC	Mechanic Test:	Not Reported
Chemical Analysis:	Not Reported	Bio Analysis:	Not Reported
Pump Test:	Not Reported	Driller:	CARNES
Driller #:	007	Hole Depth:	21
Elevation:	Not Reported	Depth From Surface:	0.00
Measured Date:	Not Reported	Date Added by Agency:	1992-03-16
Date Registered by Agency:	Not Reported	Date Plugged:	12/91
Plugged By:	ENCOR	Yield on Pump Test:	Not Reported
Drawdown on Test:	Not Reported	Casing Diameter:	4
Casing Material:	PLASTIC	Screen Diameter:	Not Reported
Screen Interval:	Not Reported	Assoc Well Serial #:	Not Reported
Well Name:	W-1	Comments:	Not Reported
Pumpdown Method:	Not Reported	Extension Pipe Length:	Not Reported
Top of Extension Pipe:	Not Reported	Bottom of Extension Pipe:	Not Reported
Screen Material Type:	Not Reported	Gravel Packed:	N
Ground Elevation:	Not Reported	Screen Diameter:	Not Reported
Remarks:	Not Reported	Avg Heat Pump Depth:	0
Heat Pump Hole #:	Not Reported	Annular Space Cemented Depth:	Not Reported
Screen interval Length:	Not Reported	Screen Slot Size:	Not Reported
Inspection Comments:	Not Reported	Pump Depth:	Not Reported
Pump Horse Power:	Not Reported	Planned Pumpage (GPM):	0
Planned Pumpage (hr/day):	0	Planned Pumpage (days/yr):	Not Reported
Pump Rate (Gal/day):	Not Reported	Measured Method:	Not Reported
Hrs of Test:	Not Reported	Pump Test Date:	0
Static Water Level:	Not Reported	Static Measurement Method:	Not Reported
Water Level Post-Test:	Not Reported	Pump Test Done:	Not Reported
Cementing Method:	Not Reported	P and A Comments:	Not Reported
P and A Details:	Not Reported	Casing Length:	Not Reported
Driller Owner:	Not Reported	Owner ID:	0

C21
NE
1/2 - 1 Mile
Higher

LA WELLS LATD60000179294

Well ID:	099-5374Z	Local Well #:	5374Z
Well Use:	plugged and abandoned monitor		
Sub-use:	Plugged	Well Status:	Plugged and Abandoned
Seq #:	13	Owner:	MARCO OIL
Well Depth:	10	Date Drilled:	1979
Geo Unit:	112MRVAC	Mechanic Test:	Not Reported
Chemical Analysis:	Not Reported	Bio Analysis:	Not Reported
Pump Test:	Not Reported	Driller:	CARNES
Driller #:	007	Hole Depth:	13
Elevation:	Not Reported	Depth From Surface:	0.00
Measured Date:	Not Reported	Date Added by Agency:	1992-03-16
Date Registered by Agency:	Not Reported	Date Plugged:	12/91
Plugged By:	ENCOR	Yield on Pump Test:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Drawdown on Test:	Not Reported	Casing Diameter:	4
Casing Material:	PLASTIC	Screen Diameter:	Not Reported
Screen Interval:	Not Reported	Assoc Well Serial #:	Not Reported
Well Name:	W-8	Comments:	Not Reported
Pumpdown Method:	Not Reported	Extension Pipe Length:	Not Reported
Top of Extension Pipe:	Not Reported	Bottom of Extension Pipe:	Not Reported
Screen Material Type:	Not Reported	Gravel Packed:	N
Ground Elevation:	Not Reported	Screen Diameter:	Not Reported
Remarks:	Not Reported	Avg Heat Pump Depth:	0
Heat Pump Hole #:	Not Reported	Annular Space Cemented Depth:	Not Reported
Screen interval Length:	Not Reported	Screen Slot Size:	Not Reported
Inspection Comments:	Not Reported	Pump Depth:	Not Reported
Pump Horse Power:	Not Reported	Planned Pumpage (GPM):	0
Planned Pumpage (hr/day):	0	Planned Pumpage (days/yr):	Not Reported
Pump Rate (Gal/day):	Not Reported	Measured Method:	Not Reported
Hrs of Test:	Not Reported	Pump Test Date:	0
Static Water Level:	Not Reported	Static Measurement Method:	Not Reported
Water Level Post-Test:	Not Reported	Pump Test Done:	Not Reported
Cementing Method:	Not Reported	P and A Comments:	Not Reported
P and A Details:	Not Reported	Casing Length:	Not Reported
Driller Owner:	Not Reported	Owner ID:	0

C22
NE
1/2 - 1 Mile
Higher

LA WELLS LATD60000112631

Well ID:	099-6112Z	Local Well #:	6112Z
Well Use:	excavated monitor	Sub-use:	Excavated Out
Well Status:	Plugged and Abandoned	Seq #:	01
Owner:	MACRO OIL	Well Depth:	26
Date Drilled:	12/91	Geo Unit:	112MRVAC
Mechanic Test:	Not Reported	Chemical Analysis:	Not Reported
Bio Analysis:	Not Reported	Pump Test:	Not Reported
Driller:	AQUATERRA, INC.	Driller #:	396
Hole Depth:	34	Elevation:	25
Depth From Surface:	18.30	Measured Date:	12/18/91
Date Added by Agency:	2001-03-26	Date Registered by Agency:	01/92
Date Plugged:	11/00	Plugged By:	HYDRO
Yield on Pump Test:	Not Reported	Drawdown on Test:	Not Reported
Casing Diameter:	4	Casing Material:	PLASTIC
Screen Diameter:	4	Screen Interval:	16-26
Assoc Well Serial #:	Not Reported	Well Name:	MW-1
Comments:	REPLACED BY WELL NO. 099-6827Z -- DRILLED IN SAME HOLE		
Pumpdown Method:	Not Reported	Extension Pipe Length:	Not Reported
Top of Extension Pipe:	Not Reported	Bottom of Extension Pipe:	Not Reported
Screen Material Type:	Not Reported	Gravel Packed:	N
Ground Elevation:	Not Reported	Screen Diameter:	Not Reported
Remarks:	Not Reported	Avg Heat Pump Depth:	0
Heat Pump Hole #:	Not Reported	Annular Space Cemented Depth:	Not Reported
Screen interval Length:	Not Reported	Screen Slot Size:	Not Reported
Inspection Comments:	Not Reported	Pump Depth:	Not Reported
Pump Horse Power:	Not Reported	Planned Pumpage (GPM):	0
Planned Pumpage (hr/day):	0	Planned Pumpage (days/yr):	Not Reported
Pump Rate (Gal/day):	Not Reported	Measured Method:	Not Reported
Hrs of Test:	Not Reported	Pump Test Date:	0
Static Water Level:	Not Reported	Static Measurement Method:	Not Reported
Water Level Post-Test:	Not Reported	Pump Test Done:	Not Reported
Cementing Method:	Not Reported	P and A Comments:	Not Reported
P and A Details:	Not Reported	Casing Length:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Driller Owner: Not Reported Owner ID: 0

C23
NE
1/2 - 1 Mile
Higher

LA WELLS LATD60000110406

Well ID:	099-6114Z	Local Well #:	6114Z
Well Use:	plugged and abandoned monitor	Well Status:	Plugged and Abandoned
Sub-use:	Plugged	Owner:	MACRO OIL
Seq #:	03	Date Drilled:	12/91
Well Depth:	26	Mechanic Test:	Not Reported
Geo Unit:	112MRVAC	Bio Analysis:	Not Reported
Chemical Analysis:	Not Reported	Driller:	AQUATERRA, INC.
Pump Test:	Not Reported	Hole Depth:	26
Driller #:	396	Depth From Surface:	18.60
Elevation:	25	Date Added by Agency:	2001-06-19
Measured Date:	12/18/91	Date Plugged:	04/01
Date Registered by Agency:	01/92	Yield on Pump Test:	Not Reported
Plugged By:	HYDRO	Casing Diameter:	4
Drawdown on Test:	Not Reported	Screen Diameter:	4
Casing Material:	PLASTIC	Assoc Well Serial #:	Not Reported
Screen Interval:	16-26	Comments:	REPLACED BY WELL NUMBER 099-6838Z
Well Name:	MW-3	Extension Pipe Length:	Not Reported
Pumpdown Method:	Not Reported	Bottom of Extension Pipe:	Not Reported
Top of Extension Pipe:	Not Reported	Gravel Packed:	N
Screen Material Type:	Not Reported	Screen Diameter:	Not Reported
Ground Elevation:	Not Reported	Avg Heat Pump Depth:	0
Remarks:	Not Reported	Annular Space Cemented Depth:	Not Reported
Heat Pump Hole #:	Not Reported	Screen Slot Size:	Not Reported
Screen interval Length:	Not Reported	Pump Depth:	Not Reported
Inspection Comments:	Not Reported	Planned Pumpage (GPM):	0
Pump Horse Power:	Not Reported	Planned Pumpage (days/yr):	Not Reported
Planned Pumpage (hr/day):	0	Measured Method:	Not Reported
Pump Rate (Gal/day):	Not Reported	Pump Test Date:	0
Hrs of Test:	Not Reported	Static Measurement Method:	Not Reported
Static Water Level:	Not Reported	Pump Test Done:	Not Reported
Water Level Post-Test:	Not Reported	P and A Comments:	Not Reported
Cementing Method:	Not Reported	Casing Length:	Not Reported
P and A Details:	Not Reported	Owner ID:	0
Driller Owner:	Not Reported		

C24
NE
1/2 - 1 Mile
Higher

LA WELLS LATD60000110407

Well ID:	099-6115Z	Local Well #:	6115Z
Well Use:	excavated monitor	Sub-use:	Excavated Out
Well Status:	Plugged and Abandoned	Seq #:	04
Owner:	MACRO OIL	Well Depth:	26
Date Drilled:	12/91	Geo Unit:	112MRVAC
Mechanic Test:	Not Reported	Chemical Analysis:	Not Reported
Bio Analysis:	Not Reported	Pump Test:	Not Reported
Driller:	AQUATERRA, INC.	Driller #:	396
Hole Depth:	26	Elevation:	25
Depth From Surface:	18.80	Measured Date:	12/18/91
Date Added by Agency:	2001-03-26	Date Registered by Agency:	01/92

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Date Plugged:	11/00	Plugged By:	HYDRO
Yield on Pump Test:	Not Reported	Drawdown on Test:	Not Reported
Casing Diameter:	4	Casing Material:	PLASTIC
Screen Diameter:	4	Screen Interval:	16-26
Assoc Well Serial #:	Not Reported	Well Name:	MW-4
Comments:	REPLACED BY WELL NO. 099-6828Z -- DRILLED IN SAME HOLE		
Pumpdown Method:	Not Reported	Extension Pipe Length:	Not Reported
Top of Extension Pipe:	Not Reported	Bottom of Extension Pipe:	Not Reported
Screen Material Type:	Not Reported	Gravel Packed:	N
Ground Elevation:	Not Reported	Screen Diameter:	Not Reported
Remarks:	Not Reported	Avg Heat Pump Depth:	0
Heat Pump Hole #:	Not Reported	Annular Space Cemented Depth:	Not Reported
Screen interval Length:	Not Reported	Screen Slot Size:	Not Reported
Inspection Comments:	Not Reported	Pump Depth:	Not Reported
Pump Horse Power:	Not Reported	Planned Pumpage (GPM):	0
Planned Pumpage (hr/day):	0	Planned Pumpage (days/yr):	Not Reported
Pump Rate (Gal/day):	Not Reported	Measured Method:	Not Reported
Hrs of Test:	Not Reported	Pump Test Date:	0
Static Water Level:	Not Reported	Static Measurement Method:	Not Reported
Water Level Post-Test:	Not Reported	Pump Test Done:	Not Reported
Cementing Method:	Not Reported	P and A Comments:	Not Reported
P and A Details:	Not Reported	Casing Length:	Not Reported
Driller Owner:	Not Reported	Owner ID:	0

**C25
NE
1/2 - 1 Mile
Higher**

LA WELLS LATD60000110408

Well ID:	099-6116Z	Local Well #:	6116Z
Well Use:	excavated monitor	Sub-use:	Excavated Out
Well Status:	Plugged and Abandoned	Seq #:	05
Owner:	MACRO OIL	Well Depth:	26
Date Drilled:	12/91	Geo Unit:	112MRVAC
Mechanic Test:	Not Reported	Chemical Analysis:	Not Reported
Bio Analysis:	Not Reported	Pump Test:	Not Reported
Driller:	AQUATERRA, INC.	Driller #:	396
Hole Depth:	26	Elevation:	25
Depth From Surface:	18.20	Measured Date:	12/18/91
Date Added by Agency:	2001-03-26	Date Registered by Agency:	01/92
Date Plugged:	11/00	Plugged By:	HYDRO
Yield on Pump Test:	Not Reported	Drawdown on Test:	Not Reported
Casing Diameter:	4	Casing Material:	PLASTIC
Screen Diameter:	4	Screen Interval:	16-26
Assoc Well Serial #:	Not Reported	Well Name:	MW-5
Comments:	REPLACED BY WELL NO. 099-6829Z -- DRILLED IN SAME HOLE		
Pumpdown Method:	Not Reported	Extension Pipe Length:	Not Reported
Top of Extension Pipe:	Not Reported	Bottom of Extension Pipe:	Not Reported
Screen Material Type:	Not Reported	Gravel Packed:	N
Ground Elevation:	Not Reported	Screen Diameter:	Not Reported
Remarks:	Not Reported	Avg Heat Pump Depth:	0
Heat Pump Hole #:	Not Reported	Annular Space Cemented Depth:	Not Reported
Screen interval Length:	Not Reported	Screen Slot Size:	Not Reported
Inspection Comments:	Not Reported	Pump Depth:	Not Reported
Pump Horse Power:	Not Reported	Planned Pumpage (GPM):	0
Planned Pumpage (hr/day):	0	Planned Pumpage (days/yr):	Not Reported
Pump Rate (Gal/day):	Not Reported	Measured Method:	Not Reported
Hrs of Test:	Not Reported	Pump Test Date:	0
Static Water Level:	Not Reported	Static Measurement Method:	Not Reported
Water Level Post-Test:	Not Reported	Pump Test Done:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Cementing Method:	Not Reported	P and A Comments:	Not Reported
P and A Details:	Not Reported	Casing Length:	Not Reported
Driller Owner:	Not Reported	Owner ID:	0

C26
NE
1/2 - 1 Mile
Higher

LA WELLS LATD60000109712

Well ID:	099-5240Z	Local Well #:	5240Z
Well Use:	plugged and abandoned monitor	Well Status:	Plugged and Abandoned
Sub-use:	Plugged	Owner:	MARCO OIL
Seq #:	07	Date Drilled:	1979
Well Depth:	18	Mechanic Test:	Not Reported
Geo Unit:	112MRVAC	Bio Analysis:	Not Reported
Chemical Analysis:	Not Reported	Driller:	CARNES
Pump Test:	Not Reported	Hole Depth:	19
Driller #:	007	Depth From Surface:	0.00
Elevation:	Not Reported	Date Added by Agency:	1992-03-16
Measured Date:	Not Reported	Date Plugged:	12/91
Date Registered by Agency:	Not Reported	Yield on Pump Test:	Not Reported
Plugged By:	ENCOR	Casing Diameter:	4
Drawdown on Test:	Not Reported	Screen Diameter:	Not Reported
Casing Material:	PLASTIC	Assoc Well Serial #:	Not Reported
Screen Interval:	Not Reported	Comments:	Not Reported
Well Name:	W-2	Extension Pipe Length:	Not Reported
Pumpdown Method:	Not Reported	Bottom of Extension Pipe:	Not Reported
Top of Extension Pipe:	Not Reported	Gravel Packed:	N
Screen Material Type:	Not Reported	Screen Diameter:	Not Reported
Ground Elevation:	Not Reported	Avg Heat Pump Depth:	0
Remarks:	Not Reported	Annular Space Cemented Depth:	Not Reported
Heat Pump Hole #:	Not Reported	Screen Slot Size:	Not Reported
Screen interval Length:	Not Reported	Pump Depth:	Not Reported
Inspection Comments:	Not Reported	Planned Pumpage (GPM):	0
Pump Horse Power:	Not Reported	Planned Pumpage (days/yr):	Not Reported
Planned Pumpage (hr/day):	0	Measured Method:	Not Reported
Pump Rate (Gal/day):	Not Reported	Pump Test Date:	0
Hrs of Test:	Not Reported	Static Measurement Method:	Not Reported
Static Water Level:	Not Reported	Pump Test Done:	Not Reported
Water Level Post-Test:	Not Reported	P and A Comments:	Not Reported
Cementing Method:	Not Reported	Casing Length:	Not Reported
P and A Details:	Not Reported	Owner ID:	0
Driller Owner:	Not Reported		

C27
NE
1/2 - 1 Mile
Higher

LA WELLS LATD60000109387

Well ID:	099-5320Z	Local Well #:	5320Z
Well Use:	plugged and abandoned monitor	Well Status:	Plugged and Abandoned
Sub-use:	Plugged	Owner:	MARCO OIL
Seq #:	10	Date Drilled:	1979
Well Depth:	20	Mechanic Test:	Not Reported
Geo Unit:	112MRVAC	Bio Analysis:	Not Reported
Chemical Analysis:	Not Reported	Driller:	CARNES
Pump Test:	Not Reported	Hole Depth:	22
Driller #:	007		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Elevation:	Not Reported	Depth From Surface:	0.00
Measured Date:	Not Reported	Date Added by Agency:	1992-03-16
Date Registered by Agency:	Not Reported	Date Plugged:	12/91
Plugged By:	ENCOR	Yield on Pump Test:	Not Reported
Drawdown on Test:	Not Reported	Casing Diameter:	4
Casing Material:	PLASTIC	Screen Diameter:	Not Reported
Screen Interval:	Not Reported	Assoc Well Serial #:	Not Reported
Well Name:	W-5	Comments:	Not Reported
Pumpdown Method:	Not Reported	Extension Pipe Length:	Not Reported
Top of Extension Pipe:	Not Reported	Bottom of Extension Pipe:	Not Reported
Screen Material Type:	Not Reported	Gravel Packed:	N
Ground Elevation:	Not Reported	Screen Diameter:	Not Reported
Remarks:	Not Reported	Avg Heat Pump Depth:	0
Heat Pump Hole #:	Not Reported	Annular Space Cemented Depth:	Not Reported
Screen interval Length:	Not Reported	Screen Slot Size:	Not Reported
Inspection Comments:	Not Reported	Pump Depth:	Not Reported
Pump Horse Power:	Not Reported	Planned Pumpage (GPM):	0
Planned Pumpage (hr/day):	0	Planned Pumpage (days/yr):	Not Reported
Pump Rate (Gal/day):	Not Reported	Measured Method:	Not Reported
Hrs of Test:	Not Reported	Pump Test Date:	0
Static Water Level:	Not Reported	Static Measurement Method:	Not Reported
Water Level Post-Test:	Not Reported	Pump Test Done:	Not Reported
Cementing Method:	Not Reported	P and A Comments:	Not Reported
P and A Details:	Not Reported	Casing Length:	Not Reported
Driller Owner:	Not Reported	Owner ID:	0

**C28
NE
1/2 - 1 Mile
Higher**

LA WELLS LATD60000109383

Well ID:	099-5315Z	Local Well #:	5315Z
Well Use:	plugged and abandoned monitor	Well Status:	Plugged and Abandoned
Sub-use:	Plugged	Owner:	MARCO OIL
Seq #:	09	Date Drilled:	1979
Well Depth:	19	Mechanic Test:	Not Reported
Geo Unit:	112MRVAC	Bio Analysis:	Not Reported
Chemical Analysis:	Not Reported	Driller:	CARNES
Pump Test:	Not Reported	Hole Depth:	22
Driller #:	007	Depth From Surface:	0.00
Elevation:	Not Reported	Date Added by Agency:	1992-03-16
Measured Date:	Not Reported	Date Plugged:	12/91
Date Registered by Agency:	Not Reported	Yield on Pump Test:	Not Reported
Plugged By:	ENCOR	Casing Diameter:	4
Drawdown on Test:	Not Reported	Screen Diameter:	Not Reported
Casing Material:	PLASTIC	Assoc Well Serial #:	Not Reported
Screen Interval:	Not Reported	Comments:	Not Reported
Well Name:	W-4	Extension Pipe Length:	Not Reported
Pumpdown Method:	Not Reported	Bottom of Extension Pipe:	Not Reported
Top of Extension Pipe:	Not Reported	Gravel Packed:	N
Screen Material Type:	Not Reported	Screen Diameter:	Not Reported
Ground Elevation:	Not Reported	Avg Heat Pump Depth:	0
Remarks:	Not Reported	Annular Space Cemented Depth:	Not Reported
Heat Pump Hole #:	Not Reported	Screen Slot Size:	Not Reported
Screen interval Length:	Not Reported	Pump Depth:	Not Reported
Inspection Comments:	Not Reported	Planned Pumpage (GPM):	0
Pump Horse Power:	Not Reported	Planned Pumpage (days/yr):	Not Reported
Planned Pumpage (hr/day):	0	Measured Method:	Not Reported
Pump Rate (Gal/day):	Not Reported	Pump Test Date:	0
Hrs of Test:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Static Water Level:	Not Reported	Static Measurement Method:	Not Reported
Water Level Post-Test:	Not Reported	Pump Test Done:	Not Reported
Cementing Method:	Not Reported	P and A Comments:	Not Reported
P and A Details:	Not Reported	Casing Length:	Not Reported
Driller Owner:	Not Reported	Owner ID:	0

C29
NE
1/2 - 1 Mile
Higher

LA WELLS LATD60000109796

Well ID:	099-5336Z	Local Well #:	5336Z
Well Use:	plugged and abandoned monitor	Well Status:	Plugged and Abandoned
Sub-use:	Plugged	Owner:	MARCO OIL
Seq #:	11	Date Drilled:	1979
Well Depth:	15	Mechanic Test:	Not Reported
Geo Unit:	112MRVAC	Bio Analysis:	Not Reported
Chemical Analysis:	Not Reported	Driller:	CARNES
Pump Test:	Not Reported	Hole Depth:	22
Driller #:	007	Depth From Surface:	0.00
Elevation:	Not Reported	Date Added by Agency:	1992-03-16
Measured Date:	Not Reported	Date Plugged:	12/91
Date Registered by Agency:	Not Reported	Yield on Pump Test:	Not Reported
Plugged By:	ENCOR	Casing Diameter:	4
Drawdown on Test:	Not Reported	Screen Diameter:	Not Reported
Casing Material:	PLASTIC	Assoc Well Serial #:	Not Reported
Screen Interval:	Not Reported	Comments:	Not Reported
Well Name:	W-6	Extension Pipe Length:	Not Reported
Pumpdown Method:	Not Reported	Bottom of Extension Pipe:	Not Reported
Top of Extension Pipe:	Not Reported	Gravel Packed:	N
Screen Material Type:	Not Reported	Screen Diameter:	Not Reported
Ground Elevation:	Not Reported	Avg Heat Pump Depth:	0
Remarks:	Not Reported	Annular Space Cemented Depth:	Not Reported
Heat Pump Hole #:	Not Reported	Screen Slot Size:	Not Reported
Screen interval Length:	Not Reported	Pump Depth:	Not Reported
Inspection Comments:	Not Reported	Planned Pumpage (GPM):	0
Pump Horse Power:	Not Reported	Planned Pumpage (days/yr):	Not Reported
Planned Pumpage (hr/day):	0	Measured Method:	Not Reported
Pump Rate (Gal/day):	Not Reported	Pump Test Date:	0
Hrs of Test:	Not Reported	Static Measurement Method:	Not Reported
Static Water Level:	Not Reported	Pump Test Done:	Not Reported
Water Level Post-Test:	Not Reported	P and A Comments:	Not Reported
Cementing Method:	Not Reported	Casing Length:	Not Reported
P and A Details:	Not Reported	Owner ID:	0
Driller Owner:	Not Reported		

C30
NE
1/2 - 1 Mile
Higher

LA WELLS LATD60000110341

Well ID:	099-5362Z	Local Well #:	5362Z
Well Use:	plugged and abandoned monitor	Well Status:	Plugged and Abandoned
Sub-use:	Plugged	Owner:	MARCO OIL
Seq #:	12	Date Drilled:	1979
Well Depth:	14	Mechanic Test:	Not Reported
Geo Unit:	112MRVAC	Bio Analysis:	Not Reported
Chemical Analysis:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Pump Test:	Not Reported	Driller:	CARNES
Driller #:	007	Hole Depth:	18
Elevation:	Not Reported	Depth From Surface:	0.00
Measured Date:	Not Reported	Date Added by Agency:	1992-03-16
Date Registered by Agency:	Not Reported	Date Plugged:	12/91
Plugged By:	ENCOR	Yield on Pump Test:	Not Reported
Drawdown on Test:	Not Reported	Casing Diameter:	4
Casing Material:	PLASTIC	Screen Diameter:	Not Reported
Screen Interval:	Not Reported	Assoc Well Serial #:	Not Reported
Well Name:	W-7	Comments:	Not Reported
Pumpdown Method:	Not Reported	Extension Pipe Length:	Not Reported
Top of Extension Pipe:	Not Reported	Bottom of Extension Pipe:	Not Reported
Screen Material Type:	Not Reported	Gravel Packed:	N
Ground Elevation:	Not Reported	Screen Diameter:	Not Reported
Remarks:	Not Reported	Avg Heat Pump Depth:	0
Heat Pump Hole #:	Not Reported	Annular Space Cemented Depth:	Not Reported
Screen interval Length:	Not Reported	Screen Slot Size:	Not Reported
Inspection Comments:	Not Reported	Pump Depth:	Not Reported
Pump Horse Power:	Not Reported	Planned Pumpage (GPM):	0
Planned Pumpage (hr/day):	0	Planned Pumpage (days/yr):	Not Reported
Pump Rate (Gal/day):	Not Reported	Measured Method:	Not Reported
Hrs of Test:	Not Reported	Pump Test Date:	0
Static Water Level:	Not Reported	Static Measurement Method:	Not Reported
Water Level Post-Test:	Not Reported	Pump Test Done:	Not Reported
Cementing Method:	Not Reported	P and A Comments:	Not Reported
P and A Details:	Not Reported	Casing Length:	Not Reported
Driller Owner:	Not Reported	Owner ID:	0

**C31
NE
1/2 - 1 Mile
Higher**

LA WELLS LATD60000110241

Well ID:	099-6864Z	Local Well #:	6864Z
Well Use:	monitor	Sub-use:	Not Reported
Well Status:	Plugged and Abandoned	Seq #:	14
Owner:	MACRO OIL COMPANY	Well Depth:	34
Date Drilled:	04/01	Geo Unit:	112MRVAC
Mechanic Test:	Not Reported	Chemical Analysis:	Not Reported
Bio Analysis:	Not Reported	Pump Test:	Not Reported
Driller:	HYDRO ENVIRONMENTAL TECHNOLOGY, INC.	Hole Depth:	36
Driller #:	416	Depth From Surface:	23.00
Elevation:	25	Date Added by Agency:	2002-10-24
Measured Date:	06/21/01	Date Plugged:	11-27-12
Date Registered by Agency:	07/01	Yield on Pump Test:	Not Reported
Plugged By:	Not Reported	Casing Diameter:	4
Drawdown on Test:	Not Reported	Screen Diameter:	4
Casing Material:	PLASTIC	Assoc Well Serial #:	Not Reported
Screen Interval:	14-34	Comments:	Not Reported
Well Name:	MW3R	Extension Pipe Length:	Not Reported
Pumpdown Method:	Not Reported	Bottom of Extension Pipe:	Not Reported
Top of Extension Pipe:	Not Reported	Gravel Packed:	N
Screen Material Type:	Not Reported	Screen Diameter:	Not Reported
Ground Elevation:	Not Reported	Avg Heat Pump Depth:	0
Remarks:	Not Reported	Annular Space Cemented Depth:	Not Reported
Heat Pump Hole #:	Not Reported	Screen Slot Size:	Not Reported
Screen interval Length:	Not Reported	Pump Depth:	Not Reported
Inspection Comments:	Not Reported	Planned Pumpage (GPM):	0
Pump Horse Power:	Not Reported	Planned Pumpage (days/yr):	Not Reported
Planned Pumpage (hr/day):	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Pump Rate (Gal/day):	Not Reported	Measured Method:	Not Reported
Hrs of Test:	Not Reported	Pump Test Date:	0
Static Water Level:	Not Reported	Static Measurement Method:	Not Reported
Water Level Post-Test:	Not Reported	Pump Test Done:	Not Reported
Cementing Method:	Not Reported	P and A Comments:	Not Reported
P and A Details:	DUPLICATE REGISTRATION	Casing Length:	Not Reported
Driller Owner:	Not Reported	Owner ID:	44057

C32
NE
1/2 - 1 Mile
Higher

LA WELLS LATD60000109952

Well ID:	099-5250Z	Local Well #:	5250Z
Well Use:	plugged and abandoned monitor	Well Status:	Plugged and Abandoned
Sub-use:	Plugged	Owner:	MARCO OIL
Seq #:	08	Date Drilled:	1979
Well Depth:	18	Mechanic Test:	Not Reported
Geo Unit:	112MRVAC	Bio Analysis:	Not Reported
Chemical Analysis:	Not Reported	Driller:	CARNES
Pump Test:	Not Reported	Hole Depth:	22
Driller #:	007	Depth From Surface:	0.00
Elevation:	Not Reported	Date Added by Agency:	1992-03-16
Measured Date:	Not Reported	Date Plugged:	12/91
Date Registered by Agency:	Not Reported	Yield on Pump Test:	Not Reported
Plugged By:	ENCOR	Casing Diameter:	4
Drawdown on Test:	Not Reported	Screen Diameter:	Not Reported
Casing Material:	PLASTIC	Assoc Well Serial #:	Not Reported
Screen Interval:	Not Reported	Comments:	Not Reported
Well Name:	W-3	Extension Pipe Length:	Not Reported
Pumpdown Method:	Not Reported	Bottom of Extension Pipe:	Not Reported
Top of Extension Pipe:	Not Reported	Gravel Packed:	N
Screen Material Type:	Not Reported	Screen Diameter:	Not Reported
Ground Elevation:	Not Reported	Avg Heat Pump Depth:	0
Remarks:	Not Reported	Annular Space Cemented Depth:	Not Reported
Heat Pump Hole #:	Not Reported	Screen Slot Size:	Not Reported
Screen interval Length:	Not Reported	Pump Depth:	Not Reported
Inspection Comments:	Not Reported	Planned Pumpage (GPM):	0
Pump Horse Power:	Not Reported	Planned Pumpage (days/yr):	Not Reported
Planned Pumpage (hr/day):	0	Measured Method:	Not Reported
Pump Rate (Gal/day):	Not Reported	Pump Test Date:	0
Hrs of Test:	Not Reported	Static Measurement Method:	Not Reported
Static Water Level:	Not Reported	Pump Test Done:	Not Reported
Water Level Post-Test:	Not Reported	P and A Comments:	Not Reported
Cementing Method:	Not Reported	Casing Length:	Not Reported
P and A Details:	Not Reported	Owner ID:	0
Driller Owner:	Not Reported		

C33
NE
1/2 - 1 Mile
Higher

LA WELLS LATD60000212019

Well ID:	099-8064Z	Local Well #:	8064Z
Well Use:	monitor	Sub-use:	Not Reported
Well Status:	Plugged and Abandoned	Seq #:	00
Owner:	SILVER'S TRAVEL CENTER & CASINO	Date Drilled:	06/05/2018
Well Depth:	30		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Geo Unit:	112MRVAC	Mechanic Test:	N
Chemical Analysis:	N	Bio Analysis:	N
Pump Test:	N	Driller:	JONES ENVIRONMENTAL, INC
Driller #:	308	Hole Depth:	30
Elevation:	Not Reported	Depth From Surface:	19.6
Measured Date:	06/08/2018	Date Added by Agency:	Not Reported
Date Registered by Agency:	07/13/2018	Date Plugged:	03/03/2020
Plugged By:	Not Reported	Yield on Pump Test:	Not Reported
Drawdown on Test:	Not Reported	Casing Diameter:	4
Casing Material:	PLASTIC	Screen Diameter:	4
Screen Interval:	Not Reported	Assoc Well Serial #:	Not Reported
Well Name:	MW-1	Comments:	Not Reported
Pumpdown Method:	Not Reported	Extension Pipe Length:	Not Reported
Top of Extension Pipe:	Not Reported	Bottom of Extension Pipe:	Not Reported
Screen Material Type:	PLASTIC	Gravel Packed:	N
Ground Elevation:	Not Reported	Screen Diameter:	Not Reported
Remarks:	Not Reported	Avg Heat Pump Depth:	0
Heat Pump Hole #:	Not Reported	Annular Space Cemented Depth:	15
Screen interval Length:	0	Screen Slot Size:	.010
Inspection Comments:	Not Reported	Pump Depth:	Not Reported
Pump Horse Power:	Not Reported	Planned Pumpage (GPM):	0
Planned Pumpage (hr/day):	0	Planned Pumpage (days/yr):	Not Reported
Pump Rate (Gal/day):	Not Reported	Measured Method:	Not Reported
Hrs of Test:	Not Reported	Pump Test Date:	0
Static Water Level:	Not Reported	Static Measurement Method:	Not Reported
Water Level Post-Test:	Not Reported	Pump Test Done:	Not Reported
Cementing Method:	P	P and A Comments:	Not Reported
P and A Details:	SCREEN AND CASING WERE PULLED AND A BENTONITE / GROUT MIXTURE WAS PUMPED INTO THE BOREHOLE BOTTOM VIA TREMIE PIPE.		
Casing Length:	20	Driller Owner:	Not Reported
Owner ID:	144250		

**C34
NE
1/2 - 1 Mile
Higher**

LA WELLS LATD60000211829

Well ID:	099-8067Z	Local Well #:	8067Z
Well Use:	monitor	Sub-use:	Not Reported
Well Status:	Plugged and Abandoned	Seq #:	03
Owner:	SILVER'S TRAVEL CENTER & CASINO		
Well Depth:	30	Date Drilled:	06/06/2018
Geo Unit:	112MRVAC	Mechanic Test:	N
Chemical Analysis:	N	Bio Analysis:	N
Pump Test:	N	Driller:	JONES ENVIRONMENTAL, INC
Driller #:	308	Hole Depth:	30
Elevation:	Not Reported	Depth From Surface:	19.93
Measured Date:	06/08/2018	Date Added by Agency:	Not Reported
Date Registered by Agency:	07/13/2018	Date Plugged:	03/03/2020
Plugged By:	Not Reported	Yield on Pump Test:	Not Reported
Drawdown on Test:	Not Reported	Casing Diameter:	4
Casing Material:	PLASTIC	Screen Diameter:	4
Screen Interval:	Not Reported	Assoc Well Serial #:	Not Reported
Well Name:	MW-4	Comments:	Not Reported
Pumpdown Method:	Not Reported	Extension Pipe Length:	Not Reported
Top of Extension Pipe:	Not Reported	Bottom of Extension Pipe:	Not Reported
Screen Material Type:	PLASTIC	Gravel Packed:	N
Ground Elevation:	Not Reported	Screen Diameter:	Not Reported
Remarks:	Not Reported	Avg Heat Pump Depth:	0
Heat Pump Hole #:	Not Reported	Annular Space Cemented Depth:	15

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen interval Length:	10	Screen Slot Size:	.010
Inspection Comments:	Not Reported	Pump Depth:	Not Reported
Pump Horse Power:	Not Reported	Planned Pumpage (GPM):	0
Planned Pumpage (hr/day):	0	Planned Pumpage (days/yr):	Not Reported
Pump Rate (Gal/day):	Not Reported	Measured Method:	Not Reported
Hrs of Test:	Not Reported	Pump Test Date:	0
Static Water Level:	Not Reported	Static Measurement Method:	Not Reported
Water Level Post-Test:	Not Reported	Pump Test Done:	Not Reported
Cementing Method:	P	P and A Comments:	Not Reported
P and A Details:	SCREEN AND CASING WERE PULLED AND A BENTONITE / GROUT MIXTURE WAS PUMPED INTO THE BOREHOLE BOTTOM VIA TREMIE PIPE.		
Casing Length:	20	Driller Owner:	Not Reported
Owner ID:	144250		

**C35
NE
1/2 - 1 Mile
Higher**

LA WELLS LATD60000214696

Well ID:	099-8066Z	Local Well #:	8066Z
Well Use:	monitor	Sub-use:	Not Reported
Well Status:	Plugged and Abandoned	Seq #:	02
Owner:	SILVER'S TRAVEL CENTER & CASINO		
Well Depth:	30	Date Drilled:	06/06/2018
Geo Unit:	112MRVAC	Mechanic Test:	N
Chemical Analysis:	N	Bio Analysis:	N
Pump Test:	N	Driller:	JONES ENVIRONMENTAL, INC
Driller #:	308	Hole Depth:	30
Elevation:	Not Reported	Depth From Surface:	20.02
Measured Date:	06/08/2018	Date Added by Agency:	Not Reported
Date Registered by Agency:	07/13/2018	Date Plugged:	03/03/2020
Plugged By:	Not Reported	Yield on Pump Test:	Not Reported
Drawdown on Test:	Not Reported	Casing Diameter:	4
Casing Material:	PLASTIC	Screen Diameter:	4
Screen Interval:	Not Reported	Assoc Well Serial #:	Not Reported
Well Name:	MW-3	Comments:	Not Reported
Pumpdown Method:	Not Reported	Extension Pipe Length:	Not Reported
Top of Extension Pipe:	Not Reported	Bottom of Extension Pipe:	Not Reported
Screen Material Type:	PLASTIC	Gravel Packed:	N
Ground Elevation:	Not Reported	Screen Diameter:	Not Reported
Remarks:	Not Reported	Avg Heat Pump Depth:	0
Heat Pump Hole #:	Not Reported	Annular Space Cemented Depth:	15
Screen interval Length:	10	Screen Slot Size:	.010
Inspection Comments:	Not Reported	Pump Depth:	Not Reported
Pump Horse Power:	Not Reported	Planned Pumpage (GPM):	0
Planned Pumpage (hr/day):	0	Planned Pumpage (days/yr):	Not Reported
Pump Rate (Gal/day):	Not Reported	Measured Method:	Not Reported
Hrs of Test:	Not Reported	Pump Test Date:	0
Static Water Level:	Not Reported	Static Measurement Method:	Not Reported
Water Level Post-Test:	Not Reported	Pump Test Done:	Not Reported
Cementing Method:	P	P and A Comments:	Not Reported
P and A Details:	SCREEN AND CASING WERE PULLED AND A BENTONITE / GROUT MIXTURE WAS PUMPED INTO THE BOREHOLE BOTTOM VIA TREMIE PIPE.		
Casing Length:	20	Driller Owner:	Not Reported
Owner ID:	144250		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

C36
NE
1/2 - 1 Mile
Higher

LA WELLS LATD60000214695

Well ID:	099-8065Z	Local Well #:	8065Z
Well Use:	monitor	Sub-use:	Not Reported
Well Status:	Plugged and Abandoned	Seq #:	01
Owner:	SILVER'S TRAVEL CENTER & CASINO		
Well Depth:	30	Date Drilled:	06/05/2018
Geo Unit:	112MRVAC	Mechanic Test:	N
Chemical Analysis:	N	Bio Analysis:	N
Pump Test:	N	Driller:	JONES ENVIRONMENTAL, INC
Driller #:	308	Hole Depth:	30
Elevation:	Not Reported	Depth From Surface:	20.55
Measured Date:	06/08/2018	Date Added by Agency:	Not Reported
Date Registered by Agency:	07/13/2018	Date Plugged:	03/03/2020
Plugged By:	Not Reported	Yield on Pump Test:	Not Reported
Drawdown on Test:	Not Reported	Casing Diameter:	4
Casing Material:	PLASTIC	Screen Diameter:	4
Screen Interval:	Not Reported	Assoc Well Serial #:	Not Reported
Well Name:	MW-2	Comments:	Not Reported
Pumpdown Method:	Not Reported	Extension Pipe Length:	Not Reported
Top of Extension Pipe:	Not Reported	Bottom of Extension Pipe:	Not Reported
Screen Material Type:	PLASTIC	Gravel Packed:	N
Ground Elevation:	Not Reported	Screen Diameter:	Not Reported
Remarks:	Not Reported	Avg Heat Pump Depth:	0
Heat Pump Hole #:	Not Reported	Annular Space Cemented Depth:	15
Screen interval Length:	10	Screen Slot Size:	.010
Inspection Comments:	Not Reported	Pump Depth:	Not Reported
Pump Horse Power:	Not Reported	Planned Pumpage (GPM):	0
Planned Pumpage (hr/day):	0	Planned Pumpage (days/yr):	Not Reported
Pump Rate (Gal/day):	Not Reported	Measured Method:	Not Reported
Hrs of Test:	Not Reported	Pump Test Date:	0
Static Water Level:	Not Reported	Static Measurement Method:	Not Reported
Water Level Post-Test:	Not Reported	Pump Test Done:	Not Reported
Cementing Method:	P	P and A Comments:	Not Reported
P and A Details:	SCREEN AND CASING WERE PULLED AND A BENTONITE / GROUT MIXTURE WAS PUMPED INTO THE BOREHOLE BOTTOM VIA TREMIE PIPE.		
Casing Length:	20	Driller Owner:	Not Reported
Owner ID:	144250		

C37
NE
1/2 - 1 Mile
Higher

LA WELLS LATD60000172470

Well ID:	099-7481Z	Local Well #:	7481Z
Well Use:	monitor	Sub-use:	Not Reported
Well Status:	Plugged and Abandoned	Seq #:	01
Owner:	MACRO OIL COMPANY		
Date Drilled:	11/08	Well Depth:	33
Mechanic Test:	Not Reported	Geo Unit:	00000000
Bio Analysis:	Not Reported	Chemical Analysis:	Not Reported
Driller:	HYDRO ENVIRONMENTAL TECHNOLOGY, INC.		
Driller #:	416	Pump Test:	Not Reported
Elevation:	23	Hole Depth:	35
Measured Date:	03/12/09	Depth From Surface:	24.00
		Date Added by Agency:	2009-05-11

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Date Registered by Agency:	04/09	Date Plugged:	11-26-12
Plugged By:	Not Reported	Yield on Pump Test:	Not Reported
Drawdown on Test:	Not Reported	Casing Diameter:	4
Casing Material:	PLASTIC	Screen Diameter:	4
Screen Interval:	13-33	Assoc Well Serial #:	Not Reported
Well Name:	MW10R	Comments:	Not Reported
Pumpdown Method:	Not Reported	Extension Pipe Length:	Not Reported
Top of Extension Pipe:	Not Reported	Bottom of Extension Pipe:	Not Reported
Screen Material Type:	Not Reported	Gravel Packed:	N
Ground Elevation:	Not Reported	Screen Diameter:	Not Reported
Remarks:	Not Reported	Avg Heat Pump Depth:	0
Heat Pump Hole #:	Not Reported	Annular Space Cemented Depth:	Not Reported
Screen interval Length:	Not Reported	Screen Slot Size:	Not Reported
Inspection Comments:	Not Reported	Pump Depth:	Not Reported
Pump Horse Power:	Not Reported	Planned Pumpage (GPM):	0
Planned Pumpage (hr/day):	0	Planned Pumpage (days/yr):	Not Reported
Pump Rate (Gal/day):	Not Reported	Measured Method:	Not Reported
Hrs of Test:	Not Reported	Pump Test Date:	0
Static Water Level:	Not Reported	Static Measurement Method:	Not Reported
Water Level Post-Test:	Not Reported	Pump Test Done:	Not Reported
Cementing Method:	Not Reported	P and A Comments:	Not Reported
P and A Details:	ALL RISER AND SCREEN WERE PULLED. TREMIE PIPE WAS PLACED AT BOTTOM OF CREATED VOID AND A BENTONITE SLURRY WAS PUMPED FROM BOTTOM TO TOP		
Casing Length:	Not Reported	Driller Owner:	Not Reported
Owner ID:	44057		

**C38
NE
1/2 - 1 Mile
Higher**

LA WELLS LATD60000112559

Well ID:	099-7482Z	Local Well #:	7482Z
Well Use:	monitor	Sub-use:	Not Reported
Well Status:	Plugged and Abandoned	Seq #:	02
Owner:	MACRO OIL COMPANY	Well Depth:	33
Date Drilled:	11/08	Geo Unit:	00000000
Mechanic Test:	Not Reported	Chemical Analysis:	Not Reported
Bio Analysis:	Not Reported	Pump Test:	Not Reported
Driller:	HYDRO ENVIRONMENTAL TECHNOLOGY, INC.		
Driller #:	416	Hole Depth:	35
Elevation:	23	Depth From Surface:	24.00
Measured Date:	03/12/09	Date Added by Agency:	2009-05-11
Date Registered by Agency:	04/09	Date Plugged:	11-26-12
Plugged By:	Not Reported	Yield on Pump Test:	Not Reported
Drawdown on Test:	Not Reported	Casing Diameter:	4
Casing Material:	PLASTIC	Screen Diameter:	4
Screen Interval:	13-33	Assoc Well Serial #:	Not Reported
Well Name:	MW11R	Comments:	Not Reported
Pumpdown Method:	Not Reported	Extension Pipe Length:	Not Reported
Top of Extension Pipe:	Not Reported	Bottom of Extension Pipe:	Not Reported
Screen Material Type:	Not Reported	Gravel Packed:	N
Ground Elevation:	Not Reported	Screen Diameter:	Not Reported
Remarks:	Not Reported	Avg Heat Pump Depth:	0
Heat Pump Hole #:	Not Reported	Annular Space Cemented Depth:	Not Reported
Screen interval Length:	Not Reported	Screen Slot Size:	Not Reported
Inspection Comments:	Not Reported	Pump Depth:	Not Reported
Pump Horse Power:	Not Reported	Planned Pumpage (GPM):	0
Planned Pumpage (hr/day):	0	Planned Pumpage (days/yr):	Not Reported
Pump Rate (Gal/day):	Not Reported	Measured Method:	Not Reported
Hrs of Test:	Not Reported	Pump Test Date:	0

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Static Water Level:	Not Reported	Static Measurement Method:	Not Reported
Water Level Post-Test:	Not Reported	Pump Test Done:	Not Reported
Cementing Method:	Not Reported	P and A Comments:	Not Reported
P and A Details:	ALL RISER AND SCREEN WERE PULLED. TREMIE PIPE WAS PLACED AT BOTTOM OF CREATED VOID AND A BENTONITE SLURRY WAS PUMPED FROM BOTTOM TO TOP		
Casing Length:	Not Reported	Driller Owner:	Not Reported
Owner ID:	44057		

B39
East
1/2 - 1 Mile
Higher

LA WELLS LATD60000195610

Well ID:	099-8141Z	Local Well #:	8141Z
Well Use:	monitor	Sub-use:	Not Reported
Well Status:	Active	Seq #:	00
Owner:	PENNYWISE #4	Well Depth:	20
Date Drilled:	01/21/2020	Geo Unit:	112MRVAC
Mechanic Test:	N	Chemical Analysis:	N
Bio Analysis:	N	Pump Test:	N
Driller:	JESCO ENVIRONMENTAL & GEOTECH. SERVICES, INC.		
Driller #:	500	Hole Depth:	20
Elevation:	0024	Depth From Surface:	7.40
Measured Date:	01/22/2020	Date Added by Agency:	Not Reported
Date Registered by Agency:	01/29/2020	Date Plugged:	Not Reported
Plugged By:	Not Reported	Yield on Pump Test:	Not Reported
Drawdown on Test:	Not Reported	Casing Diameter:	4
Casing Material:	PLASTIC	Screen Diameter:	4
Screen Interval:	Not Reported	Assoc Well Serial #:	Not Reported
Well Name:	MW-1	Comments:	Not Reported
Pumpdown Method:	Not Reported	Extension Pipe Length:	Not Reported
Top of Extension Pipe:	Not Reported	Bottom of Extension Pipe:	Not Reported
Screen Material Type:	PLASTIC	Gravel Packed:	N
Ground Elevation:	Not Reported	Screen Diameter:	Not Reported
Remarks:	0.5 FT SUMP	Avg Heat Pump Depth:	0
Heat Pump Hole #:	Not Reported	Annular Space Cemented Depth:	6
Screen interval Length:	10	Screen Slot Size:	0.01
Inspection Comments:	Not Reported	Pump Depth:	Not Reported
Pump Horse Power:	Not Reported	Planned Pumpage (GPM):	0
Planned Pumpage (hr/day):	0	Planned Pumpage (days/yr):	Not Reported
Pump Rate (Gal/day):	Not Reported	Measured Method:	Not Reported
Hrs of Test:	Not Reported	Pump Test Date:	0
Static Water Level:	Not Reported	Static Measurement Method:	Not Reported
Water Level Post-Test:	Not Reported	Pump Test Done:	Not Reported
Cementing Method:	P	P and A Comments:	Not Reported
P and A Details:	Not Reported	Casing Length:	10
Driller Owner:	Not Reported	Owner ID:	169477

B40
East
1/2 - 1 Mile
Higher

LA WELLS LATD60000195611

Well ID:	099-8142Z	Local Well #:	8142Z
Well Use:	monitor	Sub-use:	Not Reported
Well Status:	Active	Seq #:	00
Owner:	PENNYWISE #4	Well Depth:	20
Date Drilled:	01/21/2020	Geo Unit:	112MRVAC

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Mechanic Test:	N	Chemical Analysis:	N
Bio Analysis:	N	Pump Test:	N
Driller:	JESCO ENVIRONMENTAL & GEOTECH. SERVICES, INC.		
Driller #:	500	Hole Depth:	20
Elevation:	0024	Depth From Surface:	7.48
Measured Date:	01/22/2020	Date Added by Agency:	Not Reported
Date Registered by Agency:	01/29/2020	Date Plugged:	Not Reported
Plugged By:	Not Reported	Yield on Pump Test:	Not Reported
Drawdown on Test:	Not Reported	Casing Diameter:	4
Casing Material:	PLASTIC	Screen Diameter:	4
Screen Interval:	Not Reported	Assoc Well Serial #:	Not Reported
Well Name:	MW-2	Comments:	Not Reported
Pumpdown Method:	Not Reported	Extension Pipe Length:	Not Reported
Top of Extension Pipe:	Not Reported	Bottom of Extension Pipe:	Not Reported
Screen Material Type:	PLASTIC	Gravel Packed:	N
Ground Elevation:	Not Reported	Screen Diameter:	Not Reported
Remarks:	0.5 FT SUMP	Avg Heat Pump Depth:	0
Heat Pump Hole #:	Not Reported	Annular Space Cemented Depth:	6
Screen interval Length:	10	Screen Slot Size:	0.01
Inspection Comments:	Not Reported	Pump Depth:	Not Reported
Pump Horse Power:	Not Reported	Planned Pumpage (GPM):	0
Planned Pumpage (hr/day):	0	Planned Pumpage (days/yr):	Not Reported
Pump Rate (Gal/day):	Not Reported	Measured Method:	Not Reported
Hrs of Test:	Not Reported	Pump Test Date:	0
Static Water Level:	Not Reported	Static Measurement Method:	Not Reported
Water Level Post-Test:	Not Reported	Pump Test Done:	Not Reported
Cementing Method:	P	P and A Comments:	Not Reported
P and A Details:	Not Reported	Casing Length:	10
Driller Owner:	Not Reported	Owner ID:	169477

**C41
NE
1/2 - 1 Mile
Higher**

LA WELLS LATD60000114132

Well ID:	099-6394Z	Local Well #:	6394Z
Well Use:	plugged and abandoned monitor	Well Status:	Plugged and Abandoned
Sub-use:	Plugged	Owner:	MACRO OIL
Seq #:	02	Date Drilled:	12/95
Well Depth:	26	Mechanic Test:	Not Reported
Geo Unit:	112MRVAC	Bio Analysis:	Not Reported
Chemical Analysis:	Not Reported	Driller:	HYDRO
Pump Test:	Not Reported	Hole Depth:	27
Driller #:	416	Depth From Surface:	17.00
Elevation:	24	Date Added by Agency:	2001-06-19
Measured Date:	12/11/95	Date Plugged:	04/01
Date Registered by Agency:	01/96	Yield on Pump Test:	Not Reported
Plugged By:	HYDRO	Casing Diameter:	4
Drawdown on Test:	Not Reported	Screen Diameter:	4
Casing Material:	PLASTIC	Assoc Well Serial #:	Not Reported
Screen Interval:	16-26	Comments:	2129 AMES BROUSSARD ROAD, BREAU BRIDGE, LA 70517 REPLACED BY WELL NUMBER 099-6840Z
Well Name:	MW-7	Pumpdown Method:	Not Reported
Extension Pipe Length:	Not Reported	Bottom of Extension Pipe:	Not Reported
Gravel Packed:	N	Screen Material Type:	Not Reported
Screen Diameter:	Not Reported	Ground Elevation:	Not Reported
Avg Heat Pump Depth:	0	Remarks:	Not Reported
Annular Space Cemented Depth:	Not Reported	Heat Pump Hole #:	Not Reported
Screen Slot Size:	Not Reported	Screen interval Length:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Inspection Comments:	Not Reported	Pump Depth:	Not Reported
Pump Horse Power:	Not Reported	Planned Pumpage (GPM):	0
Planned Pumpage (hr/day):	0	Planned Pumpage (days/yr):	Not Reported
Pump Rate (Gal/day):	Not Reported	Measured Method:	Not Reported
Hrs of Test:	Not Reported	Pump Test Date:	0
Static Water Level:	Not Reported	Static Measurement Method:	Not Reported
Water Level Post-Test:	Not Reported	Pump Test Done:	Not Reported
Cementing Method:	Not Reported	P and A Comments:	Not Reported
P and A Details:	Not Reported	Casing Length:	Not Reported
Driller Owner:	Not Reported	Owner ID:	0

**C42
NE
1/2 - 1 Mile
Higher**

LA WELLS LATD60000112493

Well ID:	099-6198Z	Local Well #:	6198Z
Well Use:	excavated monitor	Sub-use:	Excavated Out
Well Status:	Plugged and Abandoned	Seq #:	01
Owner:	MACRO OIL	Well Depth:	25
Date Drilled:	09/93	Geo Unit:	112MRVAC
Mechanic Test:	Not Reported	Chemical Analysis:	Not Reported
Bio Analysis:	Not Reported	Pump Test:	Not Reported
Driller:	HYDRO	Driller #:	416
Hole Depth:	25	Elevation:	24
Depth From Surface:	15.80	Measured Date:	09/30/93
Date Added by Agency:	2001-03-26	Date Registered by Agency:	11/93
Date Plugged:	01/01	Plugged By:	HYDRO
Yield on Pump Test:	Not Reported	Drawdown on Test:	Not Reported
Casing Diameter:	4	Casing Material:	PLASTIC
Screen Diameter:	4	Screen Interval:	15-25
Assoc Well Serial #:	Not Reported	Well Name:	MW-6
Comments:	REPLACED BY WELL NO. 099-6810Z -- DRILLED IN SAME HOLE BRIDGE, LOUISIANA 70517		2129 AMES-BROUSSARD RD, BREAUX
Pumpdown Method:	Not Reported	Extension Pipe Length:	Not Reported
Top of Extension Pipe:	Not Reported	Bottom of Extension Pipe:	Not Reported
Screen Material Type:	Not Reported	Gravel Packed:	N
Ground Elevation:	Not Reported	Screen Diameter:	Not Reported
Remarks:	Not Reported	Avg Heat Pump Depth:	0
Heat Pump Hole #:	Not Reported	Annular Space Cemented Depth:	Not Reported
Screen interval Length:	Not Reported	Screen Slot Size:	Not Reported
Inspection Comments:	Not Reported	Pump Depth:	Not Reported
Pump Horse Power:	Not Reported	Planned Pumpage (GPM):	0
Planned Pumpage (hr/day):	0	Planned Pumpage (days/yr):	Not Reported
Pump Rate (Gal/day):	Not Reported	Measured Method:	Not Reported
Hrs of Test:	Not Reported	Pump Test Date:	0
Static Water Level:	Not Reported	Static Measurement Method:	Not Reported
Water Level Post-Test:	Not Reported	Pump Test Done:	Not Reported
Cementing Method:	Not Reported	P and A Comments:	Not Reported
P and A Details:	Not Reported	Casing Length:	Not Reported
Driller Owner:	Not Reported	Owner ID:	0

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

C43
NE
1/2 - 1 Mile
Higher

LA WELLS LATD60000173011

Well ID:	099-6827Z	Local Well #:	6827Z
Well Use:	monitor	Sub-use:	Not Reported
Well Status:	Plugged and Abandoned	Seq #:	05
Owner:	MACRO OIL COMPANY	Well Depth:	34
Date Drilled:	11/00	Geo Unit:	112MRVAC
Mechanic Test:	Not Reported	Chemical Analysis:	Not Reported
Bio Analysis:	Not Reported	Pump Test:	Not Reported
Driller:	HYDRO ENVIRONMENTAL TECHNOLOGY, INC.		
Driller #:	416	Hole Depth:	36
Elevation:	27	Depth From Surface:	25.00
Measured Date:	11/30/00	Date Added by Agency:	2001-08-06
Date Registered by Agency:	03/01	Date Plugged:	11-26-12
Plugged By:	Not Reported	Yield on Pump Test:	Not Reported
Drawdown on Test:	Not Reported	Casing Diameter:	4
Casing Material:	PLASTIC	Screen Diameter:	4
Screen Interval:	14-34	Assoc Well Serial #:	Not Reported
Well Name:	MW-1R		
Comments:	2125 AMES BROUSSARD RD, BREAUX BRIDGE, LA 70517 DRILLED IN SAME HOLE		REPLACES WELL NO. 099-6112Z --
Pumpdown Method:	Not Reported	Extension Pipe Length:	Not Reported
Top of Extension Pipe:	Not Reported	Bottom of Extension Pipe:	Not Reported
Screen Material Type:	Not Reported	Gravel Packed:	N
Ground Elevation:	Not Reported	Screen Diameter:	Not Reported
Remarks:	Not Reported	Avg Heat Pump Depth:	0
Heat Pump Hole #:	Not Reported	Annular Space Cemented Depth:	Not Reported
Screen interval Length:	Not Reported	Screen Slot Size:	Not Reported
Inspection Comments:	Not Reported	Pump Depth:	Not Reported
Pump Horse Power:	Not Reported	Planned Pumpage (GPM):	0
Planned Pumpage (hr/day):	0	Planned Pumpage (days/yr):	Not Reported
Pump Rate (Gal/day):	Not Reported	Measured Method:	Not Reported
Hrs of Test:	Not Reported	Pump Test Date:	0
Static Water Level:	Not Reported	Static Measurement Method:	Not Reported
Water Level Post-Test:	Not Reported	Pump Test Done:	Not Reported
Cementing Method:	Not Reported	P and A Comments:	Not Reported
P and A Details:	ALL RISER AND SCREEN WERE PULLED. TREMIE PIPE WAS PLACED AT BOTTOM OF CREATED VOID AND A BENTONITE SLURRY WAS PUMPED FROM BOTTOM TO TOP.		
Casing Length:	Not Reported	Driller Owner:	Not Reported
Owner ID:	44057		

C44
NE
1/2 - 1 Mile
Higher

LA WELLS LATD60000172468

Well ID:	099-6829Z	Local Well #:	6829Z
Well Use:	monitor	Sub-use:	Not Reported
Well Status:	Plugged and Abandoned	Seq #:	07
Owner:	MACRO OIL COMPANY	Well Depth:	35
Date Drilled:	11/00	Geo Unit:	112MRVAC
Mechanic Test:	Not Reported	Chemical Analysis:	Not Reported
Bio Analysis:	Not Reported	Pump Test:	Not Reported
Driller:	HYDRO ENVIRONMENTAL TECHNOLOGY, INC.		
Driller #:	416	Hole Depth:	36

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Elevation:	27	Depth From Surface:	24.00
Measured Date:	11/30/00	Date Added by Agency:	2001-08-06
Date Registered by Agency:	03/01	Date Plugged:	11-27-12
Plugged By:	Not Reported	Yield on Pump Test:	Not Reported
Drawdown on Test:	Not Reported	Casing Diameter:	4
Casing Material:	PLASTIC	Screen Diameter:	4
Screen Interval:	15-35	Assoc Well Serial #:	Not Reported
Well Name:	MW-5R		
Comments:	2125 AMES BROUSSARD RD, BREAUX BRIDGE, LA 70517		REPLACES WELL NO. 099-6116Z --
	DRILLED IN SAME HOLE		
Pumpdown Method:	Not Reported	Extension Pipe Length:	Not Reported
Top of Extension Pipe:	Not Reported	Bottom of Extension Pipe:	Not Reported
Screen Material Type:	Not Reported	Gravel Packed:	N
Ground Elevation:	Not Reported	Screen Diameter:	Not Reported
Remarks:	Not Reported	Avg Heat Pump Depth:	0
Heat Pump Hole #:	Not Reported	Annular Space Cemented Depth:	Not Reported
Screen interval Length:	Not Reported	Screen Slot Size:	Not Reported
Inspection Comments:	Not Reported	Pump Depth:	Not Reported
Pump Horse Power:	Not Reported	Planned Pumpage (GPM):	0
Planned Pumpage (hr/day):	0	Planned Pumpage (days/yr):	Not Reported
Pump Rate (Gal/day):	Not Reported	Measured Method:	Not Reported
Hrs of Test:	Not Reported	Pump Test Date:	0
Static Water Level:	Not Reported	Static Measurement Method:	Not Reported
Water Level Post-Test:	Not Reported	Pump Test Done:	Not Reported
Cementing Method:	Not Reported	P and A Comments:	Not Reported
P and A Details:	ALL RISER AND SCREEN WERE PULLED. TREMIE PIPE WAS PLACED AT BOTTOM OF CREATED VOID AND A BENTONITE SLURRY WAS PUMPED FROM BOTTOM TO TOP.		
Casing Length:	Not Reported	Driller Owner:	Not Reported
Owner ID:	44057		

**C45
NE
1/2 - 1 Mile
Higher**

LA WELLS LATD60000109279

Well ID:	099-6811Z	Local Well #:	6811Z
Well Use:	monitor	Sub-use:	Not Reported
Well Status:	Plugged and Abandoned	Seq #:	04
Owner:	MACRO OIL COMPANY	Well Depth:	34
Date Drilled:	01/01	Geo Unit:	112MRVAC
Mechanic Test:	Not Reported	Chemical Analysis:	Not Reported
Bio Analysis:	Not Reported	Pump Test:	Not Reported
Driller:	HYDRO ENVIRONMENTAL TECHNOLOGY, INC.		
Driller #:	416	Hole Depth:	36
Elevation:	25	Depth From Surface:	23.00
Measured Date:	01/29/01	Date Added by Agency:	2001-03-21
Date Registered by Agency:	02/01	Date Plugged:	11-26-12
Plugged By:	Not Reported	Yield on Pump Test:	Not Reported
Drawdown on Test:	Not Reported	Casing Diameter:	4
Casing Material:	PLASTIC	Screen Diameter:	4
Screen Interval:	14-34	Assoc Well Serial #:	Not Reported
Well Name:	MW-9R		
Comments:	2129 AMES BROUSSARD ROAD, BREAUX BRIDGE, LA 70517		REPLACES WELL NO. 099-6444Z --
	DRILLED IN SAME HOLE		
Pumpdown Method:	Not Reported	Extension Pipe Length:	Not Reported
Top of Extension Pipe:	Not Reported	Bottom of Extension Pipe:	Not Reported
Screen Material Type:	Not Reported	Gravel Packed:	N
Ground Elevation:	Not Reported	Screen Diameter:	Not Reported
Remarks:	Not Reported	Avg Heat Pump Depth:	0
Heat Pump Hole #:	Not Reported	Annular Space Cemented Depth:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen interval Length:	Not Reported	Screen Slot Size:	Not Reported
Inspection Comments:	Not Reported	Pump Depth:	Not Reported
Pump Horse Power:	Not Reported	Planned Pumpage (GPM):	0
Planned Pumpage (hr/day):	0	Planned Pumpage (days/yr):	Not Reported
Pump Rate (Gal/day):	Not Reported	Measured Method:	Not Reported
Hrs of Test:	Not Reported	Pump Test Date:	0
Static Water Level:	Not Reported	Static Measurement Method:	Not Reported
Water Level Post-Test:	Not Reported	Pump Test Done:	Not Reported
Cementing Method:	Not Reported	P and A Comments:	Not Reported
P and A Details:	ALL RISER AND SCREEN WERE PULLED. TREMIE PIPE WAS PLACED AT BOTTOM OF CREATED VOID AND A BENTONITE SLURRY WAS PUMPED FROM BOTTOM TO TOP		
Casing Length:	Not Reported	Driller Owner:	Not Reported
Owner ID:	44057		

**C46
NE
1/2 - 1 Mile
Higher**

LA WELLS LATD60000109278

Well ID:	099-6810Z	Local Well #:	6810Z
Well Use:	monitor	Sub-use:	Not Reported
Well Status:	Plugged and Abandoned	Seq #:	03
Owner:	MACRO OIL COMPANY	Well Depth:	34
Date Drilled:	01/01	Geo Unit:	112MRVAC
Mechanic Test:	Not Reported	Chemical Analysis:	Not Reported
Bio Analysis:	Not Reported	Pump Test:	Not Reported
Driller:	HYDRO ENVIRONMENTAL TECHNOLOGY, INC.		
Driller #:	416	Hole Depth:	36
Elevation:	25	Depth From Surface:	22.00
Measured Date:	01/29/01	Date Added by Agency:	2001-03-21
Date Registered by Agency:	02/01	Date Plugged:	11-26-12
Plugged By:	Not Reported	Yield on Pump Test:	Not Reported
Drawdown on Test:	Not Reported	Casing Diameter:	4
Casing Material:	PLASTIC	Screen Diameter:	4
Screen Interval:	14-34	Assoc Well Serial #:	Not Reported
Well Name:	MW-6R		
Comments:	2129 AMES BROUSSARD ROAD, BREAUX BRIDGE, LA 70517		REPLACES WELL NO. 099-6198Z --
	DRILLED IN SAME HOLE		
Pumpdown Method:	Not Reported	Extension Pipe Length:	Not Reported
Top of Extension Pipe:	Not Reported	Bottom of Extension Pipe:	Not Reported
Screen Material Type:	Not Reported	Gravel Packed:	N
Ground Elevation:	Not Reported	Screen Diameter:	Not Reported
Remarks:	Not Reported	Avg Heat Pump Depth:	0
Heat Pump Hole #:	Not Reported	Annular Space Cemented Depth:	Not Reported
Screen interval Length:	Not Reported	Screen Slot Size:	Not Reported
Inspection Comments:	Not Reported	Pump Depth:	Not Reported
Pump Horse Power:	Not Reported	Planned Pumpage (GPM):	0
Planned Pumpage (hr/day):	0	Planned Pumpage (days/yr):	Not Reported
Pump Rate (Gal/day):	Not Reported	Measured Method:	Not Reported
Hrs of Test:	Not Reported	Pump Test Date:	0
Static Water Level:	Not Reported	Static Measurement Method:	Not Reported
Water Level Post-Test:	Not Reported	Pump Test Done:	Not Reported
Cementing Method:	Not Reported	P and A Comments:	Not Reported
P and A Details:	ALL RISER AND SCREEN WERE PULLED. TREMIE PIPE WAS PLACED AT BOTTOM OF CREATED VOID AND A BENTONITE SLURRY WAS PUMPED FROM BOTTOM TO TOP		
Casing Length:	Not Reported	Driller Owner:	Not Reported
Owner ID:	44057		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

C47
NE
1/2 - 1 Mile
Higher

LA WELLS LATD60000110306

Well ID:	099-6865Z	Local Well #:	6865Z
Well Use:	monitor	Sub-use:	Not Reported
Well Status:	Plugged and Abandoned	Seq #:	08
Owner:	MACRO OIL COMPANY	Well Depth:	36
Date Drilled:	04/01	Geo Unit:	112MRVAC
Mechanic Test:	Not Reported	Chemical Analysis:	Not Reported
Bio Analysis:	Not Reported	Pump Test:	Not Reported
Driller:	HYDRO ENVIRONMENTAL TECHNOLOGY, INC.		
Driller #:	416	Hole Depth:	36
Elevation:	25	Depth From Surface:	22.00
Measured Date:	06/21/01	Date Added by Agency:	2002-10-24
Date Registered by Agency:	07/01	Date Plugged:	11-27-12
Plugged By:	Not Reported	Yield on Pump Test:	Not Reported
Drawdown on Test:	Not Reported	Casing Diameter:	4
Casing Material:	PLASTIC	Screen Diameter:	4
Screen Interval:	16-36	Assoc Well Serial #:	Not Reported
Well Name:	MW7R	Comments:	Not Reported
Pumpdown Method:	Not Reported	Extension Pipe Length:	Not Reported
Top of Extension Pipe:	Not Reported	Bottom of Extension Pipe:	Not Reported
Screen Material Type:	Not Reported	Gravel Packed:	N
Ground Elevation:	Not Reported	Screen Diameter:	Not Reported
Remarks:	Not Reported	Avg Heat Pump Depth:	0
Heat Pump Hole #:	Not Reported	Annular Space Cemented Depth:	Not Reported
Screen interval Length:	Not Reported	Screen Slot Size:	Not Reported
Inspection Comments:	Not Reported	Pump Depth:	Not Reported
Pump Horse Power:	Not Reported	Planned Pumpage (GPM):	0
Planned Pumpage (hr/day):	0	Planned Pumpage (days/yr):	Not Reported
Pump Rate (Gal/day):	Not Reported	Measured Method:	Not Reported
Hrs of Test:	Not Reported	Pump Test Date:	0
Static Water Level:	Not Reported	Static Measurement Method:	Not Reported
Water Level Post-Test:	Not Reported	Pump Test Done:	Not Reported
Cementing Method:	Not Reported	P and A Comments:	Not Reported
P and A Details:	DUPLICATE REGISTRATION	Casing Length:	Not Reported
Driller Owner:	Not Reported	Owner ID:	44057

C48
NE
1/2 - 1 Mile
Higher

LA WELLS LATD60000109538

Well ID:	099-6828Z	Local Well #:	6828Z
Well Use:	monitor	Sub-use:	Not Reported
Well Status:	Plugged and Abandoned	Seq #:	06
Owner:	MACRO OIL COMPANY	Well Depth:	34
Date Drilled:	11/00	Geo Unit:	112MRVAC
Mechanic Test:	Not Reported	Chemical Analysis:	Not Reported
Bio Analysis:	Not Reported	Pump Test:	Not Reported
Driller:	HYDRO ENVIRONMENTAL TECHNOLOGY, INC.		
Driller #:	416	Hole Depth:	36
Elevation:	27	Depth From Surface:	24.00
Measured Date:	11/30/00	Date Added by Agency:	2001-08-06
Date Registered by Agency:	03/01	Date Plugged:	11-27-12
Plugged By:	Not Reported	Yield on Pump Test:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Drawdown on Test:	Not Reported	Casing Diameter:	4
Casing Material:	PLASTIC	Screen Diameter:	4
Screen Interval:	14-34	Assoc Well Serial #:	Not Reported
Well Name:	MW-4R		
Comments:	2125 AMES BROUSSARD RD, BREAUX BRIDGE, LA 70517		REPLACES WELL NO. 099-6115Z --
	DRILLED IN SAME HOLE		
Pumpdown Method:	Not Reported	Extension Pipe Length:	Not Reported
Top of Extension Pipe:	Not Reported	Bottom of Extension Pipe:	Not Reported
Screen Material Type:	Not Reported	Gravel Packed:	N
Ground Elevation:	Not Reported	Screen Diameter:	Not Reported
Remarks:	Not Reported	Avg Heat Pump Depth:	0
Heat Pump Hole #:	Not Reported	Annular Space Cemented Depth:	Not Reported
Screen interval Length:	Not Reported	Screen Slot Size:	Not Reported
Inspection Comments:	Not Reported	Pump Depth:	Not Reported
Pump Horse Power:	Not Reported	Planned Pumpage (GPM):	0
Planned Pumpage (hr/day):	0	Planned Pumpage (days/yr):	Not Reported
Pump Rate (Gal/day):	Not Reported	Measured Method:	Not Reported
Hrs of Test:	Not Reported	Pump Test Date:	0
Static Water Level:	Not Reported	Static Measurement Method:	Not Reported
Water Level Post-Test:	Not Reported	Pump Test Done:	Not Reported
Cementing Method:	Not Reported	P and A Comments:	Not Reported
P and A Details:	ALL RISER AND SCREEN WERE PULLED. TREMIE PIPE WAS PLACED AT BOTTOM OF CREATED VOID AND A BENTONITE SLURRY WAS PUMPED FROM BOTTOM TO TOP.		
Casing Length:	Not Reported	Driller Owner:	Not Reported
Owner ID:	44057		

**C49
NE
1/2 - 1 Mile
Higher**

LA WELLS LATD6000011272

Well ID:	099-6443Z	Local Well #:	6443Z
Well Use:	plugged and abandoned monitor		
Sub-use:	Plugged	Well Status:	Plugged and Abandoned
Seq #:	01	Owner:	MACRO OIL
Well Depth:	25	Date Drilled:	05/96
Geo Unit:	112MRVAC	Mechanic Test:	Not Reported
Chemical Analysis:	Not Reported	Bio Analysis:	Not Reported
Pump Test:	Not Reported	Driller:	HYDRO
Driller #:	416	Hole Depth:	27
Elevation:	25	Depth From Surface:	18.00
Measured Date:	05/01/96	Date Added by Agency:	2001-06-19
Date Registered by Agency:	08/96	Date Plugged:	04/01
Plugged By:	HYDRO	Yield on Pump Test:	Not Reported
Drawdown on Test:	Not Reported	Casing Diameter:	4
Casing Material:	PLASTIC	Screen Diameter:	4
Screen Interval:	15-25	Assoc Well Serial #:	Not Reported
Well Name:	MW8		
Comments:	2129 AMES-BROUSSARD RD, BREAUX BRIDGE		REPLACED BY WELL NUMBER 099-6839Z
Pumpdown Method:	Not Reported	Extension Pipe Length:	Not Reported
Top of Extension Pipe:	Not Reported	Bottom of Extension Pipe:	Not Reported
Screen Material Type:	Not Reported	Gravel Packed:	N
Ground Elevation:	Not Reported	Screen Diameter:	Not Reported
Remarks:	Not Reported	Avg Heat Pump Depth:	0
Heat Pump Hole #:	Not Reported	Annular Space Cemented Depth:	Not Reported
Screen interval Length:	Not Reported	Screen Slot Size:	Not Reported
Inspection Comments:	Not Reported	Pump Depth:	Not Reported
Pump Horse Power:	Not Reported	Planned Pumpage (GPM):	0
Planned Pumpage (hr/day):	0	Planned Pumpage (days/yr):	Not Reported
Pump Rate (Gal/day):	Not Reported	Measured Method:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Hrs of Test:	Not Reported	Pump Test Date:	0
Static Water Level:	Not Reported	Static Measurement Method:	Not Reported
Water Level Post-Test:	Not Reported	Pump Test Done:	Not Reported
Cementing Method:	Not Reported	P and A Comments:	Not Reported
P and A Details:	Not Reported	Casing Length:	Not Reported
Driller Owner:	Not Reported	Owner ID:	0

**C50
NE
1/2 - 1 Mile
Higher**

LA WELLS LATD60000110081

Well ID:	099-6840Z	Local Well #:	6840Z
Well Use:	monitor	Sub-use:	Not Reported
Well Status:	Plugged and Abandoned	Seq #:	01
Owner:	MACRO OIL COMPANY	Well Depth:	34
Date Drilled:	04/01	Geo Unit:	112MRVAC
Mechanic Test:	Not Reported	Chemical Analysis:	Not Reported
Bio Analysis:	Not Reported	Pump Test:	Not Reported
Driller:	HYDRO ENVIRONMENTAL TECHNOLOGY, INC.	Hole Depth:	36
Driller #:	416	Depth From Surface:	23.00
Elevation:	27	Date Added by Agency:	2001-08-06
Measured Date:	04/16/01	Date Plugged:	11-27-12
Date Registered by Agency:	04/01	Yield on Pump Test:	Not Reported
Plugged By:	Not Reported	Casing Diameter:	4
Drawdown on Test:	Not Reported	Screen Diameter:	4
Casing Material:	PLASTIC	Assoc Well Serial #:	Not Reported
Screen Interval:	14-34		
Well Name:	MW-7R		
Comments:	2129 AMES BROUSSARD ROAD, BREAUX BRIDGE, LA 70517		REPLACES WELL NUMBER 6394Z
Pumpdown Method:	Not Reported	Extension Pipe Length:	Not Reported
Top of Extension Pipe:	Not Reported	Bottom of Extension Pipe:	Not Reported
Screen Material Type:	Not Reported	Gravel Packed:	N
Ground Elevation:	Not Reported	Screen Diameter:	Not Reported
Remarks:	Not Reported	Avg Heat Pump Depth:	0
Heat Pump Hole #:	Not Reported	Annular Space Cemented Depth:	Not Reported
Screen interval Length:	Not Reported	Screen Slot Size:	Not Reported
Inspection Comments:	Not Reported	Pump Depth:	Not Reported
Pump Horse Power:	Not Reported	Planned Pumpage (GPM):	0
Planned Pumpage (hr/day):	0	Planned Pumpage (days/yr):	Not Reported
Pump Rate (Gal/day):	Not Reported	Measured Method:	Not Reported
Hrs of Test:	Not Reported	Pump Test Date:	0
Static Water Level:	Not Reported	Static Measurement Method:	Not Reported
Water Level Post-Test:	Not Reported	Pump Test Done:	Not Reported
Cementing Method:	Not Reported	P and A Comments:	Not Reported
P and A Details:	ALL RISER AND SCREEN WERE PULLED. TREMIE PIPE WAS PLACED AT BOTTOM OF CREATED VOID AND A BENTONITE SLURRY AND WAS PUMPED FROM BOTTOM TO TOP		
Casing Length:	Not Reported	Driller Owner:	Not Reported
Owner ID:	44057		

**51
SSW
1/2 - 1 Mile
Lower**

LA WELLS LATD60000110977

Well ID:	099-5098Z	Local Well #:	5098Z
Well Use:	plugged and abandoned rig supply	Well Status:	Plugged and Abandoned
Sub-use:	Plugged		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Seq #:	01	Owner:	GULF EXPLOR
Well Depth:	185	Date Drilled:	01/84
Geo Unit:	112ACFL	Mechanic Test:	Not Reported
Chemical Analysis:	Not Reported	Bio Analysis:	Not Reported
Pump Test:	Not Reported	Driller:	BROWN, H.
Driller #:	034	Hole Depth:	185
Elevation:	Not Reported	Depth From Surface:	30.00
Measured Date:	01/12/84	Date Added by Agency:	1997-01-23
Date Registered by Agency:	02/84	Date Plugged:	03/84
Plugged By:	BROWN, H.	Yield on Pump Test:	70
Drawdown on Test:	Not Reported	Casing Diameter:	4
Casing Material:	PLASTIC	Screen Diameter:	4
Screen Interval:	165-185	Assoc Well Serial #:	Not Reported
Well Name:	BARRY 2	Comments:	Not Reported
Pumpdown Method:	Not Reported	Extension Pipe Length:	Not Reported
Top of Extension Pipe:	Not Reported	Bottom of Extension Pipe:	Not Reported
Screen Material Type:	Not Reported	Gravel Packed:	N
Ground Elevation:	Not Reported	Screen Diameter:	Not Reported
Remarks:	Not Reported	Avg Heat Pump Depth:	0
Heat Pump Hole #:	Not Reported	Annular Space Cemented Depth:	Not Reported
Screen interval Length:	Not Reported	Screen Slot Size:	Not Reported
Inspection Comments:	Not Reported	Pump Depth:	Not Reported
Pump Horse Power:	Not Reported	Planned Pumpage (GPM):	0
Planned Pumpage (hr/day):	0	Planned Pumpage (days/yr):	Not Reported
Pump Rate (Gal/day):	Not Reported	Measured Method:	Not Reported
Hrs of Test:	Not Reported	Pump Test Date:	0
Static Water Level:	Not Reported	Static Measurement Method:	Not Reported
Water Level Post-Test:	Not Reported	Pump Test Done:	Not Reported
Cementing Method:	Not Reported	P and A Comments:	Not Reported
P and A Details:	Not Reported	Casing Length:	Not Reported
Driller Owner:	Not Reported	Owner ID:	0

**B52
East
1/2 - 1 Mile
Higher**

LA WELLS LATD60000106623

Well ID:	099-8145Z	Local Well #:	8145Z
Well Use:	monitor	Sub-use:	Not Reported
Well Status:	Active	Seq #:	01
Owner:	PENNYWISE #4	Well Depth:	20
Date Drilled:	01/22/2020	Geo Unit:	112MRVAC
Mechanic Test:	N	Chemical Analysis:	N
Bio Analysis:	N	Pump Test:	N
Driller:	JESCO ENVIRONMENTAL & GEOTECH. SERVICES, INC.	Hole Depth:	20
Driller #:	500	Depth From Surface:	11.21
Elevation:	0024	Date Added by Agency:	Not Reported
Measured Date:	01/22/2020	Date Plugged:	Not Reported
Date Registered by Agency:	01/29/2020	Yield on Pump Test:	Not Reported
Plugged By:	Not Reported	Casing Diameter:	4
Drawdown on Test:	Not Reported	Screen Diameter:	4
Casing Material:	PLASTIC	Assoc Well Serial #:	Not Reported
Screen Interval:	Not Reported	Comments:	Not Reported
Well Name:	MW-5	Extension Pipe Length:	Not Reported
Pumpdown Method:	Not Reported	Bottom of Extension Pipe:	Not Reported
Top of Extension Pipe:	Not Reported	Gravel Packed:	N
Screen Material Type:	PLASTIC	Screen Diameter:	Not Reported
Ground Elevation:	Not Reported	Avg Heat Pump Depth:	0
Remarks:	0.5 FT SUMP	Annular Space Cemented Depth:	6
Heat Pump Hole #:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen interval Length:	10	Screen Slot Size:	0.01
Inspection Comments:	Not Reported	Pump Depth:	Not Reported
Pump Horse Power:	Not Reported	Planned Pumpage (GPM):	0
Planned Pumpage (hr/day):	0	Planned Pumpage (days/yr):	Not Reported
Pump Rate (Gal/day):	Not Reported	Measured Method:	Not Reported
Hrs of Test:	Not Reported	Pump Test Date:	0
Static Water Level:	Not Reported	Static Measurement Method:	Not Reported
Water Level Post-Test:	Not Reported	Pump Test Done:	Not Reported
Cementing Method:	P	P and A Comments:	Not Reported
P and A Details:	Not Reported	Casing Length:	10
Driller Owner:	Not Reported	Owner ID:	169477

B53
East
1/2 - 1 Mile
Higher

LA WELLS LATD60000212048

Well ID:	099-8144Z	Local Well #:	8144Z
Well Use:	monitor	Sub-use:	Not Reported
Well Status:	Active	Seq #:	00
Owner:	PENNYWISE #4	Well Depth:	20
Date Drilled:	01/21/2020	Geo Unit:	112MRVAC
Mechanic Test:	N	Chemical Analysis:	N
Bio Analysis:	N	Pump Test:	N
Driller:	JESCO ENVIRONMENTAL & GEOTECH. SERVICES, INC.		
Driller #:	500	Hole Depth:	20
Elevation:	0024	Depth From Surface:	10.44
Measured Date:	01/22/2020	Date Added by Agency:	Not Reported
Date Registered by Agency:	01/29/2020	Date Plugged:	Not Reported
Plugged By:	Not Reported	Yield on Pump Test:	Not Reported
Drawdown on Test:	Not Reported	Casing Diameter:	4
Casing Material:	PLASTIC	Screen Diameter:	4
Screen Interval:	Not Reported	Assoc Well Serial #:	Not Reported
Well Name:	MW-4	Comments:	Not Reported
Pumpdown Method:	Not Reported	Extension Pipe Length:	Not Reported
Top of Extension Pipe:	Not Reported	Bottom of Extension Pipe:	Not Reported
Screen Material Type:	PLASTIC	Gravel Packed:	N
Ground Elevation:	Not Reported	Screen Diameter:	Not Reported
Remarks:	0.5 FT SUMP	Avg Heat Pump Depth:	0
Heat Pump Hole #:	Not Reported	Annular Space Cemented Depth:	6
Screen interval Length:	10	Screen Slot Size:	0.01
Inspection Comments:	Not Reported	Pump Depth:	Not Reported
Pump Horse Power:	Not Reported	Planned Pumpage (GPM):	0
Planned Pumpage (hr/day):	0	Planned Pumpage (days/yr):	Not Reported
Pump Rate (Gal/day):	Not Reported	Measured Method:	Not Reported
Hrs of Test:	Not Reported	Pump Test Date:	0
Static Water Level:	Not Reported	Static Measurement Method:	Not Reported
Water Level Post-Test:	Not Reported	Pump Test Done:	Not Reported
Cementing Method:	P	P and A Comments:	Not Reported
P and A Details:	Not Reported	Casing Length:	10
Driller Owner:	Not Reported	Owner ID:	169477

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

54
WNW
1/2 - 1 Mile
Higher

LA WELLS LATD60000212627

Well ID:	099-5401Z	Local Well #:	5401Z
Well Use:	heat pump hole	Sub-use:	Hole
Well Status:	Active	Seq #:	01
Owner:	CHERYL WILLET	Well Depth:	160
Date Drilled:	09/86	Geo Unit:	11200NWM
Mechanic Test:	Not Reported	Chemical Analysis:	Not Reported
Bio Analysis:	Not Reported	Pump Test:	Not Reported
Driller:	ROBIN'S	Driller #:	258
Hole Depth:	160	Elevation:	25
Depth From Surface:	0.00	Measured Date:	Not Reported
Date Added by Agency:	1991-10-01	Date Registered by Agency:	09/86
Date Plugged:	Not Reported	Plugged By:	Not Reported
Yield on Pump Test:	Not Reported	Drawdown on Test:	Not Reported
Casing Diameter:	Not Reported	Casing Material:	Not Reported
Screen Diameter:	Not Reported	Screen Interval:	Not Reported
Assoc Well Serial #:	Not Reported	Well Name:	Not Reported
Comments:	Not Reported	Pumpdown Method:	Not Reported
Extension Pipe Length:	Not Reported	Top of Extension Pipe:	Not Reported
Bottom of Extension Pipe:	Not Reported	Screen Material Type:	Not Reported
Gravel Packed:	N	Ground Elevation:	Not Reported
Screen Diameter:	Not Reported	Remarks:	Not Reported
Avg Heat Pump Depth:	0	Heat Pump Hole #:	Not Reported
Annular Space Cemented Depth:	Not Reported	Screen interval Length:	Not Reported
Screen Slot Size:	Not Reported	Inspection Comments:	Not Reported
Pump Depth:	Not Reported	Pump Horse Power:	Not Reported
Planned Pumpage (GPM):	0	Planned Pumpage (hr/day):	0
Planned Pumpage (days/yr):	Not Reported	Pump Rate (Gal/day):	Not Reported
Measured Method:	Not Reported	Hrs of Test:	Not Reported
Pump Test Date:	0	Static Water Level:	Not Reported
Static Measurement Method:	Not Reported	Water Level Post-Test:	Not Reported
Pump Test Done:	Not Reported	Cementing Method:	Not Reported
P and A Comments:	Not Reported	P and A Details:	Not Reported
Casing Length:	Not Reported	Driller Owner:	Not Reported
Owner ID:	165998		

C55
NE
1/2 - 1 Mile
Higher

LA WELLS LATD60000172467

Well ID:	099-6838Z	Local Well #:	6838Z
Well Use:	monitor	Sub-use:	Not Reported
Well Status:	Plugged and Abandoned	Seq #:	01
Owner:	MACRO OIL COMPANY	Well Depth:	34
Date Drilled:	04/01	Geo Unit:	112MRVAC
Mechanic Test:	Not Reported	Chemical Analysis:	Not Reported
Bio Analysis:	Not Reported	Pump Test:	Not Reported
Driller:	HYDRO ENVIRONMENTAL TECHNOLOGY, INC.		
Driller #:	416	Hole Depth:	36
Elevation:	26	Depth From Surface:	23.00
Measured Date:	04/16/01	Date Added by Agency:	2001-08-06
Date Registered by Agency:	04/01	Date Plugged:	11-27-12
Plugged By:	Not Reported	Yield on Pump Test:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Drawdown on Test:	Not Reported	Casing Diameter:	4
Casing Material:	PLASTIC	Screen Diameter:	4
Screen Interval:	14-34	Assoc Well Serial #:	Not Reported
Well Name:	MW-3R		
Comments:	2129 AMES BROUSSARD ROAD, BREAUX BRIDGE, LA 70517 REPLACES WELL NUMBER 099-6114Z		
Pumpdown Method:	Not Reported	Extension Pipe Length:	Not Reported
Top of Extension Pipe:	Not Reported	Bottom of Extension Pipe:	Not Reported
Screen Material Type:	Not Reported	Gravel Packed:	N
Ground Elevation:	Not Reported	Screen Diameter:	Not Reported
Remarks:	Not Reported	Avg Heat Pump Depth:	0
Heat Pump Hole #:	Not Reported	Annular Space Cemented Depth:	Not Reported
Screen interval Length:	Not Reported	Screen Slot Size:	Not Reported
Inspection Comments:	Not Reported	Pump Depth:	Not Reported
Pump Horse Power:	Not Reported	Planned Pumpage (GPM):	0
Planned Pumpage (hr/day):	0	Planned Pumpage (days/yr):	Not Reported
Pump Rate (Gal/day):	Not Reported	Measured Method:	Not Reported
Hrs of Test:	Not Reported	Pump Test Date:	0
Static Water Level:	Not Reported	Static Measurement Method:	Not Reported
Water Level Post-Test:	Not Reported	Pump Test Done:	Not Reported
Cementing Method:	Not Reported	P and A Comments:	Not Reported
P and A Details:	ALL RISER AND SCREEN WERE PULLED. TREMIE PIPE WAS PLACED AT BOTTOM OF CREATED VOID AND A BENTONITE SLURRY WAS PUMPED FROM BOTTOM TO TOP		
Casing Length:	Not Reported	Driller Owner:	Not Reported
Owner ID:	44057		

D56
WSW
1/2 - 1 Mile
Higher

LA WELLS LATD60000209151

Well ID:	099-7232Z	Local Well #:	7232Z
Well Use:	domestic	Sub-use:	Not Reported
Well Status:	Active	Seq #:	01
Owner:	CARL SCHEXNYDER	Well Depth:	190
Date Drilled:	11/05	Geo Unit:	112ACFL
Mechanic Test:	Not Reported	Chemical Analysis:	Not Reported
Bio Analysis:	Not Reported	Pump Test:	Not Reported
Driller:	HUVAL, BRIAN	Driller #:	426
Hole Depth:	190	Elevation:	20
Depth From Surface:	23.00	Measured Date:	11/11/05
Date Added by Agency:	2006-04-21	Date Registered by Agency:	12/05
Date Plugged:	Not Reported	Plugged By:	Not Reported
Yield on Pump Test:	Not Reported	Drawdown on Test:	Not Reported
Casing Diameter:	2	Casing Material:	PLASTIC
Screen Diameter:	2	Screen Interval:	185-190
Assoc Well Serial #:	Not Reported	Well Name:	Not Reported
Comments:	WELL USED TO MAINTAIN LEVEL IN SMALL POND.		
Pumpdown Method:	Not Reported	Extension Pipe Length:	Not Reported
Top of Extension Pipe:	Not Reported	Bottom of Extension Pipe:	Not Reported
Screen Material Type:	Not Reported	Gravel Packed:	N
Ground Elevation:	Not Reported	Screen Diameter:	Not Reported
Remarks:	Not Reported	Avg Heat Pump Depth:	0
Heat Pump Hole #:	Not Reported	Annular Space Cemented Depth:	Not Reported
Screen interval Length:	Not Reported	Screen Slot Size:	Not Reported
Inspection Comments:	Not Reported	Pump Depth:	Not Reported
Pump Horse Power:	Not Reported	Planned Pumpage (GPM):	0
Planned Pumpage (hr/day):	0	Planned Pumpage (days/yr):	Not Reported
Pump Rate (Gal/day):	Not Reported	Measured Method:	Not Reported
Hrs of Test:	Not Reported	Pump Test Date:	0
Static Water Level:	Not Reported	Static Measurement Method:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Water Level Post-Test:	Not Reported	Pump Test Done:	Not Reported
Cementing Method:	Not Reported	P and A Comments:	Not Reported
P and A Details:	Not Reported	Casing Length:	Not Reported
Driller Owner:	Not Reported	Owner ID:	167239

**C57
NE
1/2 - 1 Mile
Higher**

LA WELLS LATD60000178936

Well ID:	099-6866Z	Local Well #:	6866Z
Well Use:	monitor	Sub-use:	Not Reported
Well Status:	Plugged and Abandoned	Seq #:	01
Owner:	MACRO OIL COMPANY	Well Depth:	34
Date Drilled:	04/01	Geo Unit:	112MRVAC
Mechanic Test:	Not Reported	Chemical Analysis:	Not Reported
Bio Analysis:	Not Reported	Pump Test:	Not Reported
Driller:	HYDRO ENVIRONMENTAL TECHNOLOGY, INC.	Hole Depth:	36
Driller #:	416	Depth From Surface:	21.00
Elevation:	25	Date Added by Agency:	2002-10-24
Measured Date:	06/21/01	Date Plugged:	11-27-12
Date Registered by Agency:	07/01	Yield on Pump Test:	Not Reported
Plugged By:	Not Reported	Casing Diameter:	4
Drawdown on Test:	Not Reported	Screen Diameter:	4
Casing Material:	PLASTIC	Assoc Well Serial #:	Not Reported
Screen Interval:	14-34	Comments:	Not Reported
Well Name:	MW8R	Extension Pipe Length:	Not Reported
Pumpdown Method:	Not Reported	Bottom of Extension Pipe:	Not Reported
Top of Extension Pipe:	Not Reported	Gravel Packed:	N
Screen Material Type:	Not Reported	Screen Diameter:	Not Reported
Ground Elevation:	Not Reported	Avg Heat Pump Depth:	0
Remarks:	Not Reported	Annular Space Cemented Depth:	Not Reported
Heat Pump Hole #:	Not Reported	Screen Slot Size:	Not Reported
Screen interval Length:	Not Reported	Pump Depth:	Not Reported
Inspection Comments:	Not Reported	Planned Pumpage (GPM):	0
Pump Horse Power:	Not Reported	Planned Pumpage (days/yr):	Not Reported
Planned Pumpage (hr/day):	0	Measured Method:	Not Reported
Pump Rate (Gal/day):	Not Reported	Pump Test Date:	0
Hrs of Test:	Not Reported	Static Measurement Method:	Not Reported
Static Water Level:	Not Reported	Pump Test Done:	Not Reported
Water Level Post-Test:	Not Reported	P and A Comments:	Not Reported
Cementing Method:	Not Reported	Casing Length:	Not Reported
P and A Details:	DUPLICATE REGISTRATION	Owner ID:	44057
Driller Owner:	Not Reported		

**D58
WSW
1/2 - 1 Mile
Higher**

LA WELLS LATD60000113406

Well ID:	099-7181Z	Local Well #:	7181Z
Well Use:	domestic	Sub-use:	Not Reported
Well Status:	Active	Seq #:	01
Owner:	RANDY LEBLANC	Well Depth:	170
Date Drilled:	07/05	Geo Unit:	112ACFL
Mechanic Test:	Not Reported	Chemical Analysis:	Not Reported
Bio Analysis:	Not Reported	Pump Test:	Not Reported
Driller:	HUVAL, BRIAN	Driller #:	426

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Hole Depth:	170	Elevation:	20
Depth From Surface:	23.00	Measured Date:	07/16/05
Date Added by Agency:	2006-04-21	Date Registered by Agency:	08/05
Date Plugged:	Not Reported	Plugged By:	Not Reported
Yield on Pump Test:	Not Reported	Drawdown on Test:	Not Reported
Casing Diameter:	2	Casing Material:	PLASTIC
Screen Diameter:	2	Screen Interval:	165-170
Assoc Well Serial #:	Not Reported	Well Name:	Not Reported
Comments:	Not Reported	Pumpdown Method:	Not Reported
Extension Pipe Length:	Not Reported	Top of Extension Pipe:	Not Reported
Bottom of Extension Pipe:	Not Reported	Screen Material Type:	Not Reported
Gravel Packed:	N	Ground Elevation:	Not Reported
Screen Diameter:	Not Reported	Remarks:	Not Reported
Avg Heat Pump Depth:	0	Heat Pump Hole #:	Not Reported
Annular Space Cemented Depth:	Not Reported	Screen interval Length:	Not Reported
Screen Slot Size:	Not Reported	Inspection Comments:	Not Reported
Pump Depth:	Not Reported	Pump Horse Power:	Not Reported
Planned Pumpage (GPM):	0	Planned Pumpage (hr/day):	0
Planned Pumpage (days/yr):	Not Reported	Pump Rate (Gal/day):	Not Reported
Measured Method:	Not Reported	Hrs of Test:	Not Reported
Pump Test Date:	0	Static Water Level:	Not Reported
Static Measurement Method:	Not Reported	Water Level Post-Test:	Not Reported
Pump Test Done:	Not Reported	Cementing Method:	Not Reported
P and A Comments:	Not Reported	P and A Details:	Not Reported
Casing Length:	Not Reported	Driller Owner:	Not Reported
Owner ID:	167216		

**E59
NE
1/2 - 1 Mile
Lower**

LA WELLS LATD60000112231

Well ID:	099-6444Z	Local Well #:	6444Z
Well Use:	excavated monitor	Sub-use:	Excavated Out
Well Status:	Plugged and Abandoned	Seq #:	01
Owner:	MACRO OIL	Well Depth:	25
Date Drilled:	05/96	Geo Unit:	112MRVAC
Mechanic Test:	Not Reported	Chemical Analysis:	Not Reported
Bio Analysis:	Not Reported	Pump Test:	Not Reported
Driller:	HYDRO	Driller #:	416
Hole Depth:	27	Elevation:	26
Depth From Surface:	18.00	Measured Date:	05/01/96
Date Added by Agency:	2001-03-26	Date Registered by Agency:	08/96
Date Plugged:	01/01	Plugged By:	HYDRO
Yield on Pump Test:	Not Reported	Drawdown on Test:	Not Reported
Casing Diameter:	4	Casing Material:	PLASTIC
Screen Diameter:	4	Screen Interval:	15-25
Assoc Well Serial #:	Not Reported	Well Name:	MW9
Comments:	2129 AMES-BROUSSARD RD, BREAUX BRIDGE DRILLED IN SAME HOLE		REPLACED BY WELL NO. 099-6811Z --
Pumpdown Method:	Not Reported	Extension Pipe Length:	Not Reported
Top of Extension Pipe:	Not Reported	Bottom of Extension Pipe:	Not Reported
Screen Material Type:	Not Reported	Gravel Packed:	N
Ground Elevation:	Not Reported	Screen Diameter:	Not Reported
Remarks:	Not Reported	Avg Heat Pump Depth:	0
Heat Pump Hole #:	Not Reported	Annular Space Cemented Depth:	Not Reported
Screen interval Length:	Not Reported	Screen Slot Size:	Not Reported
Inspection Comments:	Not Reported	Pump Depth:	Not Reported
Pump Horse Power:	Not Reported	Planned Pumpage (GPM):	0
Planned Pumpage (hr/day):	0	Planned Pumpage (days/yr):	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Pump Rate (Gal/day):	Not Reported	Measured Method:	Not Reported
Hrs of Test:	Not Reported	Pump Test Date:	0
Static Water Level:	Not Reported	Static Measurement Method:	Not Reported
Water Level Post-Test:	Not Reported	Pump Test Done:	Not Reported
Cementing Method:	Not Reported	P and A Comments:	Not Reported
P and A Details:	Not Reported	Casing Length:	Not Reported
Driller Owner:	Not Reported	Owner ID:	0

E60
NE
1/2 - 1 Mile
Lower

LA WELLS LATD6000011911

Well ID:	099-6445Z	Local Well #:	6445Z
Well Use:	plugged and abandoned monitor	Well Status:	Plugged and Abandoned
Sub-use:	Plugged	Owner:	MACRO OIL
Seq #:	01	Date Drilled:	05/96
Well Depth:	24	Mechanic Test:	Not Reported
Geo Unit:	112MRVAC	Bio Analysis:	Not Reported
Chemical Analysis:	Not Reported	Driller:	HYDRO
Pump Test:	Not Reported	Hole Depth:	26
Driller #:	416	Depth From Surface:	18.00
Elevation:	30	Date Added by Agency:	2001-06-19
Measured Date:	05/10/96	Date Plugged:	04/01
Date Registered by Agency:	08/96	Yield on Pump Test:	Not Reported
Plugged By:	HYDRO	Casing Diameter:	4
Drawdown on Test:	Not Reported	Screen Diameter:	4
Casing Material:	PLASTIC	Assoc Well Serial #:	Not Reported
Screen Interval:	14-24	Extension Pipe Length:	Not Reported
Well Name:	MW10	Bottom of Extension Pipe:	Not Reported
Comments:	2129 AMES-BROUSSARD RD, BREAUX BRIDGE		
Pumpdown Method:	Not Reported	Gravel Packed:	N
Top of Extension Pipe:	Not Reported	Screen Diameter:	Not Reported
Screen Material Type:	Not Reported	Avg Heat Pump Depth:	0
Ground Elevation:	Not Reported	Annular Space Cemented Depth:	Not Reported
Remarks:	Not Reported	Screen Slot Size:	Not Reported
Heat Pump Hole #:	Not Reported	Pump Depth:	Not Reported
Screen interval Length:	Not Reported	Planned Pumpage (GPM):	0
Inspection Comments:	Not Reported	Planned Pumpage (days/yr):	Not Reported
Pump Horse Power:	Not Reported	Measured Method:	Not Reported
Planned Pumpage (hr/day):	0	Pump Test Date:	0
Pump Rate (Gal/day):	Not Reported	Static Measurement Method:	Not Reported
Hrs of Test:	Not Reported	Pump Test Done:	Not Reported
Static Water Level:	Not Reported	P and A Comments:	Not Reported
Water Level Post-Test:	Not Reported	Casing Length:	Not Reported
Cementing Method:	Not Reported	Owner ID:	0
P and A Details:	Not Reported		
Driller Owner:	Not Reported		

E61
NE
1/2 - 1 Mile
Lower

LA WELLS LATD60000112156

Well ID:	099-6446Z	Local Well #:	6446Z
Well Use:	plugged and abandoned monitor	Well Status:	Plugged and Abandoned
Sub-use:	Plugged	Owner:	MACRO OIL
Seq #:	01		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well Depth:	20	Date Drilled:	07/96
Geo Unit:	112MRVAC	Mechanic Test:	Not Reported
Chemical Analysis:	Not Reported	Bio Analysis:	Not Reported
Pump Test:	Not Reported	Driller:	HYDRO
Driller #:	416	Hole Depth:	22
Elevation:	30	Depth From Surface:	18.00
Measured Date:	07/11/96	Date Added by Agency:	2001-06-19
Date Registered by Agency:	08/96	Date Plugged:	04/01
Plugged By:	HYDRO	Yield on Pump Test:	Not Reported
Drawdown on Test:	Not Reported	Casing Diameter:	2
Casing Material:	PLASTIC	Screen Diameter:	2
Screen Interval:	10-20	Assoc Well Serial #:	Not Reported
Well Name:	MW11		
Comments:	2129 AMES-BROUSSARD RD, BREAUX BRIDGE		
Pumpdown Method:	Not Reported	Extension Pipe Length:	Not Reported
Top of Extension Pipe:	Not Reported	Bottom of Extension Pipe:	Not Reported
Screen Material Type:	Not Reported	Gravel Packed:	N
Ground Elevation:	Not Reported	Screen Diameter:	Not Reported
Remarks:	Not Reported	Avg Heat Pump Depth:	0
Heat Pump Hole #:	Not Reported	Annular Space Cemented Depth:	Not Reported
Screen interval Length:	Not Reported	Screen Slot Size:	Not Reported
Inspection Comments:	Not Reported	Pump Depth:	Not Reported
Pump Horse Power:	Not Reported	Planned Pumpage (GPM):	0
Planned Pumpage (hr/day):	0	Planned Pumpage (days/yr):	Not Reported
Pump Rate (Gal/day):	Not Reported	Measured Method:	Not Reported
Hrs of Test:	Not Reported	Pump Test Date:	0
Static Water Level:	Not Reported	Static Measurement Method:	Not Reported
Water Level Post-Test:	Not Reported	Pump Test Done:	Not Reported
Cementing Method:	Not Reported	P and A Comments:	Not Reported
P and A Details:	Not Reported	Casing Length:	Not Reported
Driller Owner:	Not Reported	Owner ID:	0

62
NNE
1/2 - 1 Mile
Higher

LA WELLS LATD60000113821

Well ID:	099-6422Z	Local Well #:	6422Z
Well Use:	plugged and abandoned public supply	Well Status:	Plugged and Abandoned
Sub-use:	Plugged	Owner:	DELAHOUSSAYE RE
Seq #:	01	Date Drilled:	Not Reported
Well Depth:	125	Mechanic Test:	Not Reported
Geo Unit:	112ACFL	Bio Analysis:	Not Reported
Chemical Analysis:	Not Reported	Driller:	UNKNOWN
Pump Test:	Not Reported	Hole Depth:	0
Driller #:	000	Depth From Surface:	0.00
Elevation:	Not Reported	Date Added by Agency:	2002-09-19
Measured Date:	Not Reported	Date Plugged:	06/96
Date Registered by Agency:	06/96	Yield on Pump Test:	Not Reported
Plugged By:	ENVIRONMENTAL'	Casing Diameter:	2
Drawdown on Test:	Not Reported	Screen Diameter:	Not Reported
Casing Material:	PLASTIC	Assoc Well Serial #:	Not Reported
Screen Interval:	Not Reported	Comments:	Not Reported
Well Name:	W-1	Extension Pipe Length:	Not Reported
Pumpdown Method:	Not Reported	Bottom of Extension Pipe:	Not Reported
Top of Extension Pipe:	Not Reported	Gravel Packed:	N
Screen Material Type:	Not Reported	Screen Diameter:	Not Reported
Ground Elevation:	Not Reported	Avg Heat Pump Depth:	0
Remarks:	Not Reported	Annular Space Cemented Depth:	Not Reported
Heat Pump Hole #:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen interval Length:	Not Reported	Screen Slot Size:	Not Reported
Inspection Comments:	Not Reported	Pump Depth:	Not Reported
Pump Horse Power:	Not Reported	Planned Pumpage (GPM):	0
Planned Pumpage (hr/day):	0	Planned Pumpage (days/yr):	Not Reported
Pump Rate (Gal/day):	Not Reported	Measured Method:	Not Reported
Hrs of Test:	Not Reported	Pump Test Date:	0
Static Water Level:	Not Reported	Static Measurement Method:	Not Reported
Water Level Post-Test:	Not Reported	Pump Test Done:	Not Reported
Cementing Method:	Not Reported	P and A Comments:	Not Reported
P and A Details:	Not Reported	Casing Length:	Not Reported
Driller Owner:	Not Reported	Owner ID:	0

63
SE
1/2 - 1 Mile
Lower

LA WELLS LATD60000112556

Well ID:	099-7478Z	Local Well #:	7478Z
Well Use:	irrigation	Sub-use:	Not Reported
Well Status:	Active	Seq #:	01
Owner:	MASK DEVELOPERS	Well Depth:	170
Date Drilled:	03/09	Geo Unit:	00000000
Mechanic Test:	Not Reported	Chemical Analysis:	Not Reported
Bio Analysis:	Not Reported	Pump Test:	Not Reported
Driller:	HUVAL, BRIAN	Driller #:	426
Hole Depth:	170	Elevation:	25
Depth From Surface:	25.00	Measured Date:	03/09/09
Date Added by Agency:	2009-06-15	Date Registered by Agency:	04/09
Date Plugged:	Not Reported	Plugged By:	Not Reported
Yield on Pump Test:	Not Reported	Drawdown on Test:	Not Reported
Casing Diameter:	4	Casing Material:	PLASTIC
Screen Diameter:	4	Screen Interval:	150-170
Assoc Well Serial #:	Not Reported	Well Name:	Not Reported
Comments:	Not Reported	Pumpdown Method:	Not Reported
Extension Pipe Length:	Not Reported	Top of Extension Pipe:	Not Reported
Bottom of Extension Pipe:	Not Reported	Screen Material Type:	Not Reported
Gravel Packed:	N	Ground Elevation:	Not Reported
Screen Diameter:	Not Reported	Remarks:	Not Reported
Avg Heat Pump Depth:	0	Heat Pump Hole #:	Not Reported
Annular Space Cemented Depth:	Not Reported	Screen interval Length:	Not Reported
Screen Slot Size:	Not Reported	Inspection Comments:	Not Reported
Pump Depth:	Not Reported	Pump Horse Power:	Not Reported
Planned Pumpage (GPM):	0	Planned Pumpage (hr/day):	0
Planned Pumpage (days/yr):	Not Reported	Pump Rate (Gal/day):	Not Reported
Measured Method:	Not Reported	Hrs of Test:	Not Reported
Pump Test Date:	0	Static Water Level:	Not Reported
Static Measurement Method:	Not Reported	Water Level Post-Test:	Not Reported
Pump Test Done:	Not Reported	Cementing Method:	Not Reported
P and A Comments:	Not Reported	P and A Details:	Not Reported
Casing Length:	Not Reported	Driller Owner:	Not Reported
Owner ID:	0		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

64
West
1/2 - 1 Mile
Lower

LA WELLS LATD60000183906

Well ID:	099-6356Z	Local Well #:	6356Z
Well Use:	test hole	Sub-use:	Not Reported
Well Status:	Active	Seq #:	01
Owner:	CECILIA WTR SYS	Well Depth:	315
Date Drilled:	08/95	Geo Unit:	112ACFL
Mechanic Test:	Not Reported	Chemical Analysis:	Not Reported
Bio Analysis:	Not Reported	Pump Test:	Not Reported
Driller:	HUVAL, BRIAN	Driller #:	426
Hole Depth:	315	Elevation:	25
Depth From Surface:	19.00	Measured Date:	08/02/95
Date Added by Agency:	2002-10-31	Date Registered by Agency:	08/95
Date Plugged:	Not Reported	Plugged By:	Not Reported
Yield on Pump Test:	Not Reported	Drawdown on Test:	Not Reported
Casing Diameter:	2	Casing Material:	PLASTIC
Screen Diameter:	2	Screen Interval:	305-315
Assoc Well Serial #:	Not Reported	Well Name:	T H-WTRTW
Comments:	Not Reported	Pumpdown Method:	Not Reported
Extension Pipe Length:	Not Reported	Top of Extension Pipe:	Not Reported
Bottom of Extension Pipe:	Not Reported	Screen Material Type:	Not Reported
Gravel Packed:	N	Ground Elevation:	Not Reported
Screen Diameter:	Not Reported	Remarks:	Not Reported
Avg Heat Pump Depth:	0	Heat Pump Hole #:	Not Reported
Annular Space Cemented Depth:	Not Reported	Screen interval Length:	Not Reported
Screen Slot Size:	Not Reported	Inspection Comments:	Not Reported
Pump Depth:	Not Reported	Pump Horse Power:	Not Reported
Planned Pumpage (GPM):	0	Planned Pumpage (hr/day):	0
Planned Pumpage (days/yr):	Not Reported	Pump Rate (Gal/day):	Not Reported
Measured Method:	Not Reported	Hrs of Test:	Not Reported
Pump Test Date:	0	Static Water Level:	Not Reported
Static Measurement Method:	Not Reported	Water Level Post-Test:	Not Reported
Pump Test Done:	Not Reported	Cementing Method:	Not Reported
P and A Comments:	Not Reported	P and A Details:	Not Reported
Casing Length:	Not Reported	Driller Owner:	Not Reported
Owner ID:	0		

F65
SW
1/2 - 1 Mile
Lower

LA WELLS LATD60000197336

Well ID:	099-7865Z	Local Well #:	7865Z
Well Use:	domestic	Sub-use:	Not Reported
Well Status:	Active	Seq #:	00
Owner:	KEISHA HUNTSBERRY	Well Depth:	170
Date Drilled:	03/02/2016	Geo Unit:	112ACFL
Mechanic Test:	N	Chemical Analysis:	N
Bio Analysis:	N	Pump Test:	N
Driller:	DELAHOSSAYE WATER WELL DRILLING & REPAIR		
Driller #:	447	Hole Depth:	180
Elevation:	0020	Depth From Surface:	21
Measured Date:	03/02/2016	Date Added by Agency:	Not Reported
Date Registered by Agency:	03/21/2016	Date Plugged:	Not Reported
Plugged By:	Not Reported	Yield on Pump Test:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Drawdown on Test:	Not Reported	Casing Diameter:	3
Casing Material:	PLASTIC	Screen Diameter:	3
Screen Interval:	Not Reported	Assoc Well Serial #:	Not Reported
Well Name:	1	Comments:	Not Reported
Pumpdown Method:	Not Reported	Extension Pipe Length:	Not Reported
Top of Extension Pipe:	Not Reported	Bottom of Extension Pipe:	Not Reported
Screen Material Type:	PLASTIC	Gravel Packed:	N
Ground Elevation:	Not Reported	Screen Diameter:	Not Reported
Remarks:	Not Reported	Avg Heat Pump Depth:	0
Heat Pump Hole #:	Not Reported	Annular Space Cemented Depth:	10
Screen interval Length:	10	Screen Slot Size:	14
Inspection Comments:	09-MAY-16	Pump Depth:	Not Reported
Pump Horse Power:	Not Reported	Planned Pumpage (GPM):	0
Planned Pumpage (hr/day):	0	Planned Pumpage (days/yr):	Not Reported
Pump Rate (Gal/day):	Not Reported	Measured Method:	Not Reported
Hrs of Test:	Not Reported	Pump Test Date:	0
Static Water Level:	Not Reported	Static Measurement Method:	Not Reported
Water Level Post-Test:	Not Reported	Pump Test Done:	Not Reported
Cementing Method:	G	P and A Comments:	Not Reported
P and A Details:	Not Reported	Casing Length:	160
Driller Owner:	Not Reported	Owner ID:	118810

**G66
SW
1/2 - 1 Mile
Lower**

LA WELLS LATD60000112406

Well ID:	099-7196Z	Local Well #:	7196Z
Well Use:	plugged and abandoned irrigation	Well Status:	Plugged and Abandoned
Sub-use:	Plugged	Owner:	COMEAUX, JAMES
Seq #:	01	Date Drilled:	Not Reported
Well Depth:	180	Mechanic Test:	Not Reported
Geo Unit:	112ACFL	Bio Analysis:	Not Reported
Chemical Analysis:	Not Reported	Driller:	UNKNOWN
Pump Test:	Not Reported	Hole Depth:	0
Driller #:	000	Depth From Surface:	0.00
Elevation:	20	Date Added by Agency:	2006-04-21
Measured Date:	Not Reported	Date Plugged:	08/05
Date Registered by Agency:	Not Reported	Yield on Pump Test:	Not Reported
Plugged By:	HUVAL, BRIAN	Casing Diameter:	4
Drawdown on Test:	Not Reported	Screen Diameter:	Not Reported
Casing Material:	PLASTIC	Assoc Well Serial #:	Not Reported
Screen Interval:	Not Reported	Comments:	Not Reported
Well Name:	Not Reported	Extension Pipe Length:	Not Reported
Pumpdown Method:	Not Reported	Bottom of Extension Pipe:	Not Reported
Top of Extension Pipe:	Not Reported	Gravel Packed:	N
Screen Material Type:	Not Reported	Screen Diameter:	Not Reported
Ground Elevation:	Not Reported	Avg Heat Pump Depth:	0
Remarks:	Not Reported	Annular Space Cemented Depth:	Not Reported
Heat Pump Hole #:	Not Reported	Screen Slot Size:	Not Reported
Screen interval Length:	Not Reported	Pump Depth:	Not Reported
Inspection Comments:	Not Reported	Planned Pumpage (GPM):	0
Pump Horse Power:	Not Reported	Planned Pumpage (days/yr):	Not Reported
Planned Pumpage (hr/day):	0	Measured Method:	Not Reported
Pump Rate (Gal/day):	Not Reported	Pump Test Date:	0
Hrs of Test:	Not Reported	Static Measurement Method:	Not Reported
Static Water Level:	Not Reported	Pump Test Done:	Not Reported
Water Level Post-Test:	Not Reported	P and A Comments:	Not Reported
Cementing Method:	Not Reported	Casing Length:	Not Reported
P and A Details:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Driller Owner: Not Reported Owner ID: 0

**G67
SW
1/2 - 1 Mile
Lower**

LA WELLS LATD60000112407

Well ID:	099-7197Z	Local Well #:	7197Z
Well Use:	aquaculture	Sub-use:	Aquaculture
Well Status:	Active	Seq #:	02
Owner:	COMEAX, JAMES	Well Depth:	195
Date Drilled:	08/05	Geo Unit:	112ACFL
Mechanic Test:	Not Reported	Chemical Analysis:	Not Reported
Bio Analysis:	Not Reported	Pump Test:	Not Reported
Driller:	HUVAL, BRIAN	Driller #:	426
Hole Depth:	195	Elevation:	20
Depth From Surface:	28.00	Measured Date:	08/24/05
Date Added by Agency:	2006-04-21	Date Registered by Agency:	09/05
Date Plugged:	Not Reported	Plugged By:	Not Reported
Yield on Pump Test:	Not Reported	Drawdown on Test:	Not Reported
Casing Diameter:	4	Casing Material:	PLASTIC
Screen Diameter:	4	Screen Interval:	180-195
Assoc Well Serial #:	Not Reported	Well Name:	Not Reported
Comments:	WELL USED TO PROVIDE WATER FOR A SMALL CRAWFISH POND.		
Pumpdown Method:	Not Reported	Extension Pipe Length:	Not Reported
Top of Extension Pipe:	Not Reported	Bottom of Extension Pipe:	Not Reported
Screen Material Type:	Not Reported	Gravel Packed:	N
Ground Elevation:	Not Reported	Screen Diameter:	Not Reported
Remarks:	Not Reported	Avg Heat Pump Depth:	0
Heat Pump Hole #:	Not Reported	Annular Space Cemented Depth:	Not Reported
Screen interval Length:	Not Reported	Screen Slot Size:	Not Reported
Inspection Comments:	Not Reported	Pump Depth:	Not Reported
Pump Horse Power:	Not Reported	Planned Pumpage (GPM):	0
Planned Pumpage (hr/day):	0	Planned Pumpage (days/yr):	Not Reported
Pump Rate (Gal/day):	Not Reported	Measured Method:	Not Reported
Hrs of Test:	Not Reported	Pump Test Date:	0
Static Water Level:	Not Reported	Static Measurement Method:	Not Reported
Water Level Post-Test:	Not Reported	Pump Test Done:	Not Reported
Cementing Method:	Not Reported	P and A Comments:	Not Reported
P and A Details:	Not Reported	Casing Length:	Not Reported
Driller Owner:	Not Reported	Owner ID:	0

**68
WSW
1/2 - 1 Mile
Higher**

LA WELLS LATD60000109651

Well ID:	099-6390Z	Local Well #:	6390Z
Well Use:	domestic	Sub-use:	Not Reported
Well Status:	Active	Seq #:	01
Owner:	PETER CASTILLE	Well Depth:	155
Date Drilled:	12/95	Geo Unit:	112ACFL
Mechanic Test:	Not Reported	Chemical Analysis:	Not Reported
Bio Analysis:	Not Reported	Pump Test:	Not Reported
Driller:	HUVAL, BRIAN	Driller #:	426
Hole Depth:	155	Elevation:	20
Depth From Surface:	18.00	Measured Date:	12/08/95
Date Added by Agency:	2001-03-22	Date Registered by Agency:	01/96

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Date Plugged:	Not Reported	Plugged By:	Not Reported
Yield on Pump Test:	Not Reported	Drawdown on Test:	Not Reported
Casing Diameter:	2	Casing Material:	PLASTIC
Screen Diameter:	2	Screen Interval:	150-155
Assoc Well Serial #:	Not Reported	Well Name:	Not Reported
Comments:	Not Reported	Pumpdown Method:	Not Reported
Extension Pipe Length:	Not Reported	Top of Extension Pipe:	Not Reported
Bottom of Extension Pipe:	Not Reported	Screen Material Type:	Not Reported
Gravel Packed:	N	Ground Elevation:	Not Reported
Screen Diameter:	Not Reported	Remarks:	Not Reported
Avg Heat Pump Depth:	0	Heat Pump Hole #:	Not Reported
Annular Space Cemented Depth:	Not Reported	Screen interval Length:	Not Reported
Screen Slot Size:	Not Reported	Inspection Comments:	Not Reported
Pump Depth:	Not Reported	Pump Horse Power:	Not Reported
Planned Pumpage (GPM):	0	Planned Pumpage (hr/day):	0
Planned Pumpage (days/yr):	Not Reported	Pump Rate (Gal/day):	Not Reported
Measured Method:	Not Reported	Hrs of Test:	Not Reported
Pump Test Date:	0	Static Water Level:	Not Reported
Static Measurement Method:	Not Reported	Water Level Post-Test:	Not Reported
Pump Test Done:	Not Reported	Cementing Method:	Not Reported
P and A Comments:	Not Reported	P and A Details:	Not Reported
Casing Length:	Not Reported	Driller Owner:	Not Reported
Owner ID:	166655		

**F69
SW
1/2 - 1 Mile
Lower**

LA WELLS LATD60000195575

Well ID:	099-7848Z	Local Well #:	7848Z
Well Use:	domestic	Sub-use:	Not Reported
Well Status:	Active	Seq #:	00
Owner:	LEE R RODERIGUEZ	Well Depth:	160
Date Drilled:	09/22/2015	Geo Unit:	112ACFL
Mechanic Test:	N	Chemical Analysis:	N
Bio Analysis:	N	Pump Test:	N
Driller:	SEGURA WATER WELL SERVICE	Driller #:	528
Hole Depth:	170	Elevation:	0025
Depth From Surface:	22	Measured Date:	09/22/2015
Date Added by Agency:	Not Reported	Date Registered by Agency:	10/07/2015
Date Plugged:	Not Reported	Plugged By:	Not Reported
Yield on Pump Test:	Not Reported	Drawdown on Test:	Not Reported
Casing Diameter:	3	Casing Material:	PLASTIC
Screen Diameter:	3	Screen Interval:	Not Reported
Assoc Well Serial #:	Not Reported	Well Name:	1
Comments:	Not Reported	Pumpdown Method:	Not Reported
Extension Pipe Length:	Not Reported	Top of Extension Pipe:	Not Reported
Bottom of Extension Pipe:	Not Reported	Screen Material Type:	PLASTIC
Gravel Packed:	N	Ground Elevation:	Not Reported
Screen Diameter:	Not Reported	Remarks:	Not Reported
Avg Heat Pump Depth:	0	Heat Pump Hole #:	Not Reported
Annular Space Cemented Depth:	10	Screen interval Length:	10
Screen Slot Size:	.010	Inspection Comments:	16-NOV-15
Pump Depth:	Not Reported	Pump Horse Power:	Not Reported
Planned Pumpage (GPM):	0	Planned Pumpage (hr/day):	0
Planned Pumpage (days/yr):	Not Reported	Pump Rate (Gal/day):	Not Reported
Measured Method:	Not Reported	Hrs of Test:	Not Reported
Pump Test Date:	0	Static Water Level:	Not Reported
Static Measurement Method:	Not Reported	Water Level Post-Test:	Not Reported
Pump Test Done:	Not Reported	Cementing Method:	G

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

P and A Comments:	Not Reported	P and A Details:	Not Reported
Casing Length:	150	Driller Owner:	Not Reported
Owner ID:	108808		

**H70
ESE
1/2 - 1 Mile
Higher**

LA WELLS LATD60000113505

Well ID:	099-7381Z	Local Well #:	7381Z
Well Use:	plugged and abandoned monitor	Well Status:	Plugged and Abandoned
Sub-use:	Plugged	Owner:	MASK DEVELOPERS
Seq #:	01	Date Drilled:	05/07
Well Depth:	20	Mechanic Test:	Not Reported
Geo Unit:	00000000	Bio Analysis:	Not Reported
Chemical Analysis:	Not Reported	Driller:	HYDRO
Pump Test:	Not Reported	Hole Depth:	20
Driller #:	416	Depth From Surface:	12.00
Elevation:	21	Date Added by Agency:	2007-10-19
Measured Date:	05/14/07	Date Plugged:	10/07
Date Registered by Agency:	09/07	Yield on Pump Test:	Not Reported
Plugged By:	HYDRO	Casing Diameter:	2
Drawdown on Test:	Not Reported	Screen Diameter:	2
Casing Material:	PLASTIC	Assoc Well Serial #:	Not Reported
Screen Interval:	10-20	Comments:	Not Reported
Well Name:	SB4	Extension Pipe Length:	Not Reported
Pumpdown Method:	Not Reported	Bottom of Extension Pipe:	Not Reported
Top of Extension Pipe:	Not Reported	Gravel Packed:	N
Screen Material Type:	Not Reported	Screen Diameter:	Not Reported
Ground Elevation:	Not Reported	Avg Heat Pump Depth:	0
Remarks:	Not Reported	Annular Space Cemented Depth:	Not Reported
Heat Pump Hole #:	Not Reported	Screen Slot Size:	Not Reported
Screen interval Length:	Not Reported	Pump Depth:	Not Reported
Inspection Comments:	Not Reported	Planned Pumpage (GPM):	0
Pump Horse Power:	Not Reported	Planned Pumpage (days/yr):	Not Reported
Planned Pumpage (hr/day):	0	Measured Method:	Not Reported
Pump Rate (Gal/day):	Not Reported	Pump Test Date:	0
Hrs of Test:	Not Reported	Static Measurement Method:	Not Reported
Static Water Level:	Not Reported	Pump Test Done:	Not Reported
Water Level Post-Test:	Not Reported	P and A Comments:	Not Reported
Cementing Method:	Not Reported	Casing Length:	Not Reported
P and A Details:	Not Reported	Owner ID:	0
Driller Owner:	Not Reported		

**H71
ESE
1/2 - 1 Mile
Higher**

LA WELLS LATD60000112146

Well ID:	099-7382Z	Local Well #:	7382Z
Well Use:	plugged and abandoned monitor	Well Status:	Plugged and Abandoned
Sub-use:	Plugged	Owner:	MASK DEVELOPERS
Seq #:	02	Date Drilled:	05/07
Well Depth:	20	Mechanic Test:	Not Reported
Geo Unit:	00000000	Bio Analysis:	Not Reported
Chemical Analysis:	Not Reported	Driller:	HYDRO
Pump Test:	Not Reported	Hole Depth:	20
Driller #:	416		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Elevation:	21	Depth From Surface:	11.00
Measured Date:	05/14/07	Date Added by Agency:	2007-10-19
Date Registered by Agency:	09/07	Date Plugged:	10/07
Plugged By:	HYDRO	Yield on Pump Test:	Not Reported
Drawdown on Test:	Not Reported	Casing Diameter:	2
Casing Material:	PLASTIC	Screen Diameter:	2
Screen Interval:	10-20	Assoc Well Serial #:	Not Reported
Well Name:	SB5	Comments:	Not Reported
Pumpdown Method:	Not Reported	Extension Pipe Length:	Not Reported
Top of Extension Pipe:	Not Reported	Bottom of Extension Pipe:	Not Reported
Screen Material Type:	Not Reported	Gravel Packed:	N
Ground Elevation:	Not Reported	Screen Diameter:	Not Reported
Remarks:	Not Reported	Avg Heat Pump Depth:	0
Heat Pump Hole #:	Not Reported	Annular Space Cemented Depth:	Not Reported
Screen interval Length:	Not Reported	Screen Slot Size:	Not Reported
Inspection Comments:	Not Reported	Pump Depth:	Not Reported
Pump Horse Power:	Not Reported	Planned Pumpage (GPM):	0
Planned Pumpage (hr/day):	0	Planned Pumpage (days/yr):	Not Reported
Pump Rate (Gal/day):	Not Reported	Measured Method:	Not Reported
Hrs of Test:	Not Reported	Pump Test Date:	0
Static Water Level:	Not Reported	Static Measurement Method:	Not Reported
Water Level Post-Test:	Not Reported	Pump Test Done:	Not Reported
Cementing Method:	Not Reported	P and A Comments:	Not Reported
P and A Details:	Not Reported	Casing Length:	Not Reported
Driller Owner:	Not Reported	Owner ID:	0

**H72
ESE
1/2 - 1 Mile
Higher**

LA WELLS LATD60000113760

Well ID:	099-7383Z	Local Well #:	7383Z
Well Use:	plugged and abandoned monitor	Well Status:	Plugged and Abandoned
Sub-use:	Plugged	Owner:	MASK DEVELOPERS
Seq #:	03	Date Drilled:	05/07
Well Depth:	20	Mechanic Test:	Not Reported
Geo Unit:	00000000	Bio Analysis:	Not Reported
Chemical Analysis:	Not Reported	Driller:	HYDRO
Pump Test:	Not Reported	Hole Depth:	20
Driller #:	416	Depth From Surface:	12.00
Elevation:	21	Date Added by Agency:	2007-10-19
Measured Date:	05/14/07	Date Plugged:	10/07
Date Registered by Agency:	09/07	Yield on Pump Test:	Not Reported
Plugged By:	HYDRO	Casing Diameter:	2
Drawdown on Test:	Not Reported	Screen Diameter:	2
Casing Material:	PLASTIC	Assoc Well Serial #:	Not Reported
Screen Interval:	10-20	Comments:	Not Reported
Well Name:	SB8	Extension Pipe Length:	Not Reported
Pumpdown Method:	Not Reported	Bottom of Extension Pipe:	Not Reported
Top of Extension Pipe:	Not Reported	Gravel Packed:	N
Screen Material Type:	Not Reported	Screen Diameter:	Not Reported
Ground Elevation:	Not Reported	Avg Heat Pump Depth:	0
Remarks:	Not Reported	Annular Space Cemented Depth:	Not Reported
Heat Pump Hole #:	Not Reported	Screen Slot Size:	Not Reported
Screen interval Length:	Not Reported	Pump Depth:	Not Reported
Inspection Comments:	Not Reported	Planned Pumpage (GPM):	0
Pump Horse Power:	Not Reported	Planned Pumpage (days/yr):	Not Reported
Planned Pumpage (hr/day):	0	Measured Method:	Not Reported
Pump Rate (Gal/day):	Not Reported	Pump Test Date:	0
Hrs of Test:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Static Water Level:	Not Reported	Static Measurement Method:	Not Reported
Water Level Post-Test:	Not Reported	Pump Test Done:	Not Reported
Cementing Method:	Not Reported	P and A Comments:	Not Reported
P and A Details:	Not Reported	Casing Length:	Not Reported
Driller Owner:	Not Reported	Owner ID:	0

**H73
ESE
1/2 - 1 Mile
Higher**

LA WELLS LATD60000113762

Well ID:	099-7385Z	Local Well #:	7385Z
Well Use:	plugged and abandoned monitor	Well Status:	Plugged and Abandoned
Sub-use:	Plugged	Owner:	MASK DEVELOPERS
Seq #:	05	Date Drilled:	05/07
Well Depth:	18	Mechanic Test:	Not Reported
Geo Unit:	00000000	Bio Analysis:	Not Reported
Chemical Analysis:	Not Reported	Driller:	HYDRO
Pump Test:	Not Reported	Hole Depth:	18
Driller #:	416	Depth From Surface:	10.00
Elevation:	21	Date Added by Agency:	2007-10-19
Measured Date:	05/14/07	Date Plugged:	10/07
Date Registered by Agency:	09/07	Yield on Pump Test:	Not Reported
Plugged By:	HYDRO	Casing Diameter:	2
Drawdown on Test:	Not Reported	Screen Diameter:	2
Casing Material:	PLASTIC	Assoc Well Serial #:	Not Reported
Screen Interval:	8-18	Comments:	Not Reported
Well Name:	SB9	Extension Pipe Length:	Not Reported
Pumpdown Method:	Not Reported	Bottom of Extension Pipe:	Not Reported
Top of Extension Pipe:	Not Reported	Gravel Packed:	N
Screen Material Type:	Not Reported	Screen Diameter:	Not Reported
Ground Elevation:	Not Reported	Avg Heat Pump Depth:	0
Remarks:	Not Reported	Annular Space Cemented Depth:	Not Reported
Heat Pump Hole #:	Not Reported	Screen Slot Size:	Not Reported
Screen interval Length:	Not Reported	Pump Depth:	Not Reported
Inspection Comments:	Not Reported	Planned Pumpage (GPM):	0
Pump Horse Power:	Not Reported	Planned Pumpage (days/yr):	Not Reported
Planned Pumpage (hr/day):	0	Measured Method:	Not Reported
Pump Rate (Gal/day):	Not Reported	Pump Test Date:	0
Hrs of Test:	Not Reported	Static Measurement Method:	Not Reported
Static Water Level:	Not Reported	Pump Test Done:	Not Reported
Water Level Post-Test:	Not Reported	P and A Comments:	Not Reported
Cementing Method:	Not Reported	Casing Length:	Not Reported
P and A Details:	Not Reported	Owner ID:	0
Driller Owner:	Not Reported		

**H74
ESE
1/2 - 1 Mile
Higher**

LA WELLS LATD60000113761

Well ID:	099-7384Z	Local Well #:	7384Z
Well Use:	plugged and abandoned monitor	Well Status:	Plugged and Abandoned
Sub-use:	Plugged	Owner:	MASK DEVELOPERS
Seq #:	04	Date Drilled:	08/07
Well Depth:	20	Mechanic Test:	Not Reported
Geo Unit:	00000000	Bio Analysis:	Not Reported
Chemical Analysis:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Pump Test:	Not Reported	Driller:	HYDRO
Driller #:	416	Hole Depth:	20
Elevation:	21	Depth From Surface:	15.00
Measured Date:	05/17/07	Date Added by Agency:	2007-10-19
Date Registered by Agency:	09/07	Date Plugged:	10/07
Plugged By:	HYDRO	Yield on Pump Test:	Not Reported
Drawdown on Test:	Not Reported	Casing Diameter:	2
Casing Material:	PLASTIC	Screen Diameter:	2
Screen Interval:	10-20	Assoc Well Serial #:	Not Reported
Well Name:	SB12	Comments:	Not Reported
Pumpdown Method:	Not Reported	Extension Pipe Length:	Not Reported
Top of Extension Pipe:	Not Reported	Bottom of Extension Pipe:	Not Reported
Screen Material Type:	Not Reported	Gravel Packed:	N
Ground Elevation:	Not Reported	Screen Diameter:	Not Reported
Remarks:	Not Reported	Avg Heat Pump Depth:	0
Heat Pump Hole #:	Not Reported	Annular Space Cemented Depth:	Not Reported
Screen interval Length:	Not Reported	Screen Slot Size:	Not Reported
Inspection Comments:	Not Reported	Pump Depth:	Not Reported
Pump Horse Power:	Not Reported	Planned Pumpage (GPM):	0
Planned Pumpage (hr/day):	0	Planned Pumpage (days/yr):	Not Reported
Pump Rate (Gal/day):	Not Reported	Measured Method:	Not Reported
Hrs of Test:	Not Reported	Pump Test Date:	0
Static Water Level:	Not Reported	Static Measurement Method:	Not Reported
Water Level Post-Test:	Not Reported	Pump Test Done:	Not Reported
Cementing Method:	Not Reported	P and A Comments:	Not Reported
P and A Details:	Not Reported	Casing Length:	Not Reported
Driller Owner:	Not Reported	Owner ID:	0

**I75
South
1/2 - 1 Mile
Lower**

LA WELLS LATD60000210121

Well ID:	099-5951Z	Local Well #:	5951Z
Well Use:	domestic	Sub-use:	Not Reported
Well Status:	Active	Seq #:	01
Owner:	TODD ANGELLE	Well Depth:	190
Date Drilled:	12/92	Geo Unit:	112ACFL
Mechanic Test:	Not Reported	Chemical Analysis:	Not Reported
Bio Analysis:	Not Reported	Pump Test:	Not Reported
Driller:	HUVAL, BRIAN	Driller #:	426
Hole Depth:	190	Elevation:	20
Depth From Surface:	12.00	Measured Date:	12/19/92
Date Added by Agency:	1995-03-14	Date Registered by Agency:	01/93
Date Plugged:	Not Reported	Plugged By:	Not Reported
Yield on Pump Test:	Not Reported	Drawdown on Test:	Not Reported
Casing Diameter:	2	Casing Material:	PLASTIC
Screen Diameter:	2	Screen Interval:	185-190
Assoc Well Serial #:	Not Reported	Well Name:	Not Reported
Comments:	Not Reported	Pumpdown Method:	Not Reported
Extension Pipe Length:	Not Reported	Top of Extension Pipe:	Not Reported
Bottom of Extension Pipe:	Not Reported	Screen Material Type:	Not Reported
Gravel Packed:	N	Ground Elevation:	Not Reported
Screen Diameter:	Not Reported	Remarks:	Not Reported
Avg Heat Pump Depth:	0	Heat Pump Hole #:	Not Reported
Annular Space Cemented Depth:	Not Reported	Screen interval Length:	Not Reported
Screen Slot Size:	Not Reported	Inspection Comments:	Not Reported
Pump Depth:	Not Reported	Pump Horse Power:	Not Reported
Planned Pumpage (GPM):	0	Planned Pumpage (hr/day):	0
Planned Pumpage (days/yr):	Not Reported	Pump Rate (Gal/day):	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Measured Method:	Not Reported	Hrs of Test:	Not Reported
Pump Test Date:	0	Static Water Level:	Not Reported
Static Measurement Method:	Not Reported	Water Level Post-Test:	Not Reported
Pump Test Done:	Not Reported	Cementing Method:	Not Reported
P and A Comments:	Not Reported	P and A Details:	Not Reported
Casing Length:	Not Reported	Driller Owner:	Not Reported
Owner ID:	166395		

**76
SW
1/2 - 1 Mile
Lower**

LA WELLS LATD60000185383

Well ID:	099-7272Z	Local Well #:	7272Z
Well Use:	domestic	Sub-use:	Not Reported
Well Status:	Active	Seq #:	01
Owner:	MISTY HEBERT	Well Depth:	155
Date Drilled:	04/06	Geo Unit:	00000000
Mechanic Test:	Not Reported	Chemical Analysis:	Not Reported
Bio Analysis:	Not Reported	Pump Test:	Not Reported
Driller:	DELAHOUSSAYE	Driller #:	447
Hole Depth:	160	Elevation:	20
Depth From Surface:	20.00	Measured Date:	04/18/06
Date Added by Agency:	2006-08-08	Date Registered by Agency:	05/06
Date Plugged:	Not Reported	Plugged By:	Not Reported
Yield on Pump Test:	Not Reported	Drawdown on Test:	Not Reported
Casing Diameter:	2	Casing Material:	PLASTIC
Screen Diameter:	2	Screen Interval:	145-155
Assoc Well Serial #:	Not Reported	Well Name:	Not Reported
Comments:	Not Reported	Pumpdown Method:	Not Reported
Extension Pipe Length:	Not Reported	Top of Extension Pipe:	Not Reported
Bottom of Extension Pipe:	Not Reported	Screen Material Type:	Not Reported
Gravel Packed:	N	Ground Elevation:	Not Reported
Screen Diameter:	Not Reported	Remarks:	Not Reported
Avg Heat Pump Depth:	0	Heat Pump Hole #:	Not Reported
Annular Space Cemented Depth:	Not Reported	Screen interval Length:	Not Reported
Screen Slot Size:	Not Reported	Inspection Comments:	Not Reported
Pump Depth:	Not Reported	Pump Horse Power:	Not Reported
Planned Pumpage (GPM):	0	Planned Pumpage (hr/day):	0
Planned Pumpage (days/yr):	Not Reported	Pump Rate (Gal/day):	Not Reported
Measured Method:	Not Reported	Hrs of Test:	Not Reported
Pump Test Date:	0	Static Water Level:	Not Reported
Static Measurement Method:	Not Reported	Water Level Post-Test:	Not Reported
Pump Test Done:	Not Reported	Cementing Method:	Not Reported
P and A Comments:	Not Reported	P and A Details:	Not Reported
Casing Length:	Not Reported	Driller Owner:	Not Reported
Owner ID:	167271		

**177
South
1/2 - 1 Mile
Lower**

LA WELLS LATD60000110879

Well ID:	099-5129Z	Local Well #:	5129Z
Well Use:	oil/gas well rig supply	Sub-use:	Not Reported
Well Status:	Active	Seq #:	01
Owner:	MCOR OIL	Well Depth:	181
Date Drilled:	06/84	Geo Unit:	112ACFL

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Mechanic Test:	Not Reported	Chemical Analysis:	Not Reported
Bio Analysis:	Not Reported	Pump Test:	Not Reported
Driller:	GUICHARD	Driller #:	190
Hole Depth:	190	Elevation:	Not Reported
Depth From Surface:	0.00	Measured Date:	Not Reported
Date Added by Agency:	1995-02-13	Date Registered by Agency:	06/84
Date Plugged:	Not Reported	Plugged By:	Not Reported
Yield on Pump Test:	Not Reported	Drawdown on Test:	Not Reported
Casing Diameter:	4	Casing Material:	PLASTIC
Screen Diameter:	4	Screen Interval:	161-181
Assoc Well Serial #:	Not Reported	Well Name:	GERMAIN 7
Comments:	Not Reported	Pumpdown Method:	Not Reported
Extension Pipe Length:	Not Reported	Top of Extension Pipe:	Not Reported
Bottom of Extension Pipe:	Not Reported	Screen Material Type:	Not Reported
Gravel Packed:	N	Ground Elevation:	Not Reported
Screen Diameter:	Not Reported	Remarks:	Not Reported
Avg Heat Pump Depth:	0	Heat Pump Hole #:	Not Reported
Annular Space Cemented Depth:	Not Reported	Screen interval Length:	Not Reported
Screen Slot Size:	Not Reported	Inspection Comments:	Not Reported
Pump Depth:	Not Reported	Pump Horse Power:	Not Reported
Planned Pumpage (GPM):	0	Planned Pumpage (hr/day):	0
Planned Pumpage (days/yr):	Not Reported	Pump Rate (Gal/day):	Not Reported
Measured Method:	Not Reported	Hrs of Test:	Not Reported
Pump Test Date:	0	Static Water Level:	Not Reported
Static Measurement Method:	Not Reported	Water Level Post-Test:	Not Reported
Pump Test Done:	Not Reported	Cementing Method:	Not Reported
P and A Comments:	Not Reported	P and A Details:	Not Reported
Casing Length:	Not Reported	Driller Owner:	Not Reported
Owner ID:	0		

78
NE
1/2 - 1 Mile
Lower

LA WELLS LATD60000111252

Well ID:	099-5264Z	Local Well #:	5264Z
Well Use:	domestic	Sub-use:	Not Reported
Well Status:	Active	Seq #:	01
Owner:	JAY DUPRE	Well Depth:	174
Date Drilled:	04/85	Geo Unit:	112ACFL
Mechanic Test:	Not Reported	Chemical Analysis:	Not Reported
Bio Analysis:	Not Reported	Pump Test:	Not Reported
Driller:	BROUSSARD	Driller #:	033
Hole Depth:	174	Elevation:	25
Depth From Surface:	38.00	Measured Date:	04/09/89
Date Added by Agency:	1991-11-05	Date Registered by Agency:	04/85
Date Plugged:	Not Reported	Plugged By:	Not Reported
Yield on Pump Test:	Not Reported	Drawdown on Test:	Not Reported
Casing Diameter:	2	Casing Material:	PLASTIC
Screen Diameter:	2	Screen Interval:	168-174
Assoc Well Serial #:	Not Reported	Well Name:	Not Reported
Comments:	Not Reported	Pumpdown Method:	Not Reported
Extension Pipe Length:	Not Reported	Top of Extension Pipe:	Not Reported
Bottom of Extension Pipe:	Not Reported	Screen Material Type:	Not Reported
Gravel Packed:	N	Ground Elevation:	Not Reported
Screen Diameter:	Not Reported	Remarks:	Not Reported
Avg Heat Pump Depth:	0	Heat Pump Hole #:	Not Reported
Annular Space Cemented Depth:	Not Reported	Screen interval Length:	Not Reported
Screen Slot Size:	Not Reported	Inspection Comments:	Not Reported
Pump Depth:	Not Reported	Pump Horse Power:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Planned Pumpage (GPM):	0	Planned Pumpage (hr/day):	0
Planned Pumpage (days/yr):	Not Reported	Pump Rate (Gal/day):	Not Reported
Measured Method:	Not Reported	Hrs of Test:	Not Reported
Pump Test Date:	0	Static Water Level:	Not Reported
Static Measurement Method:	Not Reported	Water Level Post-Test:	Not Reported
Pump Test Done:	Not Reported	Cementing Method:	Not Reported
P and A Comments:	Not Reported	P and A Details:	Not Reported
Casing Length:	Not Reported	Driller Owner:	Not Reported
Owner ID:	165812		

J79
WSW
1/2 - 1 Mile
Lower

FED USGS USGS40000394790

Organization ID:	USGS-LA	Organization Name:	USGS Louisiana Water Science Center
Monitor Location:	SMn- 192	Type:	Well
Description:	Not Reported	HUC:	08080103
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Coastal lowlands aquifer system	Aquifer Type:	Not Reported
Formation Type:	Atchafalaya Aquifer	Well Depth:	96
Construction Date:	19880630	Well Hole Depth:	96
Well Depth Units:	ft		
Well Hole Depth Units:	ft		

Ground water levels,Number of Measurements:	1	Level reading date:	1988-06-30
Feet below surface:	22.	Feet to sea level:	Not Reported
Note:	Not Reported		

J80
WSW
1/2 - 1 Mile
Lower

LA WELLS LATD60000109793

Well ID:	099-192	Local Well #:	192
Well Use:	institution public supply	Sub-use:	Institutional/Government
Well Status:	Active	Seq #:	01
Owner:	LA DOTD	Well Depth:	96
Date Drilled:	06/88	Geo Unit:	112ACFL
Mechanic Test:	Not Reported	Chemical Analysis:	Not Reported
Bio Analysis:	Not Reported	Pump Test:	Not Reported
Driller:	B & B	Driller #:	158
Hole Depth:	96	Elevation:	20
Depth From Surface:	22.00	Measured Date:	06/30/88
Date Added by Agency:	1995-08-29	Date Registered by Agency:	07/88
Date Plugged:	Not Reported	Plugged By:	Not Reported
Yield on Pump Test:	11	Drawdown on Test:	2
Casing Diameter:	2	Casing Material:	PLASTIC
Screen Diameter:	2	Screen Interval:	90-96
Assoc Well Serial #:	Not Reported	Well Name:	SCALE
Comments:	Not Reported	Pumpdown Method:	Not Reported
Extension Pipe Length:	Not Reported	Top of Extension Pipe:	Not Reported
Bottom of Extension Pipe:	Not Reported	Screen Material Type:	Not Reported
Gravel Packed:	N	Ground Elevation:	Not Reported
Screen Diameter:	Not Reported	Remarks:	Not Reported
Avg Heat Pump Depth:	0	Heat Pump Hole #:	Not Reported
Annular Space Cemented Depth:	Not Reported	Screen interval Length:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Screen Slot Size:	Not Reported	Inspection Comments:	Not Reported
Pump Depth:	Not Reported	Pump Horse Power:	Not Reported
Planned Pumpage (GPM):	0	Planned Pumpage (hr/day):	0
Planned Pumpage (days/yr):	Not Reported	Pump Rate (Gal/day):	Not Reported
Measured Method:	Not Reported	Hrs of Test:	Not Reported
Pump Test Date:	0	Static Water Level:	Not Reported
Static Measurement Method:	Not Reported	Water Level Post-Test:	Not Reported
Pump Test Done:	Not Reported	Cementing Method:	Not Reported
P and A Comments:	Not Reported	P and A Details:	Not Reported
Casing Length:	Not Reported	Driller Owner:	Not Reported
Owner ID:	0		

J81
WSW
1/2 - 1 Mile
Lower

LA WELLS LATD60000114227

Well ID:	099-5651Z	Local Well #:	5651Z
Well Use:	plugged and abandoned public supply	Well Status:	Plugged and Abandoned
Sub-use:	Plugged	Owner:	LA DOTD
Seq #:	02	Date Drilled:	Not Reported
Well Depth:	96	Mechanic Test:	Not Reported
Geo Unit:	112ACFL	Bio Analysis:	Not Reported
Chemical Analysis:	Not Reported	Driller:	UNKNOWN
Pump Test:	Not Reported	Hole Depth:	96
Driller #:	000	Depth From Surface:	0.00
Elevation:	20	Date Added by Agency:	1994-06-09
Measured Date:	Not Reported	Date Plugged:	06/88
Date Registered by Agency:	Not Reported	Yield on Pump Test:	Not Reported
Plugged By:	B & B	Casing Diameter:	2
Drawdown on Test:	Not Reported	Screen Diameter:	Not Reported
Casing Material:	Not Reported	Assoc Well Serial #:	Not Reported
Screen Interval:	Not Reported	Comments:	Not Reported
Well Name:	SCALE	Extension Pipe Length:	Not Reported
Pumpdown Method:	Not Reported	Bottom of Extension Pipe:	Not Reported
Top of Extension Pipe:	Not Reported	Gravel Packed:	N
Screen Material Type:	Not Reported	Screen Diameter:	Not Reported
Ground Elevation:	Not Reported	Avg Heat Pump Depth:	0
Remarks:	Not Reported	Annular Space Cemented Depth:	Not Reported
Heat Pump Hole #:	Not Reported	Screen Slot Size:	Not Reported
Screen interval Length:	Not Reported	Pump Depth:	Not Reported
Inspection Comments:	Not Reported	Planned Pumpage (GPM):	0
Pump Horse Power:	Not Reported	Planned Pumpage (days/yr):	Not Reported
Planned Pumpage (hr/day):	0	Measured Method:	Not Reported
Pump Rate (Gal/day):	Not Reported	Pump Test Date:	0
Hrs of Test:	Not Reported	Static Measurement Method:	Not Reported
Static Water Level:	Not Reported	Pump Test Done:	Not Reported
Water Level Post-Test:	Not Reported	P and A Comments:	Not Reported
Cementing Method:	Not Reported	Casing Length:	Not Reported
P and A Details:	Not Reported	Owner ID:	0
Driller Owner:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

K82
West
1/2 - 1 Mile
Lower

LA WELLS LATD60000110261

Well ID:	099-40	Local Well #:	40
Well Use:	domestic	Sub-use:	Not Reported
Well Status:	Active	Seq #:	01
Owner:	DAUGEREAU, I	Well Depth:	30
Date Drilled:	1943	Geo Unit:	112MRVAC
Mechanic Test:	Not Reported	Chemical Analysis:	Not Reported
Bio Analysis:	Not Reported	Pump Test:	Not Reported
Driller:	UNKNOWN	Driller #:	000
Hole Depth:	0	Elevation:	Not Reported
Depth From Surface:	0.19	Measured Date:	01/21/44
Date Added by Agency:	1997-07-11	Date Registered by Agency:	Not Reported
Date Plugged:	Not Reported	Plugged By:	Not Reported
Yield on Pump Test:	Not Reported	Drawdown on Test:	Not Reported
Casing Diameter:	Not Reported	Casing Material:	Not Reported
Screen Diameter:	Not Reported	Screen Interval:	Not Reported
Assoc Well Serial #:	Not Reported	Well Name:	Not Reported
Comments:	Not Reported	Pumpdown Method:	Not Reported
Extension Pipe Length:	Not Reported	Top of Extension Pipe:	Not Reported
Bottom of Extension Pipe:	Not Reported	Screen Material Type:	Not Reported
Gravel Packed:	N	Ground Elevation:	Not Reported
Screen Diameter:	Not Reported	Remarks:	Not Reported
Avg Heat Pump Depth:	0	Heat Pump Hole #:	Not Reported
Annular Space Cemented Depth:	Not Reported	Screen interval Length:	Not Reported
Screen Slot Size:	Not Reported	Inspection Comments:	Not Reported
Pump Depth:	Not Reported	Pump Horse Power:	Not Reported
Planned Pumpage (GPM):	0	Planned Pumpage (hr/day):	0
Planned Pumpage (days/yr):	Not Reported	Pump Rate (Gal/day):	Not Reported
Measured Method:	Not Reported	Hrs of Test:	Not Reported
Pump Test Date:	0	Static Water Level:	Not Reported
Static Measurement Method:	Not Reported	Water Level Post-Test:	Not Reported
Pump Test Done:	Not Reported	Cementing Method:	Not Reported
P and A Comments:	Not Reported	P and A Details:	Not Reported
Casing Length:	Not Reported	Driller Owner:	Not Reported
Owner ID:	0		

K83
West
1/2 - 1 Mile
Lower

FED USGS USGS40000394916

Organization ID:	USGS-LA	Organization Name:	USGS Louisiana Water Science Center
Monitor Location:	SMn- 40	Type:	Well
Description:	Not Reported	HUC:	08080103
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Not Reported	Formation Type:	Not Reported
Aquifer Type:	Not Reported	Construction Date:	19430101
Well Depth:	30	Well Depth Units:	ft
Well Hole Depth:	Not Reported	Well Hole Depth Units:	Not Reported

Ground water levels,Number of Measurements:	1	Level reading date:	1944-01-21
Feet below surface:	0.19	Feet to sea level:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Note: Not Reported

84
SSW
1/2 - 1 Mile
Lower

LA WELLS LATD60000110442

Well ID:	099-5191Z	Local Well #:	5191Z
Well Use:	plugged and abandoned rig supply	Well Status:	Plugged and Abandoned
Sub-use:	Plugged	Owner:	GREAT SOUTHERN
Seq #:	01	Date Drilled:	05/85
Well Depth:	100	Mechanic Test:	Not Reported
Geo Unit:	112ACFL	Bio Analysis:	Not Reported
Chemical Analysis:	Not Reported	Driller:	H2O
Pump Test:	Not Reported	Hole Depth:	100
Driller #:	236	Depth From Surface:	0.00
Elevation:	Not Reported	Date Added by Agency:	1995-02-09
Measured Date:	Not Reported	Date Plugged:	07/85
Date Registered by Agency:	07/85	Yield on Pump Test:	Not Reported
Plugged By:	H2O	Casing Diameter:	4
Drawdown on Test:	Not Reported	Screen Diameter:	4
Casing Material:	PLASTIC	Assoc Well Serial #:	Not Reported
Screen Interval:	90-100	Comments:	Not Reported
Well Name:	FORD 1	Extension Pipe Length:	Not Reported
Pumpdown Method:	Not Reported	Bottom of Extension Pipe:	Not Reported
Top of Extension Pipe:	Not Reported	Gravel Packed:	N
Screen Material Type:	Not Reported	Screen Diameter:	Not Reported
Ground Elevation:	Not Reported	Avg Heat Pump Depth:	0
Remarks:	Not Reported	Annular Space Cemented Depth:	Not Reported
Heat Pump Hole #:	Not Reported	Screen Slot Size:	Not Reported
Screen interval Length:	Not Reported	Pump Depth:	Not Reported
Inspection Comments:	Not Reported	Planned Pumpage (GPM):	0
Pump Horse Power:	Not Reported	Planned Pumpage (days/yr):	Not Reported
Planned Pumpage (hr/day):	0	Measured Method:	Not Reported
Pump Rate (Gal/day):	Not Reported	Pump Test Date:	0
Hrs of Test:	Not Reported	Static Measurement Method:	Not Reported
Static Water Level:	Not Reported	Pump Test Done:	Not Reported
Water Level Post-Test:	Not Reported	P and A Comments:	Not Reported
Cementing Method:	Not Reported	Casing Length:	Not Reported
P and A Details:	Not Reported	Owner ID:	0
Driller Owner:	Not Reported		

L85
SSW
1/2 - 1 Mile
Lower

LA WELLS LATD60000211818

Well ID:	099-6702Z	Local Well #:	6702Z
Well Use:	domestic	Sub-use:	Not Reported
Well Status:	Active	Seq #:	01
Owner:	BETTY BROUSSARD	Well Depth:	160
Date Drilled:	02/00	Geo Unit:	112ACFL
Mechanic Test:	Not Reported	Chemical Analysis:	Not Reported
Bio Analysis:	Not Reported	Pump Test:	Not Reported
Driller:	DELAHOUSSAYE	Driller #:	447
Hole Depth:	160	Elevation:	20
Depth From Surface:	19.00	Measured Date:	02/20/00
Date Added by Agency:	2001-03-22	Date Registered by Agency:	03/00
Date Plugged:	Not Reported	Plugged By:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Yield on Pump Test:	Not Reported	Drawdown on Test:	Not Reported
Casing Diameter:	2	Casing Material:	PLASTIC
Screen Diameter:	2	Screen Interval:	150-160
Assoc Well Serial #:	Not Reported	Well Name:	1
Comments:	Not Reported	Pumpdown Method:	Not Reported
Extension Pipe Length:	Not Reported	Top of Extension Pipe:	Not Reported
Bottom of Extension Pipe:	Not Reported	Screen Material Type:	Not Reported
Gravel Packed:	N	Ground Elevation:	Not Reported
Screen Diameter:	Not Reported	Remarks:	Not Reported
Avg Heat Pump Depth:	0	Heat Pump Hole #:	Not Reported
Annular Space Cemented Depth:	Not Reported	Screen interval Length:	Not Reported
Screen Slot Size:	Not Reported	Inspection Comments:	Not Reported
Pump Depth:	Not Reported	Pump Horse Power:	Not Reported
Planned Pumpage (GPM):	0	Planned Pumpage (hr/day):	0
Planned Pumpage (days/yr):	Not Reported	Pump Rate (Gal/day):	Not Reported
Measured Method:	Not Reported	Hrs of Test:	Not Reported
Pump Test Date:	0	Static Water Level:	Not Reported
Static Measurement Method:	Not Reported	Water Level Post-Test:	Not Reported
Pump Test Done:	Not Reported	Cementing Method:	Not Reported
P and A Comments:	Not Reported	P and A Details:	Not Reported
Casing Length:	Not Reported	Driller Owner:	Not Reported
Owner ID:	166994		

**86
SSE
1/2 - 1 Mile
Higher**

LA WELLS LATD60000181580

Well ID:	099-7483Z	Local Well #:	7483Z
Well Use:	plugged and abandoned monitor	Well Status:	Plugged and Abandoned
Sub-use:	Plugged	Owner:	ENTERPRISE PROD
Seq #:	01	Date Drilled:	02/09
Well Depth:	15	Mechanic Test:	Not Reported
Geo Unit:	00000000	Bio Analysis:	Not Reported
Chemical Analysis:	Not Reported	Driller:	PROFESSIONAL-
Pump Test:	Not Reported	Hole Depth:	15
Driller #:	394	Depth From Surface:	4.00
Elevation:	23	Date Added by Agency:	2010-04-29
Measured Date:	02/25/09	Date Plugged:	04/10
Date Registered by Agency:	04/09	Yield on Pump Test:	Not Reported
Plugged By:	PROFESSIONAL-	Casing Diameter:	2
Drawdown on Test:	Not Reported	Screen Diameter:	2
Casing Material:	PLASTIC	Assoc Well Serial #:	Not Reported
Screen Interval:	5-15	Comments:	Not Reported
Well Name:	MW-1	Extension Pipe Length:	Not Reported
Pumpdown Method:	Not Reported	Bottom of Extension Pipe:	Not Reported
Top of Extension Pipe:	Not Reported	Gravel Packed:	N
Screen Material Type:	Not Reported	Screen Diameter:	Not Reported
Ground Elevation:	Not Reported	Avg Heat Pump Depth:	0
Remarks:	Not Reported	Annular Space Cemented Depth:	Not Reported
Heat Pump Hole #:	Not Reported	Screen Slot Size:	Not Reported
Screen interval Length:	Not Reported	Pump Depth:	Not Reported
Inspection Comments:	Not Reported	Planned Pumpage (GPM):	0
Pump Horse Power:	Not Reported	Planned Pumpage (days/yr):	Not Reported
Planned Pumpage (hr/day):	0	Measured Method:	Not Reported
Pump Rate (Gal/day):	Not Reported	Pump Test Date:	0
Hrs of Test:	Not Reported	Static Measurement Method:	Not Reported
Static Water Level:	Not Reported	Pump Test Done:	Not Reported
Water Level Post-Test:	Not Reported	P and A Comments:	Not Reported
Cementing Method:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

P and A Details:	Not Reported	Casing Length:	Not Reported
Driller Owner:	Not Reported	Owner ID:	0

**87
SW
1/2 - 1 Mile
Lower**

LA WELLS LATD60000201157

Well ID:	099-7953Z	Local Well #:	7953Z
Well Use:	domestic	Sub-use:	Not Reported
Well Status:	Active	Seq #:	00
Owner:	IOLA MALVEAUX	Well Depth:	110
Date Drilled:	2/6/17	Geo Unit:	112ACFL
Mechanic Test:	N	Chemical Analysis:	N
Bio Analysis:	N	Pump Test:	N
Driller:	BRIAN HUVAL WATER WELL DRILLING		
Driller #:	426	Hole Depth:	110
Elevation:	0025	Depth From Surface:	23
Measured Date:	2-6-17	Date Added by Agency:	Not Reported
Date Registered by Agency:	2-8-17	Date Plugged:	Not Reported
Plugged By:	Not Reported	Yield on Pump Test:	Not Reported
Drawdown on Test:	Not Reported	Casing Diameter:	2
Casing Material:	Not Reported	Screen Diameter:	2
Screen Interval:	Not Reported	Assoc Well Serial #:	Not Reported
Well Name:	Not Reported	Comments:	Not Reported
Pumpdown Method:	Not Reported	Extension Pipe Length:	Not Reported
Top of Extension Pipe:	Not Reported	Bottom of Extension Pipe:	Not Reported
Screen Material Type:	PLASTIC	Gravel Packed:	N
Ground Elevation:	Not Reported	Screen Diameter:	Not Reported
Remarks:	Not Reported	Avg Heat Pump Depth:	0
Heat Pump Hole #:	Not Reported	Annular Space Cemented Depth:	10
Screen interval Length:	5	Screen Slot Size:	.014
Inspection Comments:	14-MAR-17	Pump Depth:	Not Reported
Pump Horse Power:	Not Reported	Planned Pumpage (GPM):	0
Planned Pumpage (hr/day):	0	Planned Pumpage (days/yr):	Not Reported
Pump Rate (Gal/day):	Not Reported	Measured Method:	Not Reported
Hrs of Test:	Not Reported	Pump Test Date:	0
Static Water Level:	Not Reported	Static Measurement Method:	Not Reported
Water Level Post-Test:	Not Reported	Pump Test Done:	Not Reported
Cementing Method:	G	P and A Comments:	Not Reported
P and A Details:	Not Reported	Casing Length:	105
Driller Owner:	Not Reported	Owner ID:	135792

**M88
NW
1/2 - 1 Mile
Higher**

LA WELLS LATD60000166959

Well ID:	099-7701Z	Local Well #:	7701Z
Well Use:	domestic	Sub-use:	Not Reported
Well Status:	Plugged and Abandoned	Seq #:	00
Owner:	KURT DESHOTELS	Well Depth:	140
Date Drilled:	Not Reported	Geo Unit:	112ACFL
Mechanic Test:	N	Chemical Analysis:	N
Bio Analysis:	N	Pump Test:	N
Driller:	UNKNOWN	Driller #:	000
Hole Depth:	Not Reported	Elevation:	0025
Depth From Surface:	Not Reported	Measured Date:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Date Added by Agency:	Not Reported	Date Registered by Agency:	07/18/2013
Date Plugged:	06/16/2013	Plugged By:	Not Reported
Yield on Pump Test:	Not Reported	Drawdown on Test:	Not Reported
Casing Diameter:	2	Casing Material:	METAL
Screen Diameter:	Not Reported	Screen Interval:	Not Reported
Assoc Well Serial #:	Not Reported	Well Name:	1
Comments:	Not Reported	Pumpdown Method:	Not Reported
Extension Pipe Length:	Not Reported	Top of Extension Pipe:	Not Reported
Bottom of Extension Pipe:	Not Reported	Screen Material Type:	Not Reported
Gravel Packed:	N	Ground Elevation:	Not Reported
Screen Diameter:	Not Reported	Remarks:	LIMITED INFO; REGISTERED FROM P&A
Avg Heat Pump Depth:	0	Heat Pump Hole #:	Not Reported
Annular Space Cemented Depth:	Not Reported	Screen interval Length:	Not Reported
Screen Slot Size:	Not Reported	Inspection Comments:	12-AUG-13
Pump Depth:	Not Reported	Pump Horse Power:	Not Reported
Planned Pumpage (GPM):	0	Planned Pumpage (hr/day):	0
Planned Pumpage (days/yr):	Not Reported	Pump Rate (Gal/day):	Not Reported
Measured Method:	Not Reported	Hrs of Test:	Not Reported
Pump Test Date:	0	Static Water Level:	Not Reported
Static Measurement Method:	Not Reported	Water Level Post-Test:	Not Reported
Pump Test Done:	Not Reported	Cementing Method:	Not Reported
P and A Comments:	BOUGHT PROPERTY WITH WELL ON IT		
P and A Details:	CUT 2IN CASING 10" BELOW SURFACE MIXED 5 TO 1 CEMENT SLURRY; GRAVEL PUMP WELL DOWN LET SET		
Casing Length:	Not Reported	Driller Owner:	Not Reported
Owner ID:	49977		

**M89
NW
1/2 - 1 Mile
Higher**

LA WELLS LATD60000166960

Well ID:	099-7702Z	Local Well #:	7702Z
Well Use:	domestic	Sub-use:	Not Reported
Well Status:	Active	Seq #:	01
Owner:	KURT DESHOTELS	Well Depth:	200
Date Drilled:	06/18/2013	Geo Unit:	112ACFL
Mechanic Test:	N	Chemical Analysis:	N
Bio Analysis:	N	Pump Test:	N
Driller:	DELAHOUSSAYE WATER WELL DRILLING & REPAIR		
Driller #:	447	Hole Depth:	200
Elevation:	0025	Depth From Surface:	23
Measured Date:	06/18/2013	Date Added by Agency:	Not Reported
Date Registered by Agency:	07/18/2013	Date Plugged:	Not Reported
Plugged By:	Not Reported	Yield on Pump Test:	Not Reported
Drawdown on Test:	Not Reported	Casing Diameter:	3
Casing Material:	PLASTIC	Screen Diameter:	3
Screen Interval:	Not Reported	Assoc Well Serial #:	Not Reported
Well Name:	2 - WELL ID #50-0168	Comments:	Not Reported
Pumpdown Method:	Not Reported	Extension Pipe Length:	Not Reported
Top of Extension Pipe:	Not Reported	Bottom of Extension Pipe:	Not Reported
Screen Material Type:	PLASTIC	Gravel Packed:	N
Ground Elevation:	Not Reported	Screen Diameter:	Not Reported
Remarks:	Not Reported	Avg Heat Pump Depth:	0
Heat Pump Hole #:	Not Reported	Annular Space Cemented Depth:	10
Screen interval Length:	10	Screen Slot Size:	12
Inspection Comments:	12-AUG-13	Pump Depth:	Not Reported
Pump Horse Power:	Not Reported	Planned Pumpage (GPM):	0
Planned Pumpage (hr/day):	0	Planned Pumpage (days/yr):	Not Reported
Pump Rate (Gal/day):	Not Reported	Measured Method:	Not Reported
Hrs of Test:	Not Reported	Pump Test Date:	0

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Static Water Level:	Not Reported	Static Measurement Method:	Not Reported
Water Level Post-Test:	Not Reported	Pump Test Done:	Not Reported
Cementing Method:	G	P and A Comments:	Not Reported
P and A Details:	Not Reported	Casing Length:	190
Driller Owner:	Not Reported	Owner ID:	49977

90
ESE
1/2 - 1 Mile
Lower

LA WELLS LATD60000111615

Well ID:	099-5288Z	Local Well #:	5288Z
Well Use:	domestic	Sub-use:	Not Reported
Well Status:	Active	Seq #:	01
Owner:	BRASSEAU NURSERY	Well Depth:	130
Date Drilled:	06/85	Geo Unit:	112ACFL
Mechanic Test:	Not Reported	Chemical Analysis:	Not Reported
Bio Analysis:	Not Reported	Pump Test:	Not Reported
Driller:	CORMIER'S	Driller #:	043
Hole Depth:	130	Elevation:	25
Depth From Surface:	20.00	Measured Date:	06/14/85
Date Added by Agency:	1992-12-16	Date Registered by Agency:	07/85
Date Plugged:	Not Reported	Plugged By:	Not Reported
Yield on Pump Test:	Not Reported	Drawdown on Test:	Not Reported
Casing Diameter:	2	Casing Material:	PLASTIC
Screen Diameter:	2	Screen Interval:	124-130
Assoc Well Serial #:	Not Reported	Well Name:	Not Reported
Comments:	Not Reported	Pumpdown Method:	Not Reported
Extension Pipe Length:	Not Reported	Top of Extension Pipe:	Not Reported
Bottom of Extension Pipe:	Not Reported	Screen Material Type:	Not Reported
Gravel Packed:	N	Ground Elevation:	Not Reported
Screen Diameter:	Not Reported	Remarks:	Not Reported
Avg Heat Pump Depth:	0	Heat Pump Hole #:	Not Reported
Annular Space Cemented Depth:	Not Reported	Screen interval Length:	Not Reported
Screen Slot Size:	Not Reported	Inspection Comments:	Not Reported
Pump Depth:	Not Reported	Pump Horse Power:	Not Reported
Planned Pumpage (GPM):	0	Planned Pumpage (hr/day):	0
Planned Pumpage (days/yr):	Not Reported	Pump Rate (Gal/day):	Not Reported
Measured Method:	Not Reported	Hrs of Test:	Not Reported
Pump Test Date:	0	Static Water Level:	Not Reported
Static Measurement Method:	Not Reported	Water Level Post-Test:	Not Reported
Pump Test Done:	Not Reported	Cementing Method:	Not Reported
P and A Comments:	Not Reported	P and A Details:	Not Reported
Casing Length:	Not Reported	Driller Owner:	Not Reported
Owner ID:	165835		

L91
SSW
1/2 - 1 Mile
Lower

LA WELLS LATD60000071481

Well ID:	099-6565Z	Local Well #:	6565Z
Well Use:	domestic	Sub-use:	Not Reported
Well Status:	Active	Seq #:	01
Owner:	JERRY CHASSION	Well Depth:	180
Date Drilled:	05/98	Geo Unit:	112ACFL
Mechanic Test:	Not Reported	Chemical Analysis:	Not Reported
Bio Analysis:	Not Reported	Pump Test:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Driller:	HUVAL, BRIAN	Driller #:	426
Hole Depth:	180	Elevation:	20
Depth From Surface:	15.00	Measured Date:	05/19/98
Date Added by Agency:	2001-03-22	Date Registered by Agency:	06/98
Date Plugged:	Not Reported	Plugged By:	Not Reported
Yield on Pump Test:	Not Reported	Drawdown on Test:	Not Reported
Casing Diameter:	2	Casing Material:	PLASTIC
Screen Diameter:	2	Screen Interval:	175-180
Assoc Well Serial #:	Not Reported	Well Name:	Not Reported
Comments:	Not Reported	Pumpdown Method:	Not Reported
Extension Pipe Length:	Not Reported	Top of Extension Pipe:	Not Reported
Bottom of Extension Pipe:	Not Reported	Screen Material Type:	Not Reported
Gravel Packed:	N	Ground Elevation:	Not Reported
Screen Diameter:	Not Reported	Remarks:	Not Reported
Avg Heat Pump Depth:	0	Heat Pump Hole #:	Not Reported
Annular Space Cemented Depth:	Not Reported	Screen interval Length:	Not Reported
Screen Slot Size:	Not Reported	Inspection Comments:	Not Reported
Pump Depth:	Not Reported	Pump Horse Power:	Not Reported
Planned Pumpage (GPM):	0	Planned Pumpage (hr/day):	0
Planned Pumpage (days/yr):	Not Reported	Pump Rate (Gal/day):	Not Reported
Measured Method:	Not Reported	Hrs of Test:	Not Reported
Pump Test Date:	0	Static Water Level:	Not Reported
Static Measurement Method:	Not Reported	Water Level Post-Test:	Not Reported
Pump Test Done:	Not Reported	Cementing Method:	Not Reported
P and A Comments:	Not Reported	P and A Details:	Not Reported
Casing Length:	Not Reported	Driller Owner:	Not Reported
Owner ID:	166903		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance

Database EDR ID Number

1

SSE

1/4 - 1/2 Mile

OIL_GAS

LAOG12000152787

Well Serial #:	120366	Well Name:	HUVAL ET AL
Well Status:	DRY AND PLUGGED	Operator ID:	9999
Product:	None	Wells Class:	Not Reported
Well #:	001	Effective Date:	01-DEC-76
API #:	17099200420000	Operation Type:	01
Permit Date:	23-JUN-67	SPUD Date:	30-JUN-67
Completion Date:	21-JUL-67	Recompletion Date:	Not Reported
Last Tested:	Not Reported	Ever Orphaned:	Not Reported
Classification:	Not Reported	Field ID:	0101
State Lease #:	Not Reported	Mud Density:	0
Coastal Permit #:	Not Reported	Well Depth:	11625
Inspection Date:	Not Reported	Field Name:	ANSE LA BUTTE
Well Operator:	INACTIVE OPERATOR	Scout Well:	Not Reported
Scout Report Date:	Not Reported	Scout Measured Depth:	0
Scout True Depth:	0	LUW Type:	Not Reported
Documents:	http://ucmwww.dnr.state.la.us/ucmsearch/FindDocuments.aspx?idx=xwellserialnumber&val=120366		
URL:	http://sonlite.dnr.state.la.us/sundown/cart_prod/cart_con_wellinfo2?p_WSN=120366		

2

SE

1/4 - 1/2 Mile

OIL_GAS

LAOG12000091363

Well Serial #:	193378	Well Name:	HOSSLEY
Well Status:	DRY AND PLUGGED	Operator ID:	5928
Product:	None	Wells Class:	Not Reported
Well #:	001	Effective Date:	01-SEP-84
API #:	17099210980000	Operation Type:	01
Permit Date:	23-JUL-84	SPUD Date:	09-AUG-84
Completion Date:	Not Reported	Recompletion Date:	Not Reported
Last Tested:	Not Reported	Ever Orphaned:	Not Reported
Classification:	Not Reported	Field ID:	0101
State Lease #:	Not Reported	Mud Density:	0
Coastal Permit #:	Not Reported	Well Depth:	12500
Inspection Date:	Not Reported	Field Name:	ANSE LA BUTTE
Well Operator:	TXO PRODUCTION CORP.	Scout Well:	Not Reported
Scout Report Date:	Not Reported	Scout Measured Depth:	0
Scout True Depth:	0	LUW Type:	Not Reported
Documents:	http://ucmwww.dnr.state.la.us/ucmsearch/FindDocuments.aspx?idx=xwellserialnumber&val=193378		
URL:	http://sonlite.dnr.state.la.us/sundown/cart_prod/cart_con_wellinfo2?p_WSN=193378		

A3

SSW

1/2 - 1 Mile

OIL_GAS

LAOG12000090603

Well Serial #:	189301	Well Name:	BM RA SUA;M K BARRY
Well Status:	PLUGGED AND ABANDONED	Operator ID:	6142
Product:	None	Wells Class:	Not Reported
Well #:	002	Effective Date:	01-MAY-15
API #:	17099210490000	Operation Type:	01
Permit Date:	28-NOV-83	SPUD Date:	16-JAN-84

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Completion Date:	14-APR-84	Recompletion Date:	21-JUL-87
Last Tested:	27-OCT-14	Ever Orphaned:	Not Reported
Classification:	Not Reported	Field ID:	0101
State Lease #:	Not Reported	Mud Density:	0
Coastal Permit #:	Not Reported	Well Depth:	11700
Inspection Date:	Not Reported	Field Name:	ANSE LA BUTTE
Well Operator:	J. P. VAN WAY	Scout Well:	12
Scout Report Date:	02-OCT-87	Scout Measured Depth:	11648
Scout True Depth:	0	LUW Type:	Not Reported
Documents:	http://ucmwww.dnr.state.la.us/ucmsearch/FindDocuments.aspx?idx=xwellserialnumber&val=189301		
URL:	http://sonlite.dnr.state.la.us/sundown/cart_prod/cart_con_wellinfo2?p_WSN=189301		

**B4
SW
1/2 - 1 Mile**

OIL_GAS LAOG12000225315

Well Serilal #:	182205	Well Name:	BOL M RA SUC;AJ TROSCLAIR ETAL
Well Status:	PLUGGED AND ABANDONED	Operator ID:	6142
Product:	Oil	Wells Class:	Not Reported
Well #:	002	Effective Date:	01-APR-98
API #:	17099209830000	Operation Type:	01
Permit Date:	26-JUL-82	SPUD Date:	26-JUL-82
Completion Date:	25-SEP-82	Recompletion Date:	24-FEB-90
Last Tested:	01-JAN-92	Ever Orphaned:	Not Reported
Classification:	Not Reported	Field ID:	0101
State Lease #:	Not Reported	Mud Density:	0
Coastal Permit #:	Not Reported	Well Depth:	11815
Inspection Date:	Not Reported	Field Name:	ANSE LA BUTTE
Well Operator:	J. P. VAN WAY	Scout Well:	12
Scout Report Date:	16-MAR-90	Scout Measured Depth:	11815
Scout True Depth:	0	LUW Type:	Not Reported
Documents:	http://ucmwww.dnr.state.la.us/ucmsearch/FindDocuments.aspx?idx=xwellserialnumber&val=182205		
URL:	http://sonlite.dnr.state.la.us/sundown/cart_prod/cart_con_wellinfo2?p_WSN=182205		

**B6
SW
1/2 - 1 Mile**

OIL_GAS LAOG12000092453

Well Serilal #:	143596	Well Name:	BM RA SUC;TROSCLAIR
Well Status:	PLUGGED AND ABANDONED	Operator ID:	3587
Product:	Oil	Wells Class:	Not Reported
Well #:	001	Effective Date:	01-AUG-92
API #:	17099204630000	Operation Type:	01
Permit Date:	19-SEP-73	SPUD Date:	30-SEP-73
Completion Date:	12-NOV-73	Recompletion Date:	Not Reported
Last Tested:	Not Reported	Ever Orphaned:	Not Reported
Classification:	Not Reported	Field ID:	0101
State Lease #:	Not Reported	Mud Density:	0
Coastal Permit #:	Not Reported	Well Depth:	11803
Inspection Date:	Not Reported	Field Name:	ANSE LA BUTTE
Well Operator:	LYNAL, INC.	Scout Well:	Not Reported
Scout Report Date:	Not Reported	Scout Measured Depth:	0
Scout True Depth:	0	LUW Type:	Not Reported
Documents:	http://ucmwww.dnr.state.la.us/ucmsearch/FindDocuments.aspx?idx=xwellserialnumber&val=143596		
URL:	http://sonlite.dnr.state.la.us/sundown/cart_prod/cart_con_wellinfo2?p_WSN=143596		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance

Database EDR ID Number

**B5
SW
1/2 - 1 Mile**

OIL_GAS LAOG12000092284

Well Serial #:	143977	Well Name:	MT RE SUA;TROSCLAIR
Well Status:	PLUGGED AND ABANDONED	Operator ID:	3587
Product:	Oil	Wells Class:	Not Reported
Well #:	001-D	Effective Date:	01-AUG-92
API #:	17099204630000	Operation Type:	01
Permit Date:	01-NOV-73	SPUD Date:	30-SEP-73
Completion Date:	12-NOV-73	Recompletion Date:	Not Reported
Last Tested:	Not Reported	Ever Orphaned:	Not Reported
Classification:	Not Reported	Field ID:	0101
State Lease #:	Not Reported	Mud Density:	0
Coastal Permit #:	Not Reported	Well Depth:	11803
Inspection Date:	Not Reported	Field Name:	ANSE LA BUTTE
Well Operator:	LYNAL, INC.	Scout Well:	Not Reported
Scout Report Date:	Not Reported	Scout Measured Depth:	0
Scout True Depth:	0	LUW Type:	Not Reported
Documents:	http://ucmwww.dnr.state.la.us/ucmsearch/FindDocuments.aspx?idx=xwellserialnumber&val=143977		
URL:	http://sonlite.dnr.state.la.us/sundown/cart_prod/cart_con_wellinfo2?p_WSN=143977		

**7
South
1/2 - 1 Mile**

OIL_GAS LAOG12000210326

Well Serial #:	137217	Well Name:	MT RC SUA;H B LANDRY
Well Status:	PLUGGED AND ABANDONED	Operator ID:	0040
Product:	Gas	Wells Class:	Not Reported
Well #:	001 ALT	Effective Date:	01-DEC-76
API #:	17099203520000	Operation Type:	01
Permit Date:	22-JUL-71	SPUD Date:	25-JUL-71
Completion Date:	23-SEP-71	Recompletion Date:	Not Reported
Last Tested:	Not Reported	Ever Orphaned:	Not Reported
Classification:	Not Reported	Field ID:	0101
State Lease #:	Not Reported	Mud Density:	0
Coastal Permit #:	Not Reported	Well Depth:	11970
Inspection Date:	Not Reported	Field Name:	ANSE LA BUTTE
Well Operator:	ADA OIL EXPLORATION CORP	Scout Well:	Not Reported
Scout Report Date:	Not Reported	Scout Measured Depth:	0
Scout True Depth:	0	LUW Type:	Not Reported
Documents:	http://ucmwww.dnr.state.la.us/ucmsearch/FindDocuments.aspx?idx=xwellserialnumber&val=137217		
URL:	http://sonlite.dnr.state.la.us/sundown/cart_prod/cart_con_wellinfo2?p_WSN=137217		

**A8
SSW
1/2 - 1 Mile**

OIL_GAS LAOG12000094119

Well Serial #:	142968	Well Name:	M K BARRY
Well Status:	PLUGGED AND ABANDONED	Operator ID:	6142
Product:	None	Wells Class:	Not Reported
Well #:	001	Effective Date:	08-MAY-15
API #:	17099204450000	Operation Type:	01
Permit Date:	05-JUL-73	SPUD Date:	26-JUL-73

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Completion Date:	29-AUG-73	Recompletion Date:	Not Reported
Last Tested:	11-OCT-83	Ever Orphaned:	Not Reported
Classification:	Not Reported	Field ID:	0101
State Lease #:	Not Reported	Mud Density:	0
Coastal Permit #:	Not Reported	Well Depth:	11225
Inspection Date:	Not Reported	Field Name:	ANSE LA BUTTE
Well Operator:	J. P. VAN WAY	Scout Well:	Not Reported
Scout Report Date:	Not Reported	Scout Measured Depth:	0
Scout True Depth:	0	LUW Type:	Not Reported
Documents:	http://ucmwww.dnr.state.la.us/ucmsearch/FindDocuments.aspx?idx=xwellserialnumber&val=142968		
URL:	http://sonlite.dnr.state.la.us/sundown/cart_prod/cart_con_wellinfo2?p_WSN=142968		

**C9
SE
1/2 - 1 Mile**

OIL_GAS LAOG12000083554

Well Serilal #:	138254	Well Name:	MT RC SU D L. BROUSSARD
Well Status:	PLUGGED AND ABANDONED	Operator ID:	1730
Product:	Oil	Wells Class:	Not Reported
Well #:	A-1	Effective Date:	01-JAN-91
API #:	17099203800000	Operation Type:	01
Permit Date:	15-NOV-71	SPUD Date:	20-JAN-72
Completion Date:	03-MAR-72	Recompletion Date:	Not Reported
Last Tested:	Not Reported	Ever Orphaned:	Not Reported
Classification:	Not Reported	Field ID:	0101
State Lease #:	Not Reported	Mud Density:	0
Coastal Permit #:	Not Reported	Well Depth:	12878
Inspection Date:	Not Reported	Field Name:	ANSE LA BUTTE
Well Operator:	W. L. ESTIS	Scout Well:	Not Reported
Scout Report Date:	Not Reported	Scout Measured Depth:	0
Scout True Depth:	0	LUW Type:	Not Reported
Documents:	http://ucmwww.dnr.state.la.us/ucmsearch/FindDocuments.aspx?idx=xwellserialnumber&val=138254		
URL:	http://sonlite.dnr.state.la.us/sundown/cart_prod/cart_con_wellinfo2?p_WSN=138254		

**10
SSE
1/2 - 1 Mile**

OIL_GAS LAOG12000081347

Well Serilal #:	135097	Well Name:	CH SU FF; E L ST. GERMAIN
Well Status:	PLUGGED AND ABANDONED	Operator ID:	3637
Product:	Oil	Wells Class:	Not Reported
Well #:	001	Effective Date:	01-JUN-82
API #:	17099203000000	Operation Type:	01
Permit Date:	27-OCT-70	SPUD Date:	11-DEC-70
Completion Date:	14-FEB-71	Recompletion Date:	Not Reported
Last Tested:	Not Reported	Ever Orphaned:	Not Reported
Classification:	Not Reported	Field ID:	0101
State Lease #:	Not Reported	Mud Density:	0
Coastal Permit #:	Not Reported	Well Depth:	11635
Inspection Date:	Not Reported	Field Name:	ANSE LA BUTTE
Well Operator:	MCOR OIL DEVELOPMENT, INC.	Scout Well:	Not Reported
Scout Report Date:	Not Reported	Scout Measured Depth:	0
Scout True Depth:	0	LUW Type:	Not Reported
Documents:	http://ucmwww.dnr.state.la.us/ucmsearch/FindDocuments.aspx?idx=xwellserialnumber&val=135097		
URL:	http://sonlite.dnr.state.la.us/sundown/cart_prod/cart_con_wellinfo2?p_WSN=135097		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance

Database EDR ID Number

C11
SE
1/2 - 1 Mile

OIL_GAS LAOG12000098269

Well Serial #:	970733	Well Name:	BROUSSARD SWD
Well Status:	PLUGGED AND ABANDONED	Operator ID:	1730
Product:	None	Wells Class:	5
Well #:	001	Effective Date:	01-DEC-90
API #:	17099880190000	Operation Type:	01
Permit Date:	13-NOV-80	SPUD Date:	09-OCT-80
Completion Date:	13-NOV-80	Recompletion Date:	31-DEC-90
Last Tested:	Not Reported	Ever Orphaned:	Not Reported
Classification:	II	Field ID:	0101
State Lease #:	Not Reported	Mud Density:	0
Coastal Permit #:	Not Reported	Well Depth:	2000
Inspection Date:	Not Reported	Field Name:	ANSE LA BUTTE
Well Operator:	W. L. ESTIS	Scout Well:	Not Reported
Scout Report Date:	Not Reported	Scout Measured Depth:	0
Scout True Depth:	0	LUW Type:	Not Reported
Documents:	http://ucmwww.dnr.state.la.us/ucmsearch/FindDocuments.aspx?idx=xwellserialnumber&val=970733		
URL:	http://sonlite.dnr.state.la.us/sundown/cart_prod/cart_con_wellinfo2?p_WSN=970733		

12
WSW
1/2 - 1 Mile

OIL_GAS LAOG12000083091

Well Serial #:	147185	Well Name:	BM RA SUD;C DORE
Well Status:	DRY AND PLUGGED	Operator ID:	3591
Product:	None	Wells Class:	Not Reported
Well #:	001	Effective Date:	01-DEC-76
API #:	17099205250000	Operation Type:	01
Permit Date:	31-OCT-74	SPUD Date:	19-NOV-74
Completion Date:	16-DEC-74	Recompletion Date:	Not Reported
Last Tested:	Not Reported	Ever Orphaned:	Not Reported
Classification:	Not Reported	Field ID:	0101
State Lease #:	Not Reported	Mud Density:	0
Coastal Permit #:	Not Reported	Well Depth:	12150
Inspection Date:	Not Reported	Field Name:	ANSE LA BUTTE
Well Operator:	LYNAL, INC. ET AL	Scout Well:	Not Reported
Scout Report Date:	Not Reported	Scout Measured Depth:	0
Scout True Depth:	0	LUW Type:	Not Reported
Documents:	http://ucmwww.dnr.state.la.us/ucmsearch/FindDocuments.aspx?idx=xwellserialnumber&val=147185		
URL:	http://sonlite.dnr.state.la.us/sundown/cart_prod/cart_con_wellinfo2?p_WSN=147185		

D13
SSE
1/2 - 1 Mile

OIL_GAS LAOG12000232312

Well Serial #:	136284	Well Name:	CH SU HH; E. L. ST. GERMAIN
Well Status:	PLUGGED AND ABANDONED	Operator ID:	3637
Product:	Oil	Wells Class:	Not Reported
Well #:	002	Effective Date:	01-JUN-82
API #:	17099203220000	Operation Type:	01
Permit Date:	26-MAR-71	SPUD Date:	25-MAR-71

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Completion Date:	29-APR-71	Recompletion Date:	Not Reported
Last Tested:	Not Reported	Ever Orphaned:	Not Reported
Classification:	Not Reported	Field ID:	0101
State Lease #:	Not Reported	Mud Density:	0
Coastal Permit #:	Not Reported	Well Depth:	11675
Inspection Date:	Not Reported	Field Name:	ANSE LA BUTTE
Well Operator:	MCOR OIL DEVELOPMENT, INC.	Scout Well:	Not Reported
Scout Report Date:	Not Reported	Scout Measured Depth:	0
Scout True Depth:	0	LUW Type:	Not Reported
Documents:	http://ucmwww.dnr.state.la.us/ucmsearch/FindDocuments.aspx?idx=xwellserialnumber&val=136284		
URL:	http://sonlite.dnr.state.la.us/sundown/cart_prod/cart_con_wellinfo2?p_WSN=136284		

D14

SSE

1/2 - 1 Mile

OIL_GAS

LAOG12000162846

Well Serilal #:	138276	Well Name:	E L ST GERMAIN SWD
Well Status:	Not Reported	Operator ID:	6142
Product:	None	Wells Class:	5-C
Well #:	005	Effective Date:	28-JUL-20
API #:	17099203810000	Operation Type:	01
Permit Date:	16-NOV-71	SPUD Date:	16-NOV-71
Completion Date:	20-DEC-71	Recompletion Date:	08-MAR-85
Last Tested:	29-JAN-86	Ever Orphaned:	Not Reported
Classification:	II	Field ID:	0101
State Lease #:	Not Reported	Mud Density:	0
Coastal Permit #:	Not Reported	Well Depth:	12080
Inspection Date:	Not Reported	Field Name:	ANSE LA BUTTE
Well Operator:	J. P. VAN WAY	Scout Well:	Not Reported
Scout Report Date:	Not Reported	Scout Measured Depth:	0
Scout True Depth:	0	LUW Type:	Not Reported
Documents:	http://ucmwww.dnr.state.la.us/ucmsearch/FindDocuments.aspx?idx=xwellserialnumber&val=138276		
URL:	http://sonlite.dnr.state.la.us/sundown/cart_prod/cart_con_wellinfo2?p_WSN=138276		

E15

SSE

1/2 - 1 Mile

OIL_GAS

LAOG12000083508

Well Serilal #:	146718	Well Name:	E L ST GERMAIN
Well Status:	REVERTED TO SINGLE COMPLETION	Operator ID:	6142
Product:	None	Wells Class:	Not Reported
Well #:	004-D	Effective Date:	01-MAY-92
API #:	17099203390000	Operation Type:	01
Permit Date:	13-SEP-74	SPUD Date:	19-JUN-71
Completion Date:	10-SEP-74	Recompletion Date:	Not Reported
Last Tested:	Not Reported	Ever Orphaned:	Not Reported
Classification:	Not Reported	Field ID:	0101
State Lease #:	Not Reported	Mud Density:	0
Coastal Permit #:	Not Reported	Well Depth:	11803
Inspection Date:	Not Reported	Field Name:	ANSE LA BUTTE
Well Operator:	J. P. VAN WAY	Scout Well:	Not Reported
Scout Report Date:	Not Reported	Scout Measured Depth:	0
Scout True Depth:	0	LUW Type:	Not Reported
Documents:	http://ucmwww.dnr.state.la.us/ucmsearch/FindDocuments.aspx?idx=xwellserialnumber&val=146718		
URL:	http://sonlite.dnr.state.la.us/sundown/cart_prod/cart_con_wellinfo2?p_WSN=146718		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance

Database EDR ID Number

E16
SSE
1/2 - 1 Mile

OIL_GAS LAOG12000171001

Well Serial #:	136961	Well Name:	CIB H RA SUGG;E L ST GERMAIN
Well Status:	SHUT-IN PRODUCTIVE -FUTURE UTILITY	Operator ID:	6142
Product:	Oil	Wells Class:	Not Reported
Well #:	004	Effective Date:	27-SEP-14
API #:	17099203390000	Operation Type:	01
Permit Date:	21-JUN-71	SPUD Date:	19-JUN-71
Completion Date:	19-JUL-71	Recompletion Date:	Not Reported
Last Tested:	27-SEP-14	Ever Orphaned:	Not Reported
Classification:	Not Reported	Field ID:	0101
State Lease #:	Not Reported	Mud Density:	0
Coastal Permit #:	Not Reported	Well Depth:	11803
Inspection Date:	Not Reported	Field Name:	ANSE LA BUTTE
Well Operator:	J. P. VAN WAY	Scout Well:	Not Reported
Scout Report Date:	Not Reported	Scout Measured Depth:	0
Scout True Depth:	0	LUW Type:	2
Documents:	http://ucmwww.dnr.state.la.us/ucmsearch/FindDocuments.aspx?idx=xwellserialnumber&val=136961		
URL:	http://sonlite.dnr.state.la.us/sundown/cart_prod/cart_con_wellinfo2?p_WSN=136961		

17
South
1/2 - 1 Mile

OIL_GAS LAOG12000116171

Well Serial #:	191640	Well Name:	CIB H RA SUW;E L ST GERMAIN
Well Status:	SHUT-IN PRODUCTIVE -FUTURE UTILITY	Operator ID:	6142
Product:	Oil	Wells Class:	Not Reported
Well #:	007	Effective Date:	30-SEP-16
API #:	17099210790000	Operation Type:	01
Permit Date:	24-APR-84	SPUD Date:	06-JUN-84
Completion Date:	Not Reported	Recompletion Date:	18-JUN-92
Last Tested:	30-MAR-20	Ever Orphaned:	Not Reported
Classification:	Not Reported	Field ID:	0101
State Lease #:	Not Reported	Mud Density:	0
Coastal Permit #:	Not Reported	Well Depth:	11450
Inspection Date:	Not Reported	Field Name:	ANSE LA BUTTE
Well Operator:	J. P. VAN WAY	Scout Well:	12
Scout Report Date:	14-JUL-92	Scout Measured Depth:	11450
Scout True Depth:	0	LUW Type:	2
Documents:	http://ucmwww.dnr.state.la.us/ucmsearch/FindDocuments.aspx?idx=xwellserialnumber&val=191640		
URL:	http://sonlite.dnr.state.la.us/sundown/cart_prod/cart_con_wellinfo2?p_WSN=191640		

F19
SW
1/2 - 1 Mile

OIL_GAS LAOG12000238753

Well Serial #:	55714	Well Name:	L TROSCLAIR ET AL
Well Status:	PLUGGED AND ABANDONED	Operator ID:	6142
Product:	None	Wells Class:	Not Reported
Well #:	002	Effective Date:	14-JUL-04
API #:	17099001360000	Operation Type:	01
Permit Date:	03-MAR-55	SPUD Date:	14-MAR-55

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Completion Date:	10-JUN-55	Recompletion Date:	Not Reported
Last Tested:	10-MAR-04	Ever Orphaned:	Not Reported
Classification:	Not Reported	Field ID:	0101
State Lease #:	Not Reported	Mud Density:	0
Coastal Permit #:	Not Reported	Well Depth:	12534
Inspection Date:	Not Reported	Field Name:	ANSE LA BUTTE
Well Operator:	J. P. VAN WAY	Scout Well:	Not Reported
Scout Report Date:	Not Reported	Scout Measured Depth:	0
Scout True Depth:	0	LUW Type:	Not Reported
Documents:	http://ucmwww.dnr.state.la.us/ucmsearch/FindDocuments.aspx?idx=xwellserialnumber&val=55714		
URL:	http://sonlite.dnr.state.la.us/sundown/cart_prod/cart_con_wellinfo2?p_WSN=55714		

F18

SW

1/2 - 1 Mile

OIL_GAS

LAOG12000067484

Well Serilal #:	57444	Well Name:	L TROSCLAIR ET AL
Well Status:	PLUGGED AND ABANDONED	Operator ID:	6142
Product:	None	Wells Class:	Not Reported
Well #:	002D	Effective Date:	14-JUL-04
API #:	17099001360000	Operation Type:	01
Permit Date:	13-JUL-55	SPUD Date:	14-MAR-55
Completion Date:	11-JUN-55	Recompletion Date:	Not Reported
Last Tested:	Not Reported	Ever Orphaned:	Not Reported
Classification:	Not Reported	Field ID:	0101
State Lease #:	Not Reported	Mud Density:	0
Coastal Permit #:	Not Reported	Well Depth:	12534
Inspection Date:	Not Reported	Field Name:	ANSE LA BUTTE
Well Operator:	J. P. VAN WAY	Scout Well:	Not Reported
Scout Report Date:	Not Reported	Scout Measured Depth:	0
Scout True Depth:	0	LUW Type:	Not Reported
Documents:	http://ucmwww.dnr.state.la.us/ucmsearch/FindDocuments.aspx?idx=xwellserialnumber&val=57444		
URL:	http://sonlite.dnr.state.la.us/sundown/cart_prod/cart_con_wellinfo2?p_WSN=57444		

20

South

1/2 - 1 Mile

OIL_GAS

LAOG12000083524

Well Serilal #:	136481	Well Name:	E L ST GERMAIN
Well Status:	SHUT-IN PRODUCTIVE -FUTURE UTILITY	Operator ID:	6142
Product:	Oil	Wells Class:	Not Reported
Well #:	003	Effective Date:	30-MAR-20
API #:	17099203260000	Operation Type:	01
Permit Date:	26-APR-71	SPUD Date:	29-APR-71
Completion Date:	01-SEP-71	Recompletion Date:	30-OCT-84
Last Tested:	30-MAR-20	Ever Orphaned:	Not Reported
Classification:	Not Reported	Field ID:	0101
State Lease #:	Not Reported	Mud Density:	0
Coastal Permit #:	Not Reported	Well Depth:	12077
Inspection Date:	Not Reported	Field Name:	ANSE LA BUTTE
Well Operator:	J. P. VAN WAY	Scout Well:	Not Reported
Scout Report Date:	Not Reported	Scout Measured Depth:	0
Scout True Depth:	0	LUW Type:	1
Documents:	http://ucmwww.dnr.state.la.us/ucmsearch/FindDocuments.aspx?idx=xwellserialnumber&val=136481		
URL:	http://sonlite.dnr.state.la.us/sundown/cart_prod/cart_con_wellinfo2?p_WSN=136481		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance

Database EDR ID Number

G22
SE
1/2 - 1 Mile

OIL_GAS LAOG12000210442

Well Serial #:	139992	Well Name:	MT RC SUA;O GUCHEREAU
Well Status:	PLUGGED AND ABANDONED	Operator ID:	9999
Product:	Gas	Wells Class:	Not Reported
Well #:	002D	Effective Date:	01-NOV-76
API #:	17099203970000	Operation Type:	01
Permit Date:	21-JUN-72	SPUD Date:	18-MAR-72
Completion Date:	04-MAY-72	Recompletion Date:	Not Reported
Last Tested:	Not Reported	Ever Orphaned:	Not Reported
Classification:	Not Reported	Field ID:	0101
State Lease #:	Not Reported	Mud Density:	0
Coastal Permit #:	Not Reported	Well Depth:	12083
Inspection Date:	Not Reported	Field Name:	ANSE LA BUTTE
Well Operator:	INACTIVE OPERATOR	Scout Well:	Not Reported
Scout Report Date:	Not Reported	Scout Measured Depth:	0
Scout True Depth:	0	LUW Type:	Not Reported
Documents:	http://ucmwww.dnr.state.la.us/ucmsearch/FindDocuments.aspx?idx=xwellserialnumber&val=139992		
URL:	http://sonlite.dnr.state.la.us/sundown/cart_prod/cart_con_wellinfo2?p_WSN=139992		

G21
SE
1/2 - 1 Mile

OIL_GAS LAOG12000180357

Well Serial #:	139265	Well Name:	CH SU II; OCTAVE GUCHEREAU
Well Status:	PLUGGED AND ABANDONED	Operator ID:	9999
Product:	Oil	Wells Class:	Not Reported
Well #:	002	Effective Date:	01-MAR-73
API #:	17099203970000	Operation Type:	01
Permit Date:	14-MAR-72	SPUD Date:	18-MAR-72
Completion Date:	04-MAY-72	Recompletion Date:	Not Reported
Last Tested:	Not Reported	Ever Orphaned:	Not Reported
Classification:	Not Reported	Field ID:	0101
State Lease #:	Not Reported	Mud Density:	0
Coastal Permit #:	Not Reported	Well Depth:	12083
Inspection Date:	Not Reported	Field Name:	ANSE LA BUTTE
Well Operator:	INACTIVE OPERATOR	Scout Well:	Not Reported
Scout Report Date:	Not Reported	Scout Measured Depth:	0
Scout True Depth:	0	LUW Type:	Not Reported
Documents:	http://ucmwww.dnr.state.la.us/ucmsearch/FindDocuments.aspx?idx=xwellserialnumber&val=139265		
URL:	http://sonlite.dnr.state.la.us/sundown/cart_prod/cart_con_wellinfo2?p_WSN=139265		

G23
SE
1/2 - 1 Mile

OIL_GAS LAOG12000240209

Well Serial #:	137640	Well Name:	O GUCHEREAU ET AL SWD
Well Status:	DRY AND PLUGGED	Operator ID:	6142
Product:	None	Wells Class:	5
Well #:	001	Effective Date:	30-MAR-01
API #:	17099203660000	Operation Type:	01
Permit Date:	14-SEP-71	SPUD Date:	20-SEP-71

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Completion Date:	16-JAN-73	Recompletion Date:	Not Reported
Last Tested:	Not Reported	Ever Orphaned:	Not Reported
Classification:	II	Field ID:	0101
State Lease #:	Not Reported	Mud Density:	0
Coastal Permit #:	Not Reported	Well Depth:	11990
Inspection Date:	Not Reported	Field Name:	ANSE LA BUTTE
Well Operator:	J. P. VAN WAY	Scout Well:	Not Reported
Scout Report Date:	Not Reported	Scout Measured Depth:	0
Scout True Depth:	0	LUW Type:	Not Reported
Documents:	http://ucmwww.dnr.state.la.us/ucmsearch/FindDocuments.aspx?idx=xwellserialnumber&val=137640		
URL:	http://sonlite.dnr.state.la.us/sundown/cart_prod/cart_con_wellinfo2?p_WSN=137640		

24

WNW

1/2 - 1 Mile

OIL_GAS

LAOG12000129534

Well Serial #:	137875	Well Name:	ONA T BROUSSARD ET AL
Well Status:	DRY AND PLUGGED	Operator ID:	9999
Product:	None	Wells Class:	Not Reported
Well #:	001	Effective Date:	01-DEC-76
API #:	17099203700000	Operation Type:	01
Permit Date:	11-OCT-71	SPUD Date:	19-OCT-71
Completion Date:	15-JAN-72	Recompletion Date:	Not Reported
Last Tested:	Not Reported	Ever Orphaned:	Not Reported
Classification:	Not Reported	Field ID:	0101
State Lease #:	Not Reported	Mud Density:	0
Coastal Permit #:	Not Reported	Well Depth:	13433
Inspection Date:	Not Reported	Field Name:	ANSE LA BUTTE
Well Operator:	INACTIVE OPERATOR	Scout Well:	Not Reported
Scout Report Date:	Not Reported	Scout Measured Depth:	0
Scout True Depth:	0	LUW Type:	Not Reported
Documents:	http://ucmwww.dnr.state.la.us/ucmsearch/FindDocuments.aspx?idx=xwellserialnumber&val=137875		
URL:	http://sonlite.dnr.state.la.us/sundown/cart_prod/cart_con_wellinfo2?p_WSN=137875		

H25

SE

1/2 - 1 Mile

OIL_GAS

LAOG12000060841

Well Serial #:	30181	Well Name:	GUCHEREAU ET AL
Well Status:	UNABLE TO LOCATE WELL-NO PLUGGED AND ABANDONED	Product:	None
Operator ID:	9999	Well #:	001
Wells Class:	Not Reported	API #:	17099001680000
Effective Date:	20-APR-04	Permit Date:	24-FEB-45
Operation Type:	01	Completion Date:	02-JUN-45
SPUD Date:	08-MAR-45	Last Tested:	Not Reported
Recompletion Date:	Not Reported	Classification:	Not Reported
Ever Orphaned:	Not Reported	State Lease #:	Not Reported
Field ID:	9727	Coastal Permit #:	Not Reported
Mud Density:	0	Inspection Date:	Not Reported
Well Depth:	11660	Well Operator:	INACTIVE OPERATOR
Field Name:	WILDCAT-SO LA LAFAYETTE DIST	Scout Report Date:	Not Reported
Scout Well:	Not Reported	Scout True Depth:	0
Scout Measured Depth:	0		
LUW Type:	Not Reported		
Documents:	http://ucmwww.dnr.state.la.us/ucmsearch/FindDocuments.aspx?idx=xwellserialnumber&val=30181		
URL:	http://sonlite.dnr.state.la.us/sundown/cart_prod/cart_con_wellinfo2?p_WSN=30181		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance

Database EDR ID Number

26
SSW
1/2 - 1 Mile

OIL_GAS LAOG12000231927

Well Serial #:	53333	Well Name:	H T BABB
Well Status:	PLUGGED AND ABANDONED	Operator ID:	9999
Product:	Gas	Wells Class:	Not Reported
Well #:	001	Effective Date:	01-DEC-76
API #:	17099001480000	Operation Type:	01
Permit Date:	20-AUG-54	SPUD Date:	25-AUG-54
Completion Date:	20-DEC-54	Recompletion Date:	Not Reported
Last Tested:	Not Reported	Ever Orphaned:	Not Reported
Classification:	Not Reported	Field ID:	0101
State Lease #:	Not Reported	Mud Density:	0
Coastal Permit #:	Not Reported	Well Depth:	12038
Inspection Date:	Not Reported	Field Name:	ANSE LA BUTTE
Well Operator:	INACTIVE OPERATOR	Scout Well:	Not Reported
Scout Report Date:	Not Reported	Scout Measured Depth:	0
Scout True Depth:	0	LUW Type:	Not Reported
Documents:	http://ucmwww.dnr.state.la.us/ucmsearch/FindDocuments.aspx?idx=xwellserialnumber&val=53333		
URL:	http://sonlite.dnr.state.la.us/sundown/cart_prod/cart_con_wellinfo2?p_WSN=53333		

27
WSW
1/2 - 1 Mile

OIL_GAS LAOG12000211459

Well Serial #:	182678	Well Name:	PATRICK LANEUX
Well Status:	DRY AND PLUGGED	Operator ID:	3587
Product:	Oil	Wells Class:	Not Reported
Well #:	001	Effective Date:	01-OCT-83
API #:	17099209870000	Operation Type:	01
Permit Date:	25-AUG-82	SPUD Date:	24-SEP-82
Completion Date:	06-JUN-83	Recompletion Date:	06-JUN-83
Last Tested:	Not Reported	Ever Orphaned:	Not Reported
Classification:	Not Reported	Field ID:	0101
State Lease #:	Not Reported	Mud Density:	0
Coastal Permit #:	Not Reported	Well Depth:	12200
Inspection Date:	Not Reported	Field Name:	ANSE LA BUTTE
Well Operator:	LYNAL, INC.	Scout Well:	Not Reported
Scout Report Date:	Not Reported	Scout Measured Depth:	0
Scout True Depth:	0	LUW Type:	Not Reported
Documents:	http://ucmwww.dnr.state.la.us/ucmsearch/FindDocuments.aspx?idx=xwellserialnumber&val=182678		
URL:	http://sonlite.dnr.state.la.us/sundown/cart_prod/cart_con_wellinfo2?p_WSN=182678		

H28
SE
1/2 - 1 Mile

OIL_GAS LAOG12000179679

Well Serial #:	143995	Well Name:	MT RC SU-F, GUCHEREAU
Well Status:	PLUGGED AND ABANDONED	Operator ID:	3591
Product:	Oil	Wells Class:	Not Reported
Well #:	003	Effective Date:	01-DEC-76
API #:	17099204770000	Operation Type:	01
Permit Date:	02-NOV-73	SPUD Date:	17-NOV-73

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Completion Date:	10-MAY-74	Recompletion Date:	Not Reported
Last Tested:	Not Reported	Ever Orphaned:	Not Reported
Classification:	Not Reported	Field ID:	0101
State Lease #:	Not Reported	Mud Density:	0
Coastal Permit #:	Not Reported	Well Depth:	11625
Inspection Date:	Not Reported	Field Name:	ANSE LA BUTTE
Well Operator:	LYNAL, INC. ET AL	Scout Well:	Not Reported
Scout Report Date:	Not Reported	Scout Measured Depth:	0
Scout True Depth:	0	LUW Type:	Not Reported
Documents:	http://ucmwww.dnr.state.la.us/ucmsearch/FindDocuments.aspx?idx=xwellserialnumber&val=143995		
URL:	http://sonlite.dnr.state.la.us/sundown/cart_prod/cart_con_wellinfo2?p_WSN=143995		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS RADON

AREA RADON INFORMATION

State Database: LA Radon

Radon Test Results

Parish	Avg pCi/L	Total Sites
ST MARTIN	0.32500	8

Federal EPA Radon Zone for ST MARTIN County: 3

- Note: Zone 1 indoor average level > 4 pCi/L.
- : Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.
- : Zone 3 indoor average level < 2 pCi/L.

Federal Area Radon Information for Zip Code: 70517

Number of sites tested: 4

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area - 1st Floor	0.325 pCi/L	100%	0%	0%
Living Area - 2nd Floor	Not Reported	Not Reported	Not Reported	Not Reported
Basement	Not Reported	Not Reported	Not Reported	Not Reported

PHYSICAL SETTING SOURCE RECORDS SEARCHED

TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)

Source: United States Geologic Survey

EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Current USGS 7.5 Minute Topographic Map

Source: U.S. Geological Survey

HYDROLOGIC INFORMATION

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.

Source: FEMA

Telephone: 877-336-2627

Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

HYDROGEOLOGIC INFORMATION

AQUIFLOW^R Information System

Source: EDR proprietary database of groundwater flow information

EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)

The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)

Telephone: 800-672-5559

SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Service, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

LOCAL / REGIONAL WATER AGENCY RECORDS

FEDERAL WATER WELLS

PWS: Public Water Systems

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)

This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

STATE RECORDS

Louisiana Public Water Supply Wells

Source: Office of Public Health

Telephone: 504-568-5101

Water Well Registration Data File

Source: Department of Transportation and Development

Telephone: 225-274-4172

OTHER STATE DATABASE INFORMATION

Oil and Gas Well Database

Source: Department of Natural Resources

Telephone: 225-342-1977

Oil and gas well locations in Louisiana.

RADON

State Database: LA Radon

Source: Department of Environmental Quality

Telephone: 225-925-1752

Radon Levels

Area Radon Information

Source: USGS

Telephone: 703-356-4020

The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

EPA Radon Zones

Source: EPA

Telephone: 703-356-4020

Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

OTHER

Airport Landing Facilities: Private and public use landing facilities
Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater
Source: Department of Commerce, National Oceanic and Atmospheric Administration

Earthquake Fault Lines: The fault lines displayed on EDR's Topographic map are digitized quaternary faultlines, prepared in 1975 by the United State Geological Survey

STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

APPENDIX D: QUALIFICATIONS

CHENIER ENVIRONMENTAL CONSULTING, LLC

AARON S. BASS, PH.D.

4607 BLUEBONNET BLVD. SUITE A
BATON ROUGE, LA 70808

Education: B.S. 1990, LSU, Business Administration
 M.S. 1993, LSU, Oceanography & Coastal Sciences
 Ph.D. 2004, LSU, Oceanography & Coastal Sciences

EXPERIENCE SUMMARY

Aaron Bass has over 27 years of experience as an environmental scientist. He has completed hundreds of Phase I Environmental Site Assessments on rural, residential, commercial, industrial, and oil and gas producing properties throughout Louisiana, Texas, Alabama, and Mississippi, and Florida

Project Experience:

Representative Phase I Environmental Site Assessment Projects

- Portfolio of Dollar General Stores throughout Louisiana and Mississippi
- Portfolio of Fresenius Kidney Care facilities throughout Louisiana
- Portfolio of Otter Self-storage facilities throughout Louisiana
- Tiger Point Pavilion Wetland Mitigation Bank, Navarre, Florida
- Panama Canal Cell Tower expansion, Gonzales, Louisiana
- Multiple Shell gas station sites, Greenwood, Mississippi
- Amazon Distribution Center, Baton Rouge, Louisiana
- Segers Aero Corporation Facility, Fairhope, Alabama
- Jared Jewelers Retail Store, Lafayette, Louisiana
- Beaugard Apartment Complex, Clinton Mississippi
- Rice Products Enriching, Packaging, and Production Facility, Crowley, Louisiana
- Hampton Inn and Suites, Natchez, Mississippi
- Campus Crossing Apartments, Lafayette, Louisiana
- Walgreens Drug Store, Kenner, Louisiana
- Riverland Mobile Home Court, Saint Rose, Louisiana
- Oak Park Mobile Home Park, Rayne, Louisiana
- Pecan Acres Mobile Home Park, Duson, Louisiana
- Multiple Cubesmart Storage Facilities, Baton Rouge, Louisiana
- Parc Garden Apartments, Lafayette, Louisiana
- Doctor's Pavilion Medical Office Building, Natchez, Mississippi
- National Tire and Battery Sites, New Orleans & Denham Springs, Louisiana
- Pit Stop Car Wash, Slidell, Louisiana
- Multiple Phase I Environmental Site assessments on large tracts of oil and gas producing properties for Chevron Environmental Management Company. Projects completed throughout Louisiana.
- Numerous properties for potential elementary school sites for Ascension Parish School Board.

- Phase I Environmental Site Assessment of 60,500-acre tract in southeast Louisiana prior to purchase by the State of Louisiana Department of Wildlife and Fisheries. This tract later became the Maurepas Swamp Wildlife Management Area.
- Phase I and Phase II Environmental Site Assessments for locally owned restaurant franchise throughout Louisiana, Mississippi, Texas, and Alabama