




## STANDARD METHODS OF MEASUREMENT

BOMA Industrial Method A:  
Exterior Enclosure Method

- Measure of fully enclosed industrial building from outside surface of enclosure.
- One Story Building: Multiple Occupants
  - Rentable area of the building is its exterior gross area, including permanent mezzanines.

Space Description:

- Major Vertical Penetration:
  - Stairs
  - Voids
  - Enclosed exterior space (atrium)
- Building Service Area
  - Offices
  - Staff Rooms
  - Break Rooms
- Floor Service Areas
  - Restrooms
  - Janitor
  - Mechanical rooms
  - Corridors
- Occupant Areas
  - Warehouse space
  - Storage

| Overall Building SF |                             |                |
|---------------------|-----------------------------|----------------|
| Zone                | Reference                   | Square Footage |
| A                   | R.S.S. Machine Area "A"     | 79,161         |
| B                   | Issue/Induction Area        | 12,476         |
| C                   | R.S.S. Machine Area "B"     | 78,606         |
| D                   | Conveyor Area               | 23,338         |
| E                   | Reserve Building            | 282,256        |
| F                   | Active Building             | 226,725        |
| F1                  | Mezzanine (Active Building) | 169,111        |
| G                   | Administration Offices      | 28,778         |
| H                   | Insert/Extract Area         | 23,350         |
| TOTAL               |                             | 923,801        |

| R.S.S. Machine Area "A"               | Square Footage |
|---------------------------------------|----------------|
| Major Vertical Penetration            | 0              |
| Building Service Area                 | 0              |
| Floor Service Area                    | 0              |
| Occupant Area & Building Amenity Area | 79,161         |
| Total                                 | 79,161         |

| Issue/Induction Area                  | Square Footage |
|---------------------------------------|----------------|
| Major Vertical Penetration            | 216            |
| Building Service Area                 | 0              |
| Floor Service Area                    | 0              |
| Occupant Area & Building Amenity Area | 12,260         |
| Total                                 | 12,476         |

| R.S.S. Machine Area "B"               | Square Footage |
|---------------------------------------|----------------|
| Major Vertical Penetration            | 0              |
| Building Service Area                 | 0              |
| Floor Service Area                    | 0              |
| Occupant Area & Building Amenity Area | 78,606         |
| Total                                 | 78,606         |

| Conveyor Area                         | Square Footage |
|---------------------------------------|----------------|
| Major Vertical Penetration            | 779            |
| Building Service Area                 | 25,839         |
| Floor Service Area                    | 1,011          |
| Occupant Area & Building Amenity Area | 254,627        |
| Total                                 | 282,256        |

| Active Building                       | Square Footage |
|---------------------------------------|----------------|
| Major Vertical Penetration            | 1,242          |
| Building Service Area                 | 3,383          |
| Floor Service Area                    | 1,387          |
| Occupant Area & Building Amenity Area | 220,713        |
| Total                                 | 226,725        |

| Mezzanine (Active Building)           | Square Footage |
|---------------------------------------|----------------|
| Major Vertical Penetration            | 1,148          |
| Building Service Area                 | 1025           |
| Floor Service Area                    | 534            |
| Occupant Area & Building Amenity Area | 166,404        |
| Total                                 | 169,111        |

| Administrative Offices                | Square Footage |
|---------------------------------------|----------------|
| Major Vertical Penetration            | 627            |
| Building Service Area                 | 18,925         |
| Floor Service Area                    | 4,388          |
| Occupant Area & Building Amenity Area | 4,838          |
| Total                                 | 28,778         |

| Insert/Extract Area                   | Square Footage |
|---------------------------------------|----------------|
| Major Vertical Penetration            | 890            |
| Building Service Area                 | 0              |
| Floor Service Area                    | 0              |
| Occupant Area & Building Amenity Area | 22,460         |
| Total                                 | 23,350         |

DALE  
PARTNERS

Architecture  
Interiors  
Planning

One Jackson Place  
Suite 250  
188 East Capitol Street  
Jackson, MS 39201  
p 601.352.5411  
  
161 Lameuse Street  
Suite 201  
Biloxi, MS 39530  
p 228.374.1409  
  
dalepartners.com

Not For  
Construction

Levi Strauss & Co Warehouse  
501 Denim Way, Canton, MS 39046

SF Analysis

Project No 24077.03  
Date 12/19/2024  
Drawn TBD  
Checked TBD  
Revisions Rev Date


A-101  
Overall Floor Plan - Level  
1

12/19/2024, 1:40:54 PM  
C:\Users\shawmackey\Documents\24084 Pinpoint Verification Levi Warehouse\_shawmackey\ZH8B.rvt

1

Level 1 - Callout R.S.S Machine Area

1/16" = 1'-0"



STANDARD METHODS OF MEASUREMENT

- BOMA Industrial Method A:  
Exterior Enclosure Method
- Measure of fully enclosed industrial building from outside surface of enclosure.
  - One Story Building: Multiple Occupants
    - Rentable area of the building is its exterior gross area, including permanent mezzanines.

- Space Description:
- Major Vertical Penetration:
    - Stairs
    - Voids
    - Enclosed exterior space (atrium)
  - Building Service Area
    - Offices
    - Staff Rooms
    - Break Rooms
  - Floor Service Areas
    - Restrooms
    - Janitor
    - Mechanical rooms
    - Corridors
  - Occupant Areas
    - Warehouse space
    - Storage

- Wall Priority Diagram
- Major Vertical Penetration
  - Building Service Area
  - Floor Service Area
  - Occupant Area & Building Amenity Area

| Classification                        | Square Footage |
|---------------------------------------|----------------|
| Major Vertical Penetration            | 0              |
| Building Service Area                 | 0              |
| Floor Service Area                    | 0              |
| Occupant Area & Building Amenity Area | 79,161         |
| Total                                 | 79,161         |

DALE  
PARTNERS

Architecture  
Interiors  
Planning

One Jackson Place 250  
188 East Capitol Street  
Jackson, MS 39201  
p 601.352.5411

161 Lameuse Street 201  
Biloxi, MS 39530  
p 228.374.1409

dalepartners.com

Not For  
Construction

Consultant  
Logo

Levi Strauss & Co Warehouse  
501 Denim Way, Canton, MS 39046

Package Number

SF Analysis

Project No 24077.03  
Date 12/19/2024  
Revisions Rev Date


A-101A

Zone A R.S.S. Machine  
Area

12/19/2024, 1:40:54 PM  
C:\Users\shawmackey\Documents\24084 Pinpoint Verification Levi Warehouse\_shawmackey\Z2H8B.rvt

1

Level 1 - Callout Issue/Induction Area  
1/8" = 1'-0"



STANDARD METHODS OF MEASUREMENT

- BOMA Industrial Method A:  
Exterior Enclosure Method
1. Measure of fully enclosed industrial building from outside surface of enclosure.
  2. One Story Building; Multiple Occupants
    - A. Rentable area of the building is its exterior gross area, including permanent mezzanines.

- Space Description:
1. Major Vertical Penetration:
    - A. Stairs
    - B. Voids
    - C. Enclosed exterior space (atrium)
  2. Building Service Area
    - A. Offices
    - B. Staff Rooms
    - C. Break Rooms
  3. Floor Service Areas
    - A. Restrooms
    - B. Janitor
    - C. Mechanical rooms
    - D. Corridors
  4. Occupant Areas
    - A. Warehouse space
    - B. Storage

- Wall Priority Diagram
- Major Vertical Penetration
  - Building Service Area
  - Floor Service Area
  - Occupant Area & Building Amenity Area

| Classification                        | Square Footage |
|---------------------------------------|----------------|
| Major Vertical Penetration            | 216            |
| Building Service Area                 | 0              |
| Floor Service Area                    | 0              |
| Occupant Area & Building Amenity Area | 12,260         |
| Total                                 | 12,476         |

DALE  
PARTNERS

Architecture  
Interiors  
Planning

One Jackson Place 250  
188 East Capitol Street  
Jackson, MS 39201  
p 601.352.5411

161 Lameuse Street 201  
Biloxi, MS 39530  
p 228.374.1409

dalepartners.com

Not For  
Construction

Consultant  
Logo

Levi Strauss & Co Warehouse  
501 Denim Way, Canton, MS 39046

Package Number

SF Analysis


Project No 24077.03  
Date 12/19/2024  
Revisions Rev Date

A-101B

Zone B Issue/Induction  
Area

12/19/2024, 1:40:54 PM  
C:\Users\shawmackey\Documents\24084 Pinpoint Verification Levi Warehouse\_shawmackey\ZH8B.rvt

1 Level 1 - Callout R.S.S. Machine Area B  
1/16" = 1'-0"



STANDARD METHODS OF MEASUREMENT

- BOMA Industrial Method A:  
Exterior Enclosure Method
- Measure of fully enclosed industrial building from outside surface of enclosure.
  - One Story Building: Multiple Occupants
    - Rentable area of the building is its exterior gross area, including permanent mezzanines.

- Space Description:
- Major Vertical Penetration:
    - Stairs
    - Voids
    - Enclosed exterior space (atrium)
  - Building Service Area
    - Offices
    - Staff Rooms
    - Break Rooms
  - Floor Service Areas
    - Restrooms
    - Janitor
    - Mechanical rooms
    - Corridors
  - Occupant Areas
    - Warehouse space
    - Storage

V  
U  
T  
S

V

U

T

S

Wall Priority Diagram

- |                                       |  |
|---------------------------------------|--|
| Major Vertical Penetration            |  |
| Building Service Area                 |  |
| Floor Service Area                    |  |
| Occupant Area & Building Amenity Area |  |

| Classification                        | Square Footage |
|---------------------------------------|----------------|
| Major Vertical Penetration            | 0              |
| Building Service Area                 | 0              |
| Floor Service Area                    | 0              |
| Occupant Area & Building Amenity Area | 78,606         |
| Total                                 | 78,606         |

DALE  
PARTNERS

Architecture  
Interiors  
Planning

One Jackson Place 250  
188 East Capitol Street  
Jackson, MS 39201  
p 601.352.5411

161 Lameuse Street 201  
Biloxi, MS 39530  
p 228.374.1409

dalepartners.com

Not For  
Construction

Consultant  
Logo

Levi Strauss & Co Warehouse  
501 Denim Way, Canton, MS 39046

Package Number

SF Analysis

|            |            |
|------------|------------|
| Project No | 24077.03   |
| Date       | 12/19/2024 |
| Revisions  | Rev Date   |

A-101C

Zone C R.S.S. Machine  
Area "B"

1. Measure of fully enclosed industrial building from outside surface of enclosure.
2. One Story Building: Multiple Occupants
  - A. Rentable area of the building is its exterior gross area, including permanent mezzanines.


1. Major Vertical Penetration:
  - A. Stairs
  - B. Voids
  - C. Enclosed exterior space (atrium)
2. Building Service Area
  - A. Offices
  - B. Staff Rooms
  - C. Break Rooms
3. Floor Service Areas
  - A. Restrooms
  - B. Janitor
  - C. Mechanical rooms
  - D. Corridors
4. Occupant Areas
  - A. Warehouse space
  - B. Storage

|                                                                                       |                                       |
|---------------------------------------------------------------------------------------|---------------------------------------|
|  | Major Vertical Penetration            |
|  | Building Service Area                 |
|  | Floor Service Area                    |
|  | Occupant Area & Building Amenity Area |

| Classification                        | Square Footage |
|---------------------------------------|----------------|
| Major Vertical Penetration            | 1,321          |
| Building Service Area                 | 8,053          |
| Floor Service Area                    | 407            |
| Occupant Area & Building Amenity Area | 13,557         |
| <b>Total</b>                          | <b>23,338</b>  |

1 Level 1 - Callout Conveyor Area  
1/8" = 1'-0"

12/19/2024, 1:40:55 PM  
C:\Users\shawmackey\Documents\24084 Pinpoint Verification Levi Warehouse\_shawmackey\ZH8B.rvt



STANDARD METHODS OF MEASUREMENT

- BOMA Industrial Method A:  
Exterior Enclosure Method
- Measure of fully enclosed industrial building from outside surface of enclosure.
  - One Story Building; Multiple Occupants
    - Rentable area of the building is its exterior gross area, including permanent mezzanines.

- Space Description:
- Major Vertical Penetration:
    - Stairs
    - Voids
    - Enclosed exterior space (atrium)
  - Building Service Area
    - Offices
    - Staff Rooms
    - Break Rooms
  - Floor Service Areas
    - Restrooms
    - Janitor
    - Mechanical rooms
    - Corridors
  - Occupant Areas
    - Warehouse space
    - Storage

- Wall Priority Diagram
- Major Vertical Penetration
  - Building Service Areas
  - Floor Service Areas
  - Occupant Area & Building Amenity Area

| Classification                        | Square Footage |
|---------------------------------------|----------------|
| Major Vertical Penetration            | 779            |
| Building Service Area                 | 25,839         |
| Floor Service Area                    | 1,011          |
| Occupant Area & Building Amenity Area | 254,627        |
| Total                                 | 282,256        |

DALE  
PARTNERS

Architecture  
Interiors  
Planning

One Jackson Place 250  
188 East Capitol Street  
Jackson, MS 39201  
p 601.352.5411

161 Lameuse Street 201  
Biloxi, MS 39530  
p 228.374.1409

dalepartners.com

Not For  
Construction

Consultant  
Logo

Levi Strauss & Co Warehouse  
501 Denim Way, Canton, MS 39046

Package Number


SF Analysis

Project No 24077.03  
Date 12/19/2024  
Revisions Rev Date

A-101E

Zone E Reserve Building

12/19/2024, 1:40:57 PM  
C:\Users\shawmackey\Documents\24084 Pinpoint Verification Levi Warehouse\_shawmackey\ZFH8B.rvt



1 Level 1 - Callout Zone F  
1" = 30'-0"


| Classification                        | Square Footage |
|---------------------------------------|----------------|
| Major Vertical Penetration            | 1,242          |
| Building Service Area                 | 3,383          |
| Floor Service Area                    | 1,387          |
| Occupant Area & Building Amenity Area | 220,713        |
| Total                                 | 226,725        |

## STANDARD METHODS OF MEASUREMENT

- BOMA Industrial Method A:  
Exterior Enclosure Method
- Measure of fully enclosed industrial building from outside surface of enclosure.
  - One Story Building: Multiple Occupants
    - Rentable area of the building is its exterior gross area, including permanent mezzanines.

### Space Description:

- Major Vertical Penetration:
  - Stairs
  - Voids
  - Enclosed exterior space (atrium)
- Building Service Area
  - Offices
  - Staff Rooms
  - Break Rooms
- Floor Service Areas
  - Restrooms
  - Janitor
  - Mechanical rooms
  - Corridors
- Occupant Areas
  - Warehouse space
  - Storage



3 ACTIVE BLDG MEZZ Copy 1 - Callout 1  
1" = 30'-0"

### Wall Priority Diagram

- Major Vertical Penetration
- Building Service Areas
- Floor Service Areas
- Occupant Area & Building Amenity Area

| Classification                        | Square Footage |
|---------------------------------------|----------------|
| Major Vertical Penetration            | 1,148          |
| Building Service Area                 | 1025           |
| Floor Service Area                    | 534            |
| Occupant Area & Building Amenity Area | 166,404        |
| Total                                 | 169,111        |

DALE  
PARTNERS

Architecture  
Interiors  
Planning

One Jackson Place 250  
188 East Capitol Street  
Jackson, MS 39201  
p 601.352.5411

161 Lameuse Street 201  
Biloxi, MS 39530  
p 228.374.1409

dalepartners.com

Not For  
Construction

Consultant  
Logo

Levi Strauss & Co Warehouse  
501 Denim Way, Canton, MS 39046

Package Number


SF Analysis

Project No 24077.03  
Date 12/19/2024  
Revisions Rev Date

A-101F

Zone F Active Building

12/19/2024, 1:40:57 PM C:\Users\shawmackey\Documents\24084 Pinpoint Verification Levi Warehouse\_shawmackey\ZFH8B.rvt



1 Administration Office Enlarged Floor Plan  
1" = 10'-0"

STANDARD METHODS OF MEASUREMENT

- BOMA Industrial Method A:  
Exterior Enclosure Method
1. Measure of fully enclosed industrial building from outside surface of enclosure.
  2. One Story Building; Multiple Occupants
    - A. Rentable area of the building is its exterior gross area, including permanent mezzanines.

- Space Description:
1. Major Vertical Penetration:
    - A. Stairs
    - B. Voids
    - C. Enclosed exterior space (atrium)
  2. Building Service Area
    - A. Offices
    - B. Staff Rooms
    - C. Break Rooms
  3. Floor Service Areas
    - A. Restrooms
    - B. Janitor
    - C. Mechanical rooms
    - D. Corridors
  4. Occupant Areas
    - A. Warehouse space
    - B. Storage

- Wall Priority Diagram
- Major Vertical Penetration
  - Building Service Areas
  - Floor Service Areas
  - Occupant Area & Building Amenity Area

| Classification                        | Square Footage |
|---------------------------------------|----------------|
| Major Vertical Penetration            | 627            |
| Building Service Area                 | 18,925         |
| Floor Service Area                    | 4,388          |
| Occupant Area & Building Amenity Area | 4,838          |
| Total                                 | 28,778         |

DALE  
PARTNERS

Architecture  
Interiors  
Planning

One Jackson Place 250  
188 East Capitol Street  
Jackson, MS 39201  
p 601.352.5411

161 Lameuse Street 201  
Biloxi, MS 39530  
p 228.374.1409

dalepartners.com

Not For  
Construction

Consultant  
Logo

Levi Strauss & Co Warehouse  
501 Denim Way, Canton, MS 39046

Package Number


SF Analysis

Project No 24077.03  
Date 12/19/2024  
Revisions Rev Date

A-101G

Zone G Administration  
Building

12/19/2024, 1:40:59 PM  
C:\Users\shawmackey\Documents\24084 Pinpoint Verification Levi Warehouse\_shawmackey\ZH8B.rvt



1 Insert/Extract Area  
1/16" = 1'-0"

STANDARD METHODS OF MEASUREMENT

- BOMA Industrial Method A:  
Exterior Enclosure Method
1. Measure of fully enclosed industrial building from outside surface of enclosure.
  2. One Story Building: Multiple Occupants
    - A. Rentable area of the building is its exterior gross area, including permanent mezzanines.

- Space Description:
1. Major Vertical Penetration:
    - A. Stairs
    - B. Voids
    - C. Enclosed exterior space (atrium)
  2. Building Service Area
    - A. Offices
    - B. Staff Rooms
    - C. Break Rooms
  3. Floor Service Areas
    - A. Restrooms
    - B. Janitor
    - C. Mechanical rooms
    - D. Corridors
  4. Occupant Areas
    - A. Warehouse space
    - B. Storage

- Wall Priority Diagram
- |  |                                       |
|--|---------------------------------------|
|  | Major Vertical Penetration            |
|  | Building Service Areas                |
|  | Floor Service Areas                   |
|  | Occupant Area & Building Amenity Area |

| Classification                        | Square Footage |
|---------------------------------------|----------------|
| Major Vertical Penetration            | 890            |
| Building Service Area                 | 0              |
| Floor Service Area                    | 0              |
| Occupant Area & Building Amenity Area | 22,460         |
| Total                                 | 23,350         |

DALE  
PARTNERS

Architecture  
Interiors  
Planning

One Jackson Place 250  
188 East Capitol Street  
Jackson, MS 39201  
p 601.352.5411

161 Lameuse Street 201  
Biloxi, MS 39530  
p 228.374.1409

dalepartners.com

Not For  
Construction

Consultant  
Logo

Levi Strauss & Co Warehouse  
501 Denim Way, Canton, MS 39046

Package Number

SF Analysis

Project No 24077.03  
Date 12/19/2024  
Revisions Rev Date

A-101H

Zone H Insert Extract Area